

EDITION THE LEADING SUPPLIER OF COMMERCIAL CATERING EQUIPMENT





OVER 4500 ITEMS AND 72HR DELIVERY MORE THAN 35 YEARS EXPERIENCE WIDE RANGE OF QUALITY BRANDS COUNTRYWIDE SERVICE & SPARES EXTENSIVE DEALER NETWORK



EDITION 13

Welcome to the 13th Edition of the BCE Buyers Guide.

Our Buyers Guide has always been the industry standard, introducing innovation and continuous improvement within our carefully selected ranges from leading global suppliers. This edition is no different with over 450 new items and the introduction of premium brands such as Cambro, Ocean and Efay.

This catalogue has been engineered to be more user friendly and allow customers to have a better sense of the ranges and products available. Start your journey from the back of house all the way to table top, illustrating that the Edition 13 is everything you will need in one place. We hope that you enjoy navigating and shopping from this catalogue as much as we have enjoyed crafting it for you.

ABOUT US

BCE Foodservice Equipment is Southern Africa's leading supplier of commercial kitchen equipment, appliances, utensils, buffetware, and tableware for the hospitality and foodservice industries. Established in 1987, BCE's roots are firmly grounded in Southern Africa. We have an extensive product range, with over 4500 products, comprising quality brands, sourced from reputable local and international suppliers such as Robot Coupe (vegetable preparation equipment), Churchill (crockery solutions), Hamilton Beach (commercial blenders) and Cambro (hospital care and storage).

BCE boasts over 60 leading brands, distributed exclusively through an expansive dealer network throughout Sub-Saharan Africa. With experience spanning 35 years, BCE has built a formidable operational capability to service its customers and is regarded as the best in the highly competitive foodservice equipment industry.

OUR TEAM

BCE is proud to have a committed, expertly trained, and experienced workforce that continuously strives to deliver a seamless experience. We pride ourselves on excellent service and offering skilled support to our customers. Our teams work efficiently and accurately to consistently deliver on our customer needs. Operations are coordinated and executed from our Johannesburg and Cape Town branches.

SERVICE

Our customers are our number one priority and we are committed to their success. We have developed a solid understanding of their expectations, and the industries within which they operate, through years of experience and relationship building. BCE's service is unrivaled in the industry. This is evident in our daily operations and customer feedback. We ensure availability of stock at any given time, with the best global brands that adhere to quality standards supported by an excellent sales and technical team.

BRANDS

Our products conform to global quality standards and adhere to regulations for the protection of health, safety and the environment. Our world-renowned brands such as DIHR (dishwashing systems), Bravilor Bonamat (coffee machines), Piron (commercial ovens), Brema (ice solutions) and Anvil (catering equipment) are from carefully selected suppliers and are consistent with industry innovations and best global practices.

SHOWROOM

Visit the BCE showroom in Johannesburg for an exciting experience. BCE boasts a state of-the- art showroom and test kitchen, which is approximately 500sqm², and is one of a kind in the industry. Our magnificent showroom has been designed to provide a realistic representation of a typical food and beverage establishment and is stocked with solutions to cater to different customer needs. This unique experience has been replicated in our Cape Town branch. Our passionate and professional sales consultants are always willing to provide a detailed tour of the showrooms which showcase our products and will demonstrate their capabilities and assist with suitable

With over 4500 products, a breath-taking showroom, 24-72-hour delivery commitment, a skilled workforce and over 60 market leading brands - BCE is in a class of its own.

For further information and access to our online catalogue, visit www.bce.co.za.



CALL US TO ARRANGE AN APPOINTMENT IN ONE OF OUR SHOWROOMS:

Toll Free 0800 332 537 Johannesburg +27 10 001 0300 Cape Town

+27 21 905 2881 **Fmail** Customerservice@bce.co.za

Website www.bce.co.za











COMPLIMENT, COMPLAINT OR OUERIES: 0800 123 420 or customerservice@bce.co.za

CATEGORY INDEX

CATEGORY INDEX



PG 5 - 80

From table top to floor standing solutions, our range of Anvil, Forge, Piron and Bravilor equipment will compliment any establishment to help you achieve great results every time.



PG 81 - 94

Whether cooling or freezing, our comprehensive offering from Salvadore and Brema are guaranteed to preserve food, minimise waste and cater to your drinks service needs.



PG 95 - 108

Choose from hot, cold or ambient units in various sizes; within our range you will find a display unit to suit your individual needs and present your food in the best possible way.



PG 109 - 158

Find the ideal piece of equipment to blend, slice, prepare, mix, convert or preserve. Choose from our range of world leading brands such as Hamilton Beach, Robot Coupe and Rheninghaus amongst others.




PG 159 - 180

From brushes and mops to insect exterminators and dishwashers; find everything you need to keep your establishment clean and hygienic.




Safely storing and transporting food is made possible with our range of products from world leading brands such as Cambro. Our ranges are designed to withstand the most demanding of environments.



PG 219 - 304

Dramatically enhance the foodservice process within your business through our range of smalls and utilities. Find everything you require for front and back of house in one place.



PG 305 - 318

ChefEquip professional uniforms offer a wide selection of finely crafted and stylish aprons, chef jackets, trousers and hats whilst still remaining practical for the rigour of a commercial kitchen.




PG 319 - 368

Enhance any dining presentation with our ranges from world class brands such as Tiger, Infinity and Efay. Our ranges offer both contemporary and classic designs that are beautiful and functional.



PG 369 - 482

From practical day to day solutions to the latest designs, textures and colours from world leading brands; our ranges of tableware cater from hospitals to five-star restaurants and everything in between.



2 3

DIMENSIONS

When viewing the appliance from the front in its regular operating position, the width (W) of the product is the total distance from left to right; the depth (D) of the product is the total from front to back; and the height (H) is the total distance from the bottom of the product to the top. The three figures shown for rectangular type products are always given in the following order:

WIDTH (W) X DEPTH (D) X HEIGHT (H)

In the case of circular or cylindrical shaped products, the diameter and height of the product from top to bottom are shown. In the case of utensils, unless otherwise specified, the dimension given is the total length of the utensil.

PRODUCT DIMENSIONS

- All dimensions are given in millimeters (MM) or centimeters (CM).
- Please treat dimensions as approximate and subject to change. Detailed drawings can be supplied on request.
- All volume capacities are given in liters (L or LT) or milliliters (ML) and total capacities.
- 1 liter = 1000 milliliters

PRODUCT WEIGHTS

- These are given in kilograms (KG). To convert to pounds multiply by 2.2
- Please treat weights as approximate and subject to change.

ELECTRICAL PARAMETERS

Voltage is 220/230V single phase 50Hz AC, unless otherwise specified. Power is the total electrical output power in kilowatts (kW). This figure can be converted to give the equivalent horsepower value, by dividing it by 0.7461kW = 1.34hp.

PLEASE NOTE

- The products may differ slightly from the pictures shown in this buyers guide.
- Outputs and capacities given are generally the maximum possible and these figures do vary according to circumstances. They are based on measurements supplied by the manufacturer.
- Every effort has been made to include as much needed information as possible and to present it in an easy-to-read, unambiguous and consistent manner

FINDING YOUR WAY

You can refer to the index in each section, or turn to the applicable colour-coded category hosting the type of product, or look the product up in the alphabetical 'reference section', which will give the exact page number where the product can be found.

ICONS AND MEANINGS



Recently introduced products.



International Performance and Safety Certification.



IMPROVEDProducts that have been enhanced by the supplier.



Liquefied Petroleum Gas Safety Association Certification. (For a list of approved gas installers, visit www.saqccgas.co.za).



ms that are manufactured with the highest quality 18/10 stainless steel.

Heating

From table top to floor standing solutions, our range of Anvil, Forge, Piron and Bravilor equipment will compliment any establishment to help you achieve great results every time.

Section Index

| Airpot Brewers | 74,78 | Meat Ager | 66 |
|-------------------------------|------------------|------------------------------|-------------|
| Accessories for ovens | 54 | Oil Jacketed Pot | 31 |
| Bain-Maries | 63 | Pancake And Omelette Machine | 38 |
| Biltong Cabinets | 67 | Coffee Percolator | 77 |
| Boiling Tables | 28 - 29 | Piron Ovens | 49 - 53 |
| Bravilor Coffee Equipment | 70 – 75, 77 | Pizza Ovens | 44 |
| Bulk Brewers Bravilor | 75 | Plate Warmers | 61 |
| Chicken Grillers | 38 | Plate Lowerators | 62 |
| Chip Dumps | 15 | Popcorn Machines | 64 |
| Coffee Grinders | 76 | Pour-Over Coffee Machines | 73, 78 |
| Commercial Microwave | 55 - 57 | Proofing Cabinet | 40 |
| Combi Steam Ovens | 41 - 42, 50 - 53 | Rice Cooker | 61 |
| Convection Ovens - Electric | 39, 49 | Riser Shelves | 60 |
| Cooker Cabinets | 69 | Salamanders - Electric | 48 |
| Deck Ovens | 45 - 47 | Salamander - Gas | 47 |
| Decorative Food Display Lamps | 60 | Sauce Warmer - Dip-A-Lait | 36 |
| Espresso Machines | 70 – 72, 76 | Smoking Cabinets | 68 |
| Espresso Machine Accessories | 76 | Soup Kettles | 80 |
| Flasks Tasks | 79 | Sous Vide Cookers | 65 |
| ood Dehydrator | 66 | S/Steel Stands | 40 - 41, 54 |
| Mobile Food Warming Cabinet | 62 | Stove with Oven | 26 - 27 |
| ⁼ ryers – Electric | 7 - 9,12 - 14 | Stoves | 16 -17 |
| ⁼ ryers – Gas | 9 - 11 | Tea Pot | 79 |
| Grillers - Electric | 18, 23 | Tilting Pans - Electric | 30 |
| Grillers - Gas | 19 - 22, 24 - 25 | Tilting Pan - Gas | 31 |
| Heated Food Display Station | 80 | Toasters - Electric | 32 - 36 |
| Hot Tray | 59 | Toaster - Gas | 34 |
| Hotdog Roller | 16 | Trays | 43 |
| nduction Warmers/Cookers | 57 - 59 | Trolley | 42,54 |
| nsulated servers | 80 | Urns | 77 |
| lug Warmer | 78 | Waffle Baker | 37 |
| ugs | 73,78 - 79 | | |





FEATURES

Farge

Built to withstand the most demanding environments

Engineered to the highest international safety standards

BRAVILOR BONAMAT

Unmatched power and efficiency

Space-saving, modular sleek design

Leading brand established in 1948

Innovative, reliable and maintenance friendly

Wide product offering for any coffee experience

Authentic Dutch craftsmanship

5 REASONS WHY

2 Year warranty

5 REASONS WHY

2 Year warranty

QUDIL

YEAR

National spare parts support
Unrivalled after-sales service
Trusted by South African industry professionals since 1993
Engineered and manufactured to the highest international

/ YEAR

5 REASONS WHY

safety standards

5 REASONS WHY

2 Year warranty

Italian designed and manufactured

Leading innovations in gastronomy and baking

Readily available spare parts and back-up service

5 REASONS WHY

Durability and longevity

World class safety features

Efficiency and productivity

Easy to clean and maintain

ed by South African butchery experts since 1992

Over 15 years of heritage

- Specially designed tilt-up head for easy removal of oil tank to drain the oil
- Microswitch disconnects power when element box is removed or tilted
- Thermostatically controlled operating temperature range: 50°C 190°C
- Automatic safety cut-out to prevent oil flashing manually reset
- Longer optimised heating element covers more surface area and prolongs oil life
- Recommended portion size 250G per 5LT tank
- Produced in South Africa using heavier gauged S/Steel



1 X 5LT FFA2001

SPECIFICATIONS

OUTPUT : Approx 4KG french fries/HR

POWER : 2.5KW VOLTAGE : 230V VOLUME OF OIL : 5LT

DIMENSIONS : 282 X 470 X 288MM

WEIGHT : 6KG

IDEAL FOR : Raw product

OTHER ORDER CODES

NIGHT COVER ONLY

FFI0001

INSERT 1/2 X 150MM

FFI0150

SPARE BASKET - S/STEEL

FFB2250

Note

S/Steel basket included

2 X 5LT FFA2002

FFA2002

SPECIFICATIONS

OUTPUT : Approx 8KG french fries/HR

POWER : 2 X 2.5kW VOLTAGE : 2 X 230V VOLUME OF OIL : 2 X 5LT

DIMENSIONS : 573 X 470 X 288MM

WEIGHT : 2KG

IDEAL FOR : Raw product

OTHER ORDER CODES

NIGHT COVER ONLY

FFI0001

INSERT 1/2 X 150MM

FFI0150

SPARE BASKET - S/STEEL

FFB2250

(S/Steel basket included)

Note

FFA2002

Must be connected to 2 separate 16 amp plugs on separate circuits





DEEP FRYERS - TABLE TOP - ELECTRIC

FEATURES

- A unique unit developed by McCain and Anvil to produce a perfect chip straight from the freezer to the plate
- Specially designed tilt-up head for easy removal of oil tank to drain the oil
- Microswitch disconnects power when element box is removed or tilted
- Automatic safety cut-out to prevent oil flashing manually resettable
- Fries frozen chips within 3 minutes* preventing oil saturation, producing a crispier and tastier chip
- Operating temperature range: 50°C 190°C
- Recommended portion size 300g per 5LT tank

*Unit tested under controlled conditions. Variables may affect the outcome







1 X 5LT FFA5001

SPECIFICATIONS

OUTPUT : Approx 6KG french fries/HR

POWER : 3.4kW VOLTAGE : 230V VOLUME OF OIL : 5LT

DIMENSIONS : 282 X 470 X 288MM

WEIGHT : 8.6KG
IDEAL FOR : Raw products

OTHER ORDER CODES

DEEP FRYER BASKET

FFB2260

NIGHT COVER ONLY

FFI0001

Note

Must be used on a dedicated 16 amp plug point S/Steel basket included

FEATURES

- S/Steel handle to hinge the element to 90° for easy cleaning
- 1/2" Valve for easy oil drainage
- Thermostatically controlled with automatic safety cut-out to prevent oil flashing







- · Microswitch disconnects power when element is hinged up
- Recommended portion size 500G
- Operating temperature range: 50°C 190°C

1 X 10LT - HIGH SPEED

FFA6003

SPECIFICATIONS

OUTPUT : Approx 9KG french fries/HR

POWER : 5.6kW VOLTAGE : 230V - 2 phase

VOLUME OF OIL : 10LT

DIMENSIONS : 390 X 512 X 422MM WEIGHT : 16KG

OTHER ORDER CODES

DEEP FRYER BASKET

FFB2250

Note

S/Steel basket included Power cable not included

FRYER - TABLE TOP - ELECTRIC

FEATURES

- · Start your own business selling vetkoek, koeksisters or doughnuts
- Ideal for coffee shops, small bakeries, take-aways and supermarkets
- Tilting element unit for easy cleaning
- Comes standard with S/Steel turning fork

- Removable drip tray convenient for draining
- Takes 6 8LT cooking oil
- Temperature thermostatically controlled with safety cut-out to prevent oil flashing



DOUGHNUT/SHALLOW

ODEOLEIGAT

SPECIFICATIONS

POWER : 2.4kW VOLTAGE : 230V VOLUME OF OIL : 6 - 8LT

DIMENSIONS : 736 X 682 X 280MM

WEIGHT : 9K

DEEP FRYER - TABLE TOP - GAS

FEATURES

- 5LT oil capacity
- S/Steel construction
- Easy to clean fully welded oil tank fitted with a safety interlocked drain valve, fitted behind the door
- Thermostatically controlled valve with integrated pilot burner
- Adjustable between 66°C 200°C

- Flame failure safety device ie. should the flame fail the gas will automatically switch off
- With the ball valve located behind the door there is no chance to accidentally open the valve and burn oneself.
- Manually lit





1 X 5LT FFA4110-R01

SPECIFICATIONS

OUTPUT : Approx 4KG french fries/HR

POWER OUTPUT : 32 500 BTU GAS : LPG

VOLUME OF OIL : 5LT

DIMENSIONS : 305 X 620 X 495MM

WEIGHT : 14KG REGULATOR : Yes

OTHER ORDER CODES

SPARE BASKET - S/STEEL FFB2250

Note

S/Steel basket included





DEEP FRYERS - FLOOR STANDING - GAS

DEEP FRYER - TABLE TOP - GAS

FEATURES

- 2 X 5LT oil capacity
- S/Steel construction
- Ideal for use in restaurants, canteens, take aways and outdoor caterers

Flame failure safety device ie. should the flame fail the gas will automatically switch off



2 X 5LT

FFA4120-R01

SPECIFICATIONS

OUTPUT : Approx 8KG french fries/HR

POWER OUTPUT : 65 000 BTU
GAS : LPG
VOLUME OF OIL : 2 X 5LT

VOLUME OF OIL : 2 X 5LT
DIMENSIONS : 610 X 620 X 495MM

WEIGHT : 27KG REGULATOR : Yes

OTHER ORDER CODES

SPARE BASKET - S/STEEL

FFB2250

Note

S/Steel basket included

DEEP FRYER - FLOOR STANDING - GAS

FEATURES

- 20LT oil capacity for twin basket operation
- Cold zone design allows debris to collect in the bottom of the tank, prolonging the oil life
- Temperature thermostatically controlled with safety cut-out to prevent oil flashing



FFA3200

SPECIFICATIONS

OUTPUT : Approx 40KG french fries/HR

POWER OUTPUT : 90000 BTU
GAS : LPG
VOLUME OF OIL : 20LT

Flame failure safety cut-off valve

Operating temperature range: 50°C - 190°C

Manual pilot flame ignition

DIMENSIONS : 400 X 760 X 1180MM

WEIGHT : 70KG REGULATOR : No

OTHER ORDER CODES

BASKET - FOR FFA3200

FFB3200

Note

S/Steel baskets included

Heavy duty gas products to be connected by approved gas installer

FEATURES

- Two individually heated 10LT oil fryer tanks
- Cold zones design allows debris to collect in the bottom of the tank, prolonging the oil life
- Thermostatically controlled with flame failure and overtemperature protection
- Operating temperature 50°C 190°C
- Manual ignition pilot burner



2 X 10LT FFA2100

SPECIFICATIONS

POWER OUTPUT : 120 000 BTU

GAS : LPG

VOLUME OF OIL : 2 X 10LT

DIMENSIONS : 400 X 868 X 1306MM

WEIGHT : 76KG

OUTPUT : Approx 50KG french fries/HR

REGULATOR : N

Note

S/Steel baskets included

- Flame failure safety cut off valve
 Manual pilot flame ignition
- Operating temperature range: 50°C 190°C

YEAR

FEATURES

oil flashing

prolonging the oil life

2 X 18LT oil capacity for two/double basket operation

Cold zone design allows debris to collect in the bottom of the tank,

Temperature thermostatically controlled with safety cut out to prevent







2 X 18LT

FFA3220

SPECIFICATIONS

OUTPUT : Approx 70KG french fries/HR POWER OUTPUT : 120 000 BTU

GAS : LPG

DIMENSIONS : 533 X 760 X 1224MM

WEIGHT : 73KG

VOLUME OF OIL : 2 X 18LT REGULATOR : No

OTHER ORDER CODES

SPARE BASKET - S/STEEL FFB2250

Note

S/Steel baskets included

Heavy duty gas products to be connected by approved gas installer





DEEP FRYERS - FLOOR STANDING - ELECTRIC

DEEP FRYERS - FLOOR STANDING - ELECTRIC

FEATURES

- Front mounted controls ensure safe working practice. Main terminals are situated behind the front access panel
- These units are powered by Incoloy elements which ensure consistent peak performance
- Fitted with a 40MM diameter drain valve
- Temperature thermostatically controlled with safety cut-out to prevent oil flashing
- Operating temperature range: 50°C 190°C







1 X 20LT FFA1020

SPECIFICATIONS

OUTPUT : Approx 40KG french fries/HR

POWER : 16.5kW

VOLTAGE : 380V - 3 phase (N+E)

VOLUME OF OIL : 20LT

DIMENSIONS : 510 X 660 X 1000MM

WEIGHT : 45kG

OTHER ORDER CODES

CHIP BASKET (NO SIDE HOOKS)

CBS2280

OIL RECEIVER

ORA0001

Note

Baskets sold separately Power cable not included

FEATURES

- Large surge area and effective cold zone
- Temperature thermostatically controlled with safety cut out to prevent oil flashing
- Large 40MM drain valve for fast effective draining
- Operating temperature range: 50°C 190°C







2 X 10LT

FFA2010

SPECIFICATIONS OUTPUT

OUTPUT : Approx 40KG french fries/HR POWER : 2 X 8.25kW

017405

VOLTAGE : 380V - 3 phase (N+E)

VOLUME OF OIL : 2 X 10LT

DIMENSIONS : 510 X 660 X 1000MM WEIGHT : 45KG

OTHER ORDER CODES

CHIP BASKET (NO SIDE HOOKS)

CBS2280

OIL RECEIVER

ORA0002

Note

Baskets sold separately Power cable not included



- Temperature thermostatically controlled with safety cut-out to prevent oil flashing
- Large 40MM drain valve for fast effective draining



Tilt up element with lock

Heavy gauge construction









2 X 10LT FFF3210

OUTPUT

SPECIFICATIONS

: Approx 45KG french fries/HR

POWER : 2 X 8.4kW

VOLTAGE: 380V - 3 phase (N+E)

VOLUME OF OIL : 2 X 10LT

DIMENSIONS : 512 X 807 X 1043MM

WEIGHT : 63KG

OTHER ORDER CODES CHIP BASKET

FFB3200

Note

Basket sold separately Power cable not included



FEATURES

- · Unit supplied with one drain tank
- Temperature thermostatically controlled with safety cut-out to prevent oil flashing
- Reduce the risk of down time with 3 elements per tank (Unit will function with reduced performance if an element fails)
- Operating temperature range: 50°C 190°C





2 X 20LT FFA2020

SPECIFICATIONS

OUTPUT : Approx 80KG french fries/HR

POWER : 2 X 16.5kW

VOLTAGE : 380V - 3 phase (N+E) VOLUME OF OIL : 2 X 20LT

DIMENSIONS : 1012 X 660 X 1000MM

WEIGHT : 65KG

OTHER ORDER CODES

CHIP BASKET (NO SIDE HOOKS)
CBS2280

Note

Baskets sold separately Power cable not included





HOTEL FRYER - FLOOR STANDING - ELECTRIC

FEATURES

- Deep tanks can accommodate a 400 x 300 x 150MM basket
- Temperature thermostatically controlled with an operating range of 50°C – 190°C







· Reduce the risk of down time with 3 elements per tank

2 X 20LT

SPECIFICATIONS

HFA2020

OUTPUT : Approx 70KG fench fries/HR

POWER : 2 X 12kW

VOLTAGE : 380V - 3phase (N+E)

VOLUME OF OIL : 2 X 20LT DIMENSIONS : 1035 X 738 X 1289MM

WEIGHT : 77KG

OTHER ORDER CODES

BASKET - S/STEEL CBS0400

Note

Should be connected to 2 separate 16 amp power outlet on separate circuits Baskets sold separately

Power cable not included

DEEP FRYER - FLOOR STANDING - ELECTRIC

FEATURES

- Capacity of 16LT
- Each insert has a powerful 3.4kW element
- There is an integrated splash back with basket hanger facility
- Ideal for smaller catering organizations
- Features a build in splashback that includes a basket hanger function
- Supplied flat packed
- Temperature thermostatically controlled with safety cut-out to prevent oil flashing.
- oil flashing
- Recommended portion size 350G
- Operating temperature range: 50°C 190°C







SPAZA

FFA1002

SPECIFICATIONS

OUTPUT : Approx 10KG french fries/HR

POWER : 2 X 3.4kW VOLTAGE : 230V VOLUME OF OIL : 2 X 8LT

DIMENSIONS : 813 X 628 X 1152MM

WEIGHT : 31.5KG

OTHER ORDER CODES

BASKET - S/STEEL

FFB2250

Note

Should be connected to 2 separate 16 amp power outlet on separate circuits Baskets sold separately

CHIP DUMPS

TABLE TOP

FEATURES

- Fitted with Incoloy element
- Ideal for keeping product warm





- DLL IOI
 - The lamp illuminates product for enhanced presentation
 - Sloped drip tray makes serving easier and avoids damage to the product being scooped out

CHIP DUMP

SPECIFICATIONS

POWER : 0.9kW VOLTAGE : 230V

DIMENSIONS : 340 X 630 X 489MM

WEIGHT: : 8KG

Note

1 X GN 1/1 X 150 inserts included

• Storage racks for 3 x GN1/1 x 150mm inserts

Sloped drip tray makes serving easier and avoids damage to the

FLOOR STANDING

FEATURES

- Robust Incoloy heating element provides even heating
- Lamp illuminates product for enhanced presentation



- product being scooped out

 CHIP DUMP
- CDA2001

SPECIFICATIONS

POWER : 0.9kW VOLTAGE : 230V

DIMENSIONS : 449 X 620 X 1288MM

WEIGHT : 25KG

OTHER ORDER CODES

INSERTS - S/STEEL

Note

Inserts included



FEATURES

- Unit designed to compete in the rigorous and demanding environment of busy kitchens in the most popular chain stores, franchises and high end restaurants.
- Powerful infra-red top heater
- Front mounted controls, ensure safe working practice





- Independently controlled bottom heating element
- Holds two 22LT plastic bins 440 x 310 x 168MM
- Adjustable leveling feet with castor wheels on the rear
- Sloped drip tray makes serving easier and avoids damage to the product being scooped out

CHIP DUMP CDF0001

SPECIFICATIONS

POWER : 2.25kW VOLTAGE : 230V

DIMENSIONS : 446 X 765 X 1443MM

WEIGHT : 48KG

OTHER ORDER CODES

INSERTS - PLASTIC
MTS0002

Note

2 plastic bins included





HOT DOG ROLLER

FEATURES

- Variable heat control for easy grilling of sausages
- Dual control, allowing front 5 rollers or back 6 rollers to be used independently, or all 11 rollers together

· Fitted with a removable fat tray for easy cleaning





11 ROLLER

HDR1011

SPECIFICATIONS VOLTAGE : 230V

POWER : 2.2kW

: 588 X 405 X 190MM **DIMENSIONS**

WEIGHT : 12.2KG

STOVE PLATES

FEATURES

· Rapid heat up time. Specially designed industrial hot plate elements which can be left on all day

Six-stage heat switch for simmering and boiling





SINGLE STA0001

SPECIFICATIONS

POWER : 2.0kW **VOLTAGE** : 230V PLATE DIAMETER : 225MM

DIMENSIONS : 333 X 508 X 225MM

WEIGHT : 7KG





DOUBLE

STA1002

SPECIFICATIONS

POWER : 1 x 1.2kW - 1 x 2.0kW

VOLTAGE : 230V

PLATE DIAMETER : 1 X 190 - 1 X 225MM **DIMENSIONS** : 381 X 693 X 244MM

WEIGHT : 11.4KG



FEATURES

- Cast iron burners rated at 26000BTU
- Designed to distribute heat evenly, ensuring optimal heating
- Equipped with flame failure protection, providing and added safety feature









2 BURNER

STG0002

SPECIFICATIONS SURFACE

: LPG GAS POWER OUTPUT : 52000 BTU

DIMENSIONS : 300 X 692 X 364MM

: Open

GRID SIZE : 300 X 300MM : 34KG WEIGHT

REGULATOR : No

OTHER ORDER CODES

STAND - 400MM - S/STEEL GGS0400

4 BURNER

STG0004

SPECIFICATIONS

SURFACE : Open

: LPG GAS

POWER OUTPUT : 104000 BTU

: 600 X 692 X 364MM **DIMENSIONS**

GRID SIZE : 600 X 300MM

WEIGHT : 59KG

REGULATOR : No

OTHER ORDER CODES

STAND - 600MM - S/STEEL

GGS0600



SPECIFICATIONS

SURFACE : Open GAS : LPG

POWER OUTPUT : 156000 BTU : 900 X 692 X 364MM **DIMENSIONS**

GRID SIZE : 900 X 300MM WEIGHT : 84KG

REGULATOR : No

OTHER ORDER CODES

STAND - 900MM - S/STEEL GGS0900

Heavy duty gas products to be connected by an approved gas installer





HEAVY DUTY - GRILLERS - FLOOR STANDING - ELECTRIC

SOLID TOP

FEATURES

- · Unit designed to compete in the rigorous and demanding environment of busy kitchens in the most popular chains, franchises and high-end restaurants
- Heavy duty Robert Shaw thermostats for reliable and effective heating control over entire surface
- Heavy duty 12mm thick cooking surface for effective heat distribution and retention
- Sturdy, fully welded S/Steel stand with bottom shelf for additional storage (non-collapsible)
- Heavy duty facia (temperature scale) design to inspire confidence in unit's hard working characteristics
- Solid S/Steel construction, designed to be hard working, durable, easy to clean, maintain and service
- Rear fixed castors to easily move for cleaning





600MM

FGE0600

SPECIFICATIONS

SURFACE

POWER : 8kW **VOLTAGE**

: 380V - 3 phase (N+E) : 618 X 765 X 1000MM **DIMENSIONS**

GRILL AREA : 614 X 550MM : 76KG WEIGHT

OTHER ORDER CODES

INSERT HOLDER

IHF0001

MEAT RESTING TRAY

MRT0001

Note

Power cable not included





900MM

FGE0900

SPECIFICATIONS

SURFACE POWER

VOLTAGE : 380V - 3 phase (N+E)

: 918 X 765 X 1000MM **DIMENSIONS**

GRILL AREA : 914 X 550MM

WEIGHT : 100KG

OTHER ORDER CODES

INSERT HOLDER

MEAT RESTING TRAY

MRT0001

Note

Power cable not included

HEAVY DUTY - GRILLERS - FLOOR STANDING - GAS

SOLID TOP

FEATURES

- · Unit designed to compete in the rigorous and demanding environment of busy kitchens in the most popular chains, franchises and high end
- Gas approved ball valves for reliable and durable control
- Sturdy, fully welded S/Steel stand with bottom shelf for additional storage (non-collapsible)
- Rear castors to easily move for cleaning

- Hard wearing and long lasting heavy cast iron grates and radiants that retain and radiate heat for efficient grilling
- Powerful 14000 BTU burners, for even and effective heat distribution
- Solid S/Steel construction, designed to be hard working durable, easy to clean, maintain and service
- No gas regulator supplied







600MM FGG0600

SPECIFICATIONS

SURFACE

POWER OUTPUT : 56000 BTU

DIMENSIONS : 618 X 765 X 1000MM GRILL AREA : 614 X 550MM

WEIGHT : 76KG

: LPG + NG (NG available on request) GAS

REGULATOR

OTHER ORDER CODES **INSERT HOLDER**

IHF0001

MEAT RESTING TRAY





900MM

FGG0900

SPECIFICATIONS

SURFACE

POWER OUTPUT : 84000 BTU

DIMENSIONS : 918 X 765 X 1000MM GRILL AREA : 914 X 550MM

WEIGHT

: LPG + NG (NG available on request) GAS REGULATOR

OTHER ORDER CODES

INSERT HOLDER

IHF0001

MEAT RESTING TRAY

MRT0001

Heavy duty gas products to be connected by an approved gas installer





GRILLERS - TABLE TOP - GAS

HEAVY DUTY - GRILLERS - FLOOR STANDING - GAS

RADIANT



600MM

FGR0600

SPECIFICATIONS

SURFACE : Ribbed grates : 56000 BTU POWER OUTPUT : 618 X 765 X 1000MM **DIMENSIONS GRILL AREA** : 614 X 460MM WEIGHT : 76KG

: LPG + NT (NG available on request) GAS

REGULATOR

OTHER ORDER CODES

INSERT HOLDER

IHF0001

MEAT RESTING TRAY

SOLID GRILL PLATE - 2 RADIANT (MILD STEEL)







900MM

FGR0900

SPECIFICATIONS SURFACE

: Ribbed grates POWER OUTPUT : 84000 BTU **DIMENSIONS** : 918 X 765 X 1000MM : 914 X 460MM **GRILL AREA** : 100KG WEIGHT

GAS : LPG + NG (NG available on request)

REGULATOR : No

OTHER ORDER CODES

INSERT HOLDER

IHF0001

MEAT RESTING TRAY

SOLID GRILL PLATE - 2 RADIANT (MILD STEEL) SGP0002

Note

Heavy duty gas products to be connected by an approved gas installer





FEATURES

- Piezo igniters for safe and easy ignition
- Robust 16MM griddle plate for effective heat distribution
- Automatic flame failure device shuts off gas in the event of flame going out
- 455MM Long, S/Steel burners for better heat distribution



400MM

FTG0400

SPECIFICATIONS

SURFACE : LPG GAS POWER OUTPUT : 28000 BTU **DIMENSIONS** : 450 X 675 X 350MM GRILL AREA : 400 X 480MM : 52.3KG WEIGHT REGULATOR : No

OTHER ORDER CODES

STAND - 400MM - S/STEEL

GGS0400







600MM

FTG0600

SPECIFICATIONS

SURFACE : Flat : LPG GAS POWER OUTPUT : 56000 BTU : 610 X 675 X 350MM **DIMENSIONS** GRILL AREA : 600 X 480MM WEIGHT : 72KG **REGULATOR** : No

OTHER ORDER CODES

STAND - 600MM - S/STEEL

GGS0600





900MM FTG0900

SPECIFICATIONS SURFACE

: Flat : LPG POWER OUTPUT : 84000 BTU

DIMENSIONS : 900 X 675 X 350MM **GRILL AREA** : 900 X 480MM : 92.2KG WEIGHT REGULATOR : No

OTHER ORDER CODES

STAND - 900MM - S/STEEL GGS0900

Heavy duty gas products to be connected by an approved gas installer The collapsible flat design allows the stand to be conveniently transported



GRILLERS - TABLE TOP - ELECTRIC

FLAT TOP

GRILLERS - TABLE TOP - GAS

RADIANT

FEATURES

- Piezo igniters for safe and easy ignition
- Robust cast iron grates specially designed to disperse excess fat, reducing smoke and flames
- · Automatic flame failure device shuts off gas in the event of flame going
- 455MM long, S/Steel burners for better heat distribution





400MM **GGR0400**

SPECIFICATIONS

SURFACE : Ribbed grates GAS : LPG POWER OUTPUT : 28000 BTU **DIMENSIONS** : 450 X 675 X 350MM **GRILL AREA** : 400 X 460MM WEIGHT : 40KG REGULATOR : No



STAND - 400MM - S/STEEL

400MM - LAVA ROCK KIT GGR1400



Lava rocks





600MM GGR0600

SPECIFICATIONS

SURFACE : Ribbed grates : 56000 BTU POWER OUTPUT **DIMENSIONS** : 610 X 675 X 350MM GRILL AREA : 600 X 460MM WEIGHT : 45KG REGULATOR : No

OTHER ORDER CODES

STAND - 600MM - S/STEEL

GGS0600

600MM - LAVA ROCK KIT

GGR1600





900MM **GGR0900**

SPECIFICATIONS

SURFACE : Ribbed grates GAS : LPG : 84000 BTU POWER OUTPUT DIMENSIONS : 900 X 675 X 350MM **GRILL AREA** : 900 X 460MM : 45KG WEIGHT REGULATOR : No

OTHER ORDER CODES

STAND - 900MM - S/STEEL GGS0900

900MM - LAVA ROCK KIT **GGR1900**

Heavy duty gas products to be connected by an approved gas installer Stand sold separately

FEATURES

- Heavy duty 10MM cooking plate for high heat retention
- Grease trough drains into bottom mounted grease collection pan
- Rapidly heats up to optimum cooking temperature

- Flat top griller thermostatically controlled up to a max of 300°C
- Egg griller thermostatically controlled up to max of 180°C
- Element design ensures even heating over entire cooking surface









: 2kW VOLTAGE : 230V **GRILL AREA** : 355 X 420MM

: 373 X 470 X 241MM **DIMENSIONS**

WEIGHT





600MM FTA0600

SPECIFICATIONS

POWER : 3kW : 230V VOLTAGE **GRILL AREA** : 605 X 420MM **DIMENSIONS** : 623 X 470 X 241MM

WEIGHT : 30KG







RIBBED / FLAT - 600MM FTA2600

SPECIFICATIONS

POWER : 3kW **VOLTAGE** : 230V

: 605 X 420MM **GRILL AREA DIMENSIONS** : 623 X 470 X 241MM

WEIGHT : 30KG





EGG GRILLER - 400MM FTA4400

SPECIFICATIONS

: 2kW **POWER** VOLTAGE : 230V **GRILL AREA** : 355 X 420MM : 373 X 470 X 241MM **DIMENSIONS** : 19KG

WEIGHT



EGG & BACON - 600MM FTA1600

SPECIFICATIONS

POWER : 3kW : 230V **VOLTAGE**

GRILL AREA : 605 X 420MM : 623 X 470 X 241MM **DIMENSIONS** WEIGHT

: 30KG





HEATING

GRILLERS - TABLE TOP - GAS

GRILLERS - FLOOR STANDING - GAS

RADIANT

FLAT TOP

FEATURES

- Front mounted easy access drip tray
- Easy to connect 1M flexible hose and regulator supplied
- Ignition mechanism for easy igniting
- Flame failure device which shuts down the gas supply should the flame

 Regulator supplied works off low pressure (2.8Kpa) liquefied petroleum gas and is suitable for large cylinders (from 9KG - 48KG) To use a smaller portable cylinder, a coupling connector and a suitable regulator must be purchased separately





400MM FTA2400

SPECIFICATIONS

SURFACE : Flat top : LPG GAS POWER OUTPUT : 12500 BTU **DIMENSIONS** : 400 X 514 X 273MM GRILL AREA : 400 X 400MM WEIGHT : 18KG REGULATOR : Yes



600MM FTA6600

SPECIFICATIONS

SURFACE : Flat top GAS : LPG POWER OUTPUT : 25000 BTU **DIMENSIONS** : 620 X 514 X 273MM : 616 X 400MM GRILL AREA WEIGHT : 28KG REGULATOR : Yes



FEATURES

- New improved higher performance
- Powerful efficient burners
- Quality gas valves
- S/Steel integrated splash guard
- Base with storage shelf
- · Flat grill plates available as an optional extra







S/Steel drip trav

- Die cast metal control knobs
- Rear castors for easier cleaning access
- Cast iron radiants for maximum heat retention
- 16000BTU per burner

6 BURNER GGA4006

SPECIFICATIONS SURFACE : Cast iron ribbed grates

GAS : LPG + NG (NG available on request)

POWER OUTPUT : 96000 BTU

: 815 X 740 X 1050MM **DIMENSIONS**

GRILL AREA : 680 X 470MM

WEIGHT : 75KG **REGULATOR** : No

OTHER ORDER CODES

FLAT PLATE

GGA4000

465 X 295 X 25MM

8 BURNER

GGA4008

SPECIFICATIONS

SURFACE : Cast iron ribbed grates GAS

: LPG + NG (NG available on request) POWER OUTPUT : 128000 BTU

DIMENSIONS : 1035 X 740 X 1050MM

: 900 X 470MM GRILL AREA

WEIGHT : 92KG **REGULATOR** : No

OTHER ORDER CODES

FLAT PLATE

GGA4000

465 X 295 X 25MM

10 BURNER GGA4010

SPECIFICATIONS

SURFACE : Cast iron ribbed grates

: LPG + NG (NG available on request)

POWER OUTPUT : 160000 BTU

DIMENSIONS : 1255 X 740 X 1050MM GRILL AREA : 1120 X 470MM

WEIGHT : 108KG REGULATOR : No

OTHER ORDER CODES

FLAT PLATE

GGA4000

465 X 295 X 25MM

Heavy duty gas products to be connected by an approved gas installer













ELECTRIC SOLID TOP STOVE - WITH ELECTRIC OVEN

FEATURES

- Removable heating plates for servicing
- Robust S/Steel construction with durable door and hinges
- Removable drip tray beneath stove top to retain spills
- Thermostatically controlled electric oven takes full size gastronorm pans
- · Powerful oven circulating fan with automatic reversing cycle to promote even baking
- Fitted with 1 x chrome plated steel wire shelf
- For use with pots only and should not be used as griddle plates
- Side storage cupboard





3 PLATE COA4003

SPECIFICATIONS

POWER VOLTAGE : 380V - 3phase (N+E) : 18kW OVEN POWER

DIMENSIONS : 1046 X 780 X 900MM **CAVITY DIMENSIONS** : 560 X 630 X 285MM

: 117KG WEIGHT

Note

Power cable not included

GAS STOVES - WITH ELECTRIC OVEN

FEATURES

- Robust S/Steel construction with durable door and hinges
- Powerful stove top burners are easily removable for cleaning
- Removable drip tray beneath stove top to retain spills
- Thermostatically controlled electric oven takes full gastronorm pans
- Powerful oven circulating fan with automatic reversing cycle to promote
- Useful side storage cupboard on COA4006
- 0 120MIN timer

















4 BURNER COA4004

SPECIFICATIONS

VOLTAGE : 380V - 3 phase (N+E)

OVEN POWER GAS

: LPG + NG (NG available on request) BTU BURNERS : 104000 BTU

DIMENSIONS : 700 X 790 X 900MM **CAVITY DIMENSIONS** : 560 X 500 X 285MM

: 115KG WEIGHT REGULATOR : No

6 BURNER COA4006

SPECIFICATIONS

VOLTAGE : 380V - 3 phase (neutral and earth)

OVEN POWER : 4.5kW

GAS : LPG + NG (NG available on request)

BTU BURNERS : 156000 BTU

DIMENSIONS : 1050 X 790 X 900MM **CAVITY DIMENSIONS** : 560 X 500 X 285MM

: 175KG WEIGHT REGULATOR : No

Heavy duty gas products to be connected by an approved gas installer Power cable not included

GAS STOVES - WITH GAS OVEN

FEATURES

- Robust S/Steel construction with durable door and hinges
- Easily removable cast iron grates
- Powerful stove top burners are easily removable for cleaning

0000

Removable drip tray beneath stove top to retain spills



COA3004 **SPECIFICATIONS**

OUTPUT : 119 700 BTU

: LPG + NG (NG available on request)

Thermostatically controlled gas oven takes full gastronorm pans

Suitable for LPG or NG (requires conversion by a licenced technican)

DIMENSIONS : 700 X 750 X 900MM CAVITY DIMENSIONS : 560 X 630 X 285

: 117KG WEIGHT REGULATOR : No



SPECIFICATIONS

OUTPUT : 171 700 BTU : LPG + NG

DIMENSIONS : 1050 X 750 X 900MM CAVITY DIMENSIONS : 560 X 630 X 285MM

WEIGHT : 155KG REGULATOR : No

Note

Heavy duty gas products to be connected by an approved gas installer

GAS SOLID TOP STOVE - WITH GAS OVEN

FEATURES

- Durable full S/Steel construction
- Piezo ignitors with pilot burners
- Removable drip tray beneath stove top to retain spills
- Removable top plates for easy access to burners

- Automatic flame failure device shuts off gas in the event of flame going
- For use with pots only and should not be used as griddle plates Gas burner oven with flame failure safety
- Top plates with effective individual drainage







3 PLATE COA3003

SPECIFICATIONS

OUTPUT : 61 900 BTU

GAS : LPG + NG (NG available on request)

DIMENSIONS : 1046 X 780 X 900MM CAVITY DIMENSIONS : 560 X 500 X 285MM

WEIGHT : 199KG REGULATOR : No

Note

Heavy duty gas products to be connected by an approved gas installer





BOILING TABLES - STRAIGHT

FEATURES

- Mild steel painted
- High quality fabricated support grates

- Safety approved by LPG Safety Association of SA
- Flat packed for easy transport



2 BURNER BTG2002

SPECIFICATIONS

SURFACE : Straight (in-line) GAS : LPG **OUTPUT TOTAL** : 36000 BTU

DIMENSIONS : 904 X 484 X 665MM WEIGHT : 27KG

: No

REGULATOR



3 BURNER

BTG2003

SURFACE

SPECIFICATIONS

: Straight (in-line) GAS : LPG **OUTPUT TOTAL** : 54000 BTU

: 1340 X 484 X 665MM DIMENSIONS WEIGHT : 37KG

REGULATOR : No



4 BURNER BTG2004

SPECIFICATIONS

SURFACE GAS

OUTPUT TOTAL : 72000 BTU **DIMENSIONS** : 1748 X 484 X 665MM

: LPG

: Straight (in-line)

WEIGHT : 48.5KG REGULATOR : No





4 BURNER BTG3004

SPECIFICATIONS SURFACE

GAS : LPG OUTPUT TOTAL : 72000 BTU : 904 X 614 X 830MM DIMENSIONS

: Staggered

: 36KG WEIGHT REGULATOR : No



6 BURNER BTG3006

SPECIFICATIONS

SURFACE : Staggered : LPG

OUTPUT TOTAL : 108000 BTU DIMENSIONS : 1340 X 614 X 830MM

WEIGHT : 49KG REGULATOR : No







TILTING PAN - GAS

TILTING PANS - ELECTRIC

FEATURES

- Ideal for using in restaurants, canteens, institutions, etc.
- Ideal for stews, soups, rice vegetables and many forms of bulk food preparation



- Simple tilt system makes transferring of food easy
- Safety cut off in the event of overheating
- The 40LT pan is compact and versatile for smaller batches of food
- Robust tubular frame allows access from all sides making it easy to clean around the tilting pan

40LT TPA0040

SPECIFICATIONS

POWER : 8kW

VOLTAGE : 380V - 3 phase (N+E) DIMENSIONS : 705 X 830 X 970MM

CAPACITY : 40LT WEIGHT : 80KG

Note

Power cable not included

FEATURES

- Easy to clean S/Steel pan
- Total power output of 10.2kW
- Rapidly heats up to operating temperature
- Water inlet control on front panel



- Thermostatically controlled
- Automatic safety cut-off in the event of overheating
- Micro switch cuts out elements when pan is tilted

80LT TPA0080

SPECIFICATIONS

POWER : 10.2k\

VOLTAGE : 380V - 3 phase (N+E)
DIMENSIONS : 800 X 900 X 900MM

CAPACITY : 65LT WEIGHT : 220KG

FEATURES

- All S/Steel structure
- 80LT volumetric pan
- SS316 pan bottom



Temperature can be adjusted from 60°C~300°C

- 340°C high limit for safety

Multi-functional unit

Thermal coupling for gas safety

Standby pilot





80LT TPA1080

SPECIFICATIONS

POWER : 72 000 BTU

GAS : LPG + NG (NG on request only)
DIMENSIONS : 800 X 900 X 850MM

CAPACITY : 65LT

WEIGHT : 153KG REGULATOR : No

OIL JACKETED POT

FEATURES

- Equiped with S/Steel lid and spring assisted hinge for easy opening
- Inner pot is made from food grade S/Steel
- The pot is indirectly heated using submerged incoloy elements for even heat distribution
- The product features a high-end safety valve that protects the operator from accidental burns



225LT OJP0225

SPECIFICATIONS

POWER : 18kW

 VOLTAGE
 : 380V - 3 phase (N+E)

 DIMENSIONS
 : 1175 X 1000 X 970MM

CAPACITY : 225LT WEIGHT : 120KG

Note

*Takes 60LT thermo-D oil Oil not included





TOASTERS - FLAT PLATE

FEATURES

- Optimally balanced heat to ensure even toasting on top and bottom*
- Certified cooking grade cast aluminium plates
- Adjustable top plate for a variety of product thicknesses
- Detachable drip cup to collect excess fat



FEATURES

- Certified food safe Teflon coating
- Optimally balanced heat to ensure even toasting on top and bottom*
- Adjustable top plate for a variety of food thicknesses



- Mechanically tested durable handle assembly
- Insulated hand grip
- Produced in South Africa using heavier gauged S/Steel
- Operating temperature range: 50°C 300°C

*Unit tested under controlled conditions. Variables may affect the outcome

9 SLICE TSA1009

SPECIFICATIONS

POWER : 2.15kW **VOLTAGE** : 230V COOKING SURFACE : 330 X 355MM : 355 X 466 X 327MM **DIMENSIONS**

: 11KG

Note

WEIGHT

Toaster cover sold separately

- Mechanically tested durable handle assembly
- Insulated hand grip
- Operating temperature range: 50°C- 240°C

*Unit tested under controlled conditions. Variables may affect the outcome

9 SLICE NON-STICK PLATES TSA2009

SPECIFICATIONS

POWER : 2.15kW **VOLTAGE** : 230V

COOKING SURFACE : 330 X 355MM : 355 X 466 X 327MM **DIMENSIONS**

WEIGHT

TOASTER - COVER

TEFLON COVER FOR 9 SLICE TOASTERS TCT0001

FEATURES

- Non Stick Teflon Toaster Cover
- Maximum operating temperature 240°C
- Dishwasher safe





TOASTERS - PANINI

FEATURES

- Ribbed top and bottom plates
- Optimally balanced heat to ensure even toasting on top and bottom*
- Certified cooking grade cast aluminium plates



FEATURES

- Certified food safe Teflon coating
- Optimally balanced heat to ensure even toasting on top and bottom* Adjustable top plate for a variety of product thicknesses
- Ribbed top and flat bottom for a more sophisticated sandwich



- Adjustable top plate for a variety of food thicknesses
- Insulated hand grip
- Operating temperature range: 50°C 300°C

*Unit tested under controlled conditions. Variables may affect the outcome

9 SLICE - TOP & BOTTOM TSA9009

SPECIFICATIONS

: 2.15kW POWER **VOLTAGE** : 230V

COOKING SURFACE : 330 X 355MM **DIMENSIONS** : 355 X 466 X 327MM

WEIGHT

- Independent plate control enables operator to use as a flat top only, while the top plate is switched off
- Insulated hand grip
- Operating temperature range: 50°C 240°C

*Unit tested under controlled conditions. Variables may affect the outcome

9 SLICE - DELUXE - NON-STICK TSA5009

SPECIFICATIONS

: 1.97kW **POWER** VOLTAGE : 230V

COOKING SURFACE : 330 X 355MM : 355 X 466 X 327MM **DIMENSIONS**

WEIGHT : 11KG

PANINI GRILL

FEATURES

- Thermostatically controlled between 50°C 300°C
- Heavy duty cast iron plates





- Self balancing upper grill plate

- Removable fat tray
 - **CAST IRON** PGT0001

SPECIFICATIONS

POWER : 2.6kW : 230V **VOLTAGE**

: 410 X 378 X 205MM **DIMENSIONS**

WEIGHT : 20.5KG





TOASTER - PANINI - GAS

FEATURES

- Perfect for outside catering needs like food trucks or when the electricity supply is limited
 Adjustable top plate for a variety of food thicknesses



- Heat resistant handle
- Ribbed top and bottom die-cast aluminium plate



9 SLICE TSA9209

REGULATOR

SPECIFICATIONS

POWER OUTPUT : 6000 BTU

DIMENSIONS : 355 X 466 X 327MM

WEIGHT : 14KG

: 330 X 355MM COOKING SURFACE

AVAILABLE IN : LPG & NG (NG on request only)



TOASTER/GRILLER

FEATURES

- · Unit designed to function in the rigorous and demanding environment of busy kitchens in the hospitality industry
- Operating temperature range of 50°C to 250°C
- Large area, heavy duty, 8MM thick steel cooking and toasting plate for effective heat distribution and retention
- Neutrally balanced top plate with positive latching mechanism.
 - Full width removable fat/crumb tray
 - Independent bottom plate heat control allows for grilling option
 - To conserve energy, keep the unit on with the top plate closed when not in use





POWER : 3.4kW **VOLTAGE** : 230V COOKING SURFACE : 530 X 290MM : 553 X 347 X 555MM **DIMENSIONS** WEIGHT : 37KG

OTHER ORDER CODES **TOASTER SHEET - TEFLON** FTH1001



CLIP FTH1002



FEATURES

- This compact unit is ideal for breakfast buffets in hotels and restaurants
- Variable conveyor speed with toast and bun heat settings
- Individual heat controls for top and bottom elements
- Unit can be set for front or rear service





300 SLICES/HR CTK2001

SPECIFICATIONS POWER : 2.6kW

VOLTAGE : 230V

DIMENSIONS: : 354 X 769 X 428MM

WEIGHT : 16KG

CAPACITY : Approx. 300 slices/HR





450 SLICES/HR - WIDE MOUTH CTK2002

SPECIFICATIONS

CAPACITY

POWER : 2.6kW VOLTAGE : 230V

: 474 X 769 X 428MM **DIMENSIONS**

WEIGHT : 21KG

: Approx. 450 slices/HR

VERTICAL BUN TOASTER

FEATURES

- Single conveyor feed
- Large surface area heating plate
- Insulated heating plate
- Fast conveyor speed
- Stepped plate design (heel and crown)
- Adjustable plate depth for bun thickness
 - 22 Buns per MIN @ 70°C core 25-Second throughput

 - Energy consumption, 0.4 kW/HR
 - Dedicated, marked heel and crown entry

SINGLE SLOT VTA0101

SPECIFICATIONS

POWER : 2.2kW **VOLTAGE** : 230V

: 702 X 327 X 568MM **DIMENSIONS** OUTPUT : 22 buns per MIN

: 1020 buns/HR WEIGHT : 28KG

OTHER ORDER CODES

VERTICAL TOASTER ANVIL TEFLON SHEET

XVTA0102



MANUAL LIFT TOASTERS

FEATURES

- Fitted with a removable crumb tray
- Timer with audible bell
- S/Steel construction





Manual lift

Rocker switch to conserve energy

Capacity 2, 4 or 6 slices

4 SLICE TSK0004

SPECIFICATIONS

POWER : 2.24kW VOLTAGE : 230V

DIMENSIONS : 370 X 210 X 225MM

WEIGHT

6 SLICE TSK0006

SPECIFICATIONS

POWER : 3.24KW VOLTAGE : 230V

DIMENSIONS : 460 X 210 X 225MM

WEIGHT



FEATURES

- Selector control for choosing two, four or all six slots
- Handmade in the UK
- Mechanical timer





- · Manually operated eject lever to keep items warm until needed
- Built for commercial use

6 SLICE

TSD0006

SPECIFICATIONS

OUTPUT : APPROX 240 slices/HR

POWER : 3kW VOLTAGE : 220V

DIMENSIONS : 460 X 210 X 220MM

: 5.1KG WEIGHT CAPACITY : 2, 4 or 6 slices

Dualit

SAUCE WARMER - DIP - A - LAIT

FEATURES

- For ice cream dips, chocolate, caramel sauces and even gravies
- Includes 2 inserts (2 x 2LT)





Variable heat control

SPECIFICATIONS

CAPACITY : 4LT **POWER** : 0.125kW **VOLTAGE** : 230V

DIMENSIONS : 340 X 247 X 307MM

WEIGHT : 4KG

WAFFLE BAKERS

FEATURES

- · Thermostat inside the unit is pre-set at 200°C . The timer function can be used to bake the waffles to the required finish
- Double plate units can be independently operated, saving money through energy efficiency



1 PLATE WBA0001 **SPECIFICATIONS**

POWER

: 0.8kW **VOLTAGE** : 230V PLATE DIAMETER : 185MM

DIMENSIONS : 255 X 370 X 260MM WEIGHT

: 7KG



2 PLATE WBA0002

SPECIFICATIONS

POWER : 1.6kW **VOLTAGE** : 230V

: 185MM each PLATE DIAMETER : 510 X 370 X 260MM **DIMENSIONS**

WEIGHT : 14KG

WAFFLE BAKERS - BELGIAN

FEATURES

- · Anvil's Belgian style waffle bakers are ideally suited for use in kitchens, coffee shops, outdoor markets and ice cream parlours
- Units are fitted with a digital programmable control for heat and time settings
- Audible alarm on completion of the programmed time
- Teflon coated top and bottom





1 PLATE WBA1001

SPECIFICATIONS

POWER : 1.0kW : 230V **VOLTAGE** PLATE DIAMETER : 190MM

DIMENSIONS : 255 X 440 X 290MM

WEIGHT : 11KG





2 PLATE

SPECIFICATIONS

POWER : 2.0kW VOLTAGE : 230V : 190MM each PLATE DIAMETER : 520 X 440 X 290MM **DIMENSIONS** : 22KG

WEIGHT





CONVECTION OVENS - MECHANICAL

PANCAKE AND OMELETTE MACHINE

FEATURES

- Warming drawer fitted to keep the baked product warm
- 400MM diameter cast iron cooking surface
- Teflon coated





- Wooden spatula included
- Perfect for pancakes, crepes and flap jacks

PANCAKE & OMELETTE MACHINE

SPECIFICATIONS

VOLTAGE : 230V **POWER** : 3kW

: 450 X 485 X 240MM **DIMENSIONS**

WEIGHT

CHICKEN GRILLERS

FEATURES

- Produces 8 delicious chickens at a time
- Hot air circulation using a fan to ensure even heat distribution
- Drip tray included
- Operating temperature: 50°C 250°C







8 BIRD **CGA0008**

SPECIFICATIONS

CAPACITY : 8 x 1.2KG chickens

POWER : 2.7kW **VOLTAGE** : 230V

: 743 X 567 X 587MM **DIMENSIONS**

WEIGHT : 35KG

COOKING TIME : Approx 1 HR 40MIN @ 180°C

FEATURES

- Produces 16 delicious chickens at a time
- Hot air circulation using 2 fans to ensure even heat distribution
- Drip tray included
- Operating temperature: 50°C 250°C





16 BIRD CGA0016

SPECIFICATIONS CAPACITY : 16 x 1.2KG Chickens

POWER : 5kW

VOLTAGE : 230V - 2 phase (N+E) : 943 X 560 X 617MM **DIMENSIONS**

: 55KG WEIGHT

COOKING TIME : Approx 1 HR 30MIN @ 180°C

FEATURES

- S/Steel exterior and interior
- Rounded interior corners and removable shelf runners ensure ease of
- A bake timer is also included to automatically switch off after a preset
- Grill element ideal for browning and grilling for Prima Pro
- Interior light is fitted as a standard feature
- The oven is fan assisted and fitted with a custom designed baffle plate. This ensures that excellent temperature distribution is achieved providing a reliable baking uniformity and a product which is perfectly baked on both sides making it superior to static ovens
- Operating temperature: 50°C 300°C

















FEATURES

- Can accommodate 600 x 400mm baking trays and GN1/1 pans
- Steam injection for manual humidity control which allows for browning of pastry and bread products
- Operating temperature: 50°C 300°C
- Easily removable inner glass for cleaning







PRIMA COA1003

SPECIFICATIONS

POWER : 2.4kW VOLTAGE : 230V

DIMENSIONS : 602 X 652 X 596MM CHAMBER DIMENSIONS : 470 X 330 X 350MM - 2 fans

: 40 - 70MM **RUNNER SPACING**

WEIGHT : 34KG

INCLUDES : 4 X Chrome grids - 445 X 320MM

: Timer function

Note

Refer to page 43 for trays

PRIMA PRO - GRILL & TIMER COA1004

SPECIFICATIONS

POWER : 2.4kW **VOLTAGE** : 230V

DIMENSIONS : 602 X 652 X 596MM CHAMBER DIMENSIONS : 470 X 330 X 350MM - 2 fans

RUNNER SPACING : 40 - 70MM WEIGHT : 34KG

: 4 X Chrome grids - 445 X 320MM **INCLUDES**

: Grill function and timer

Note

Refer to page 43 for trays

The oven chamber air flow is assisted by two timer controlled reversing fans and a custom designed baffle plate. This ensures that excellent temperature distribution is achieved even when oven is full to capacity, providing reliable baking uniformity

GRANDE FORNI COA1005

SPECIFICATIONS

POWER : 5.6kW

VOLTAGE : 230V - 2 phase (N+E) : 835 X 800 X 596MM **DIMENSIONS** CHAMBER DIMENSIONS : 704 X 494 X 352MM

RUNNER SPACING : 75MM WEIGHT : 67KG

INCLUDES : 2 X chrome grids

SHELF CAPACITY

Note

® ADDIC

Power cable not included Refer to page 43 for trays





COMBI STEAM OVENS - MECHANICAL

PROOFING CABINET

FEATURES

- Double glass doors for space saving and viewing
- Sturdy top to place oven on





- Accommodates 9 x 600 x 400MM baking trays
- Six heat settings for versatile proofing

PROVER

POA0001

SPECIFICATIONS

POWER : 0.75kW VOLTAGE : 230V

: 860 X 510 X 695MM **DIMENSIONS**

RUNNER SPACING :70MM WEIGHT : 42KG

OTHER ORDER CODES

BAKING TRAY ALUMINIUM

BTA0011

Note

Trays not included - sold separately

GRANDE FORNI OVEN STAND

FEATURES

- Flat pack construction
- Easy to assemble, instructions and tool supplied



- · Removable chrome plated shelf runners for easy cleaning
- Provision for 8 baking trays or full size 1/1GN pans

GRANDE FORNI STAND

COR0005

SPECIFICATIONS

DIMENSIONS : 840 X 710 X 900MM SUITABLE FOR : COA1005



FEATURES

- Can accommodate 600 x 400mm trays or GN1/1 pans
- Single large capacity circulating fan
- Steam injection controlled by energy regulator with 5 settings









- Slam shut door handle
- Excellent heat distribution and airflow

6 PAN

COA2006-R01

SPECIFICATIONS

CAPACITY : 6 Trays 600 X 400MM or GN1/1

POWER

VOLTAGE : 380V - 3 phase - 50Hz (N+E)

RUNNER SPACING : 80MM

CHAMBER DIMENSIONS : 702 X 570 X 628MM **DIMENSIONS** : 1007 X 1061 X 856MM

WEIGHT : 124KG

Note

Power cable not included

Requires to be installed by a qualified electrical installer

Refer to page 43 for trays

10 PAN COA2010-R01

SPECIFICATIONS

CAPACITY

POWER : 18kW

: 10 Trays 600 X 400MM or GN1/1

: 380V - 3 phase - 50Hz (N+E) VOLTAGE

RUNNER SPACING : 80MM

CHAMBER DIMENSIONS

: 702 X 570 X 988MM : 1007 X 1061 X 1213MM **DIMENSIONS**

WEIGHT : 145KG

Note

Power cable not included

Requires to be installed by a qualified electrical installer

Refer to page 43 for trays

COMBIOVEN - STANDS

FEATURES

- Removable chrome plated shelf runners for easy cleaning
- Provision for 8 baking trays or full size 1/1GN pans



COMBIOVEN - STAND

COA1011

SPECIFICATIONS

DIMENSIONS : 860 X 750 X 725MM

SUITABLE FOR : COA2006-R01 AND COA2010-R01

COMBIOVEN - LOW STAND COA1110

SPECIFICATIONS

DIMENSIONS : 860 X 725MM SUITABLE FOR : COA2010-R01





COMBI STEAM OVEN - MECHANICAL

FEATURES

- Heavy duty full S/Steel construction
- Manual steam injection system with preheated boiler for instant
- Large full view glass door with cool touch locking handle
- · Fan will automatically switch off when oven door is opened



- Slam shut door handleRoll in trolley included
- Convenient trolley system for fast loading and unloading
- Operating temperature: 50°C 250°C
- New improved handle design

20 PAN COA2020

SPECIFICATIONS POWER RATING

: 380V - 3 phase - 50Hz (N+E) **VOLTAGE** : 1008 X 928 X 1970MM **DIMENSIONS**

: 36kW

CHAMBER DIMENSIONS : 506 X 642 X 1490MM CAPACITY : 20 trays - GN 1/1

: 350KG WEIGHT WATER INLET (BSP) : 3/4" WATER OUTLET (BSP) : 11/4"

: 20 X GRILL SHELVES **INCLUDES**

Note

Requires to be installed by a qualified electrical installer Power cable not included

OTHER ORDER CODES

20 PAN - ROLL IN TROLLEY ONLY

Note

Refer to page 43 for trays

COMBIOVEN - GAS

FEATURES

- Commercial gas oven with electric controls.
- Body constructed in S/Steel and with vitreous enamel interior, with two double glazed dependent doors.
- Dual low pressure mixing fans for even baking.



- Raised legs for covenient operating height.
- Electric spark ignition with flame failure.
- 11 Shelf positions.









11 PAN COA4010

SPECIFICATIONS

POWER RATING : 1.5kW VOLTAGE : 230V : LPG GAS

: 54 000 BTU BTU BURNERS **DIMENSIONS** : 967 X 1099 X 1384MM CAPACITY : 11 trays - GN 1/1

WEIGHT : 185KG

Note

Requires single phase electrical connection Requires to be connected by an approved gas installer Supplied with 3 shelves

TRAYS





535 X 325 X 10MM



BAKING TRAY ALUSTEEL PERFORATED BTA1535

535 X 325 X 10MM





GN1/1 FRY BASKET STS0530 530MM X 330MM X 40MM



BAKING TRAY ALUMINIUM SOLID BTA0011



CHROME GRID COR3001 600 X 400MM

TRAYS BELOW ONLY SUITABLE FOR PRIMA OVENS













DECK OVENS - ELECTRIC

PIZZA OVENS

FEATURES

- 3 X Heating elements for accurate heat distribution
- 2 ceramic plates
- Suitable for fresh or frozen pizza



- Temp range 60°C 400°C
- 15 min timer

TWIN SHELF - SMALL

SPECIFICATIONS

CAPACITY : 2 Standard size pizzas - 300MM

VOLTAGE : 230V POWER : 2.85kW

DIMENSIONS : 588 X 645 X 468MM : 470 X 487 X 239MM CHAMBER DIMENSIONS

WEIGHT

: 38KG

FEATURES

- 2 x Ceramic plates single deck
- Dial temperature gauge

- Dual thermostats for accurate control of top and bottom temperature
- Robust construction with high efficiency insulation



SINGLE DECK

POA1120

SPECIFICATIONS VOLTAGE

: 380V - 3 phase (N+E) POWER : 7.2kW

DIMENSIONS : 890 X 430 X 1060MM

WEIGHT : 80KG

MAX TEMPERATURE : 500°C

: 610 X 900 X 140MM CHAMBER DIMENSIONS

FEATURES

- Accurate control of conveyor speed
- Individual top and bottom temperatures
- Touch control panel prevents accidental adjustment
- 350MM wide conveyor makes this oven extremely flexible and ideal for pizzas or sub sandwiches
- Variable individual heat controls and adjustable conveyor speed allows the user to bake a range of different products
- Compact in size and stackable allows for maximum use of working space
- Reversible conveyor



DIGITAL CONVEYOR

POA2001

SPECIFICATIONS

VOLTAGE : 230V - 2 phase - 50Hz (N+E)

POWER : 6.7kW

DIMENSIONS : 1499 X 674 X 436MM

: 350MM CONVEYOR WIDTH : 46KG WEIGHT

: 300°C MAX TEMPERATURE

Robust construction

FEATURES

- Front face S/Steel
- Side, top and rear panels painted mild steel
- 120MIN mechanical timer







Top and bottom elements are independently controlled

Interior light

2 TRAYS - SINGLE DOA3001

SPECIFICATIONS

CAPACITY : 4 Standard size pizzas 300MM **VOLTAGE** : 230V - (Can be wired as 1 or 3 phase)

POWER : 6.5kW

DIMENSIONS : 1220 X 875 X 570MM CHAMBER DIMENSIONS : 870 X 660 X 200MM

WEIGHT : 68KG

INCLUDES : 2 Baking trays - 600 X 400MM

4 TRAYS - DOUBLE DOA3002

SPECIFICATIONS

CAPACITY : 8 Standard size pizzas 300MM VOLTAGE : 380V - 3 phase (N+E)

POWER : 13kW

: 1220 X 875 X 950MM **DIMENSIONS** CHAMBER DIMENSIONS : 870 X 660 X 200MM

WEIGHT : 127KG

INCLUDES : 4 Baking trays - 600 X 400MM

6 TRAYS - TRIPLE DOA3003

SPECIFICATIONS

CAPACITY : 12 Standard size pizzas 300MM VOLTAGE : 380V - 3 phase (N+E)

POWER : 19.5kW : 1220 X 875 X 1451MM

DIMENSIONS

: 870 X 660 X 200MM CHAMBER DIMENSIONS WEIGHT

INCLUDES : 6 Baking trays - 600 X 400MM

9 TRAYS - TRIPLE DO4003

SPECIFICATIONS CAPACITY

: 18 Standard size pizzas 300MM VOLTAGE : 380V - 3 phase (N+E)

: 29.25kW **POWER**

: 1620 X 875 X 1500MM DIMENSIONS

CHAMBER DIMENSIONS : 1480 X 660 X 200MM

WEIGHT : 225KG

INCLUDES : 9 Baking trays - 600 X 400MM

OTHER ORDER CODES

CERAMIC PLATE - 600 X 400MM

STAND ONLY -M/STEEL (BLACK) DOS0002

DECK OVEN STACKING KIT

DOS1001









DECK OVENS - GAS

FEATURES

- · Robust construction with S/Steel facia panel and door
- Max temperature 300°C
- Unique burner design for even temperature distribution
- Glass viewing window
- Top and bottom burners thermostatically controlled

- Interior light
- Includes timer
- Fits up to 12 standard size pizzas 300MM
- Fully automatic ignition system







2 TRAYS - SINGLE DOA5001

SPECIFICATIONS

CAPACITY : 4 Standard size pizza - 300MM

GAS : LPG OUTPUT : 36000 BTU

VOLTAGE : 230V - 50Hz **POWER** : 0.2kW

: 1340 X 900 X 630MM **DIMENSIONS** CHAMBER DIMENSIONS : 860 X 640 X 200MM

WEIGHT : 100KG

INCLUDES : 2 Baking trays - 600 X 400MM

REGULATOR

Note

Heavy duty gas products to be connected by an approved gas installer



4 TRAYS - DOUBLE

DOA5002

SPECIFICATIONS

CAPACITY : 8 Standard size pizza - 300MM

GAS : LPG : 72 000 BTU POWER OUTPUT

VOLTAGE : 230V : 0.4kW **POWER**

DIMENSIONS : 1340 X 900 X 1260MM CHAMBER DIMENSIONS : 860 X 640 X 200MM (Each)

WEIGHT : 170KG

INCLUDES : 4 Baking trays - 600 X 400MM

REGULATOR

Note

Heavy duty gas products to be connected by approved gas installer

DECK OVEN - GAS



6 TRAYS - TRIPLE

DOA5003

SPECIFICATIONS

CAPACITY : 12 Standard size pizza - 300MM

POWER OUTPUT : 108 000 BTU VOLTAGE : 230V **POWER** : 0.6kW

: 1340 X 900 X 1720MM DIMENSIONS : 860 X 640 X 200MM (Each) CHAMBER DIMENSIONS

WEIGHT

INCLUDES : 6 Baking trays - 600 X 400MM REGULATOR

: No

OTHER ORDER CODES

CERAMIC PLATE - 600 X 400MM

STAND ONLY - M/STEEL (BLACK)

DECK OVEN STACKING KIT

DOS1001

Note

Heavy duty gas products to be connected by approved gas installer

SALAMANDER - GAS

FEATURES

- Full S/Steel construction
- Brackets provided to secure unit to wall
- Top surface with wire grid to allow for plate warming
- Adjustable levelling feet
- Provided with removable back cover so that unit can be used as pass through hatch
- High performance radiant ceramic burner
- Controls with flame failure safety
- Unit provided with LPG regulator and hose





75LT SAG0002

SPECIFICATIONS

POWER OUTPUT : 21 800 BTU

DIMENSIONS : 897 X 493 X 510MM WEIGHT : 30KG

REGULATOR : Yes





CONVECTION OVENS - MECHANICAL

SALAMANDERS - ELECTRIC

FEATURES

Robust S/Steel construction with adjustable height to suit different cooking applications





ADJUSTABLE

SAK0600

SPECIFICATIONS

POWER

VOLTAGE : 230V - 2 phase (N+E) : 600 X 510 X 528MM **DIMENSIONS**

WEIGHT : 45KG

Note

Requires to be installed by a qualified electrical installer

FEATURES

Comes standard with 1 crumb tray (Removable cover allows for front and rear access) For SAA0001 and SAA0003 only

Use as a plate warmer or pass through hatch

Pass through not applicable to SAA0005







QUARTZ SAA0001

SPECIFICATIONS

POWER : 3.0kW VOLTAGE : 230V

DIMENSIONS : 728 X 350 X 428MM SHELF DIMENSIONS : 330 X 640MM RUNNER SPACING : 65MM WEIGHT : 16KG

INCOLOY

SAA0003

SPECIFICATIONS

: 2.8kW **POWER** VOLTAGE : 230V

DIMENSIONS : 728 X 350 X 428M SHELF DIMENSIONS : 330 X 640MM RUNNER SPACING : 65MM WEIGHT : 16KG



INCOLOY SAA0005

SPECIFICATIONS

: 3.0kW **POWER VOLTAGE** : 230V

: 480 X 316 X 379MM **DIMENSIONS** SHELF DIMENSIONS : 240 X 380MM RUNNER SPACING : 50MM WEIGHT : 10KG

FEATURES

- Digital or manual controls: precision and practicality
- Convection cooking
- Trays and grills: EN 600x400, GN 1/1, GN 2/3, GN 1/2, 480x345, 430x325 and 342x242
- Cooking chamber in high resistance S/Steel AISI 430
- Electromechanical control: digital or manual









maximum ease of use

САВОТО COP5024

SPECIFICATIONS

POWER VOLTAGE : 3.3kW - 230V - 50/60 Hz

- Digital control: Direct commands and display for control of the cooking

Manual control: A simple and intuitive control to manage the different

functions and set the correct cooking parameters. Maximum results with

process: effective management with enhanced ease of use

TEMPERATURE : 30°C - 260°C

OUTSIDE DIMENSIONS : 600 X 600 X 540MM

SPACE BETWEEN TRAYS : 75MM WEIGHT : 37KG

CAPACITY : 4 Trays 480 X 345MM

Note

Refer to page 54 for trays

CABOTO - DIGITAL WITH HUMIDITY COP8014

SPECIFICATIONS

POWER VOLTAGE : 6.5kW - 230/400V - 50/60 Hz

TEMPERATURE : 30°C - 260°C : 800 X 760 X 540MM OUTSIDE DIMENSIONS

: 75MM SPACE BETWEEN TRAYS

WEIGHT : 55KG

CAPACITY : 4 Trays 600 X 400MM or GN 1/1

Note

Requires to be installed by a qualified electrical installer Power cable not included

Refer to page 54 for trays



CABOTO - MANUAL WITH HUMIDITY COP8004

SPECIFICATIONS

POWER VOLTAGE : 6.5kW - 230/400V - 50/60 Hz TEMPERATURE

: 30°C - 260°C : 800 X 760 X 540MM OUTSIDE DIMENSIONS

SPACE BETWEEN TRAYS : 75MM

WEIGHT

CAPACITY : 4 Trays 600 X 400MM or GN 1/1

OTHER ORDER CODES

800 - S/STEEL STAND COP8001

SPECIFICATIONS

OUTSIDE DIMENSIONS : 780 X 840 X 595MM

WEIGHT : 21KG

Note

EXPLORY

Requires to be installed by a qualified electrical installer Power cable not included

Refer to page 54 for trays





COMBI STEAM OVENS - MECHANICAL

COMBI STEAM OVENS - MECHANICAL

FEATURES

- The manual control allows the chef to use the functions simply and intuitively
- Steam and convection cooking
- Universal container rack for pastry EN 600x400 and for gastronomy GN 1/1
- 3 fan speeds for the user to select the correct airflow
- Cooking chamber in high resistance S/Steel AISI 304
- Manual control or hybrid manual and digital control





GALILEI - 4 PAN COP7204

SPECIFICATIONS

POWER : 6.3kW

VOLTAGE : 400V 3N~ / 230V 1N~ OUTSIDE DIMENSIONS : 760 X 720 X 570MM

SPACE BETWEEN TRAYS : 75MM WEIGHT : 55KG N° TRAYS : 4

COMPATIBLE TRAYS : EN 600 X 400 / GN 1/1

OTHER ORDER CODES

800 - S/STEEL STAND

COP8001

SPECIFICATIONS

OUTSIDE DIMENSIONS : 780 X 840 X 595MM

WEIGHT : 21KG

Note

Requires to be installed by a qualified electrical installer

Power cable not included Refer to page 54 for trays





GALILEI PLUS - 6 PAN COP7706

SPECIFICATIONS

POWER : 10.5kW

 VOLTAGE
 : 400V 3N∼ / 230V 1N∼

 OUTSIDE DIMENSIONS
 : 780 X 850 X 830MM

SPACE BETWEEN TRAYS : 80MM

WEIGHT : 90KG

N° TRAYS : 6

COMPATIBLE TRAYS : EN 600 X 400 / GN 1/1

OTHER ORDER CODES

800 - S/STEEL STAND COP8001

COFOOO

SPECIFICATIONS

OUTSIDE DIMENSIONS : 780 X 840 X 595MM

WEIGHT : 21KG

Note

Requires to be installed by a qualified electrical installer Power cable not included

Refer to page 54 for trays





GALILEI PLUS - 10 PAN

COP//IO

SPECIFICATIONS

POWER : 15.7kW

VOLTAGE : 400V 3N~

OUTSIDE DIMENSIONS : 780 X 850 X 1200MM

SPACE BETWEEN TRAYS : 80MM WEIGHT : 121KG

WEIGHT : 121KG N° TRAYS : 10

COMPATIBLE TRAYS : EN 600 X 400 / GN 1/1

OTHER ORDER CODES S/STEEL STAND

COP7006

SPECIFICATIONS
OUTSIDE DIMENSIONS : 780 X 840 X 930MM

WEIGHT : 28K

Note

Requires to be installed by a qualified electrical installer Power cable not included

Refer to page 54 for trays





GALILEI PLUS - 20 PAN COP7720

SPECIFICATIONS

POWER : 36kW VOLTAGE : 400V 3N∼

OUTSIDE DIMENSIONS : 940 X 1000 X 1930MM SPACE BETWEEN TRAYS : 66MM

SPACE BETWEEN TRAYS : 66MM
WEIGHT : 250KG
N° TRAYS : 20
COMPATIBLE TRAYS : GN 1/1

Comes standard with 20 tray GN1 trolley Optional - COP2001 (16 tray 600 X 400 trolley)

OTHER ORDER CODES

16 TRAY TROLLEY
COP2001

SPECIFICATIONS

OUTSIDE DIMENSIONS : 600 X 400MM

Note

Requires to be installed by a qualified electrical installer Power cable not included

Refer to page 54 for trays





COMBI STEAM OVENS - DIGITAL

COMBI STEAM OVENS - DIGITAL

FEATURES

- 7inch touch display Wi-Fi connectivity
- Explora smart app
- Usb access
- Integrated probe
- Ultra resistant chamber



COLOMBO - 4 PAN COP7904

Pre - set or customized phases

Double - chimney system

Moisture control

Multi - control

Pause function Multi level cooking

SPECIFICATIONS

POWER : 9.3kW

VOLTAGE : 400V 3N~ / 230V 1N~ **OUTSIDE DIMENSIONS** : 780 X 850 X 640MM

SPACE BETWEEN TRAYS : 75MM WEIGHT : 70KG

N° TRAYS : 4

COMPATIBLE TRAYS : EN 600 X 400 & GN 1/1

OTHER ORDER CODES 800 - S/STEEL STAND

COP8001

SPECIFICATIONS OUTSIDE DIMENSIONS: : 780 X 840 X 595MM

WEIGHT : 21KG

Note

Requires to be installed by a qualified electrical installer

Power cable not included Refer to page 54 for trays



COP7906

SPECIFICATIONS

: 10.5kW **POWER**

VOLTAGE : 400V 3N~ / 230V 1N~ WEIGHT : 90KG

OUTSIDE DIMENSIONS : 780 X 850 X 830MM

SPACE BETWEEN TRAYS : 80MM

N° TRAYS : 6

COMPATIBLE TRAYS : EN 600 X 400 & GN 1/1

OTHER ORDER CODES

800 - S/STEEL STAND

COP8001

SPECIFICATIONS

OUTSIDE DIMENSIONS : 780 X 840 X 595MM

WEIGHT: : 21KG

Requires to be installed by a qualified electrical installer Power cable not included

Refer to page 54 for trays





COLOMBO - 10 PAN

COP7910

SPECIFICATIONS

POWER : 15.8kW : 400V 3N~ VOLTAGE

: 780 X 850 X 1200MM **OUTSIDE DIMENSIONS** SPACE BETWEEN TRAYS : 80MM

WEIGHT : 121KG N° TRAYS : 10

COMPATIBLE TRAYS : EN 600 X 400 & GN 1/1

OTHER ORDER CODES

S/STEEL STAND

COP7006

SPECIFICATIONS

OUTSIDE DIMENSIONS : 780 X 840 X 930MM

WEIGHT : 28KG

Note

Requires to be installed by a qualified electrical installer Power cable not included

Refer to page 54 for trays





SPECIFICATIONS

POWER : 36kW : 400V 3N~ VOLTAGE WEIGHT : 250KG N° TRAYS : 20

COMPATIBLE TRAYS : GN 1/1 OUTSIDE DIMENSIONS : 870 X 1000 X 1930MM

SPACE BETWEEN TRAYS : 66MM

Comes standard with 20 tray GN1 trolley Optional - COP2001 (16 tray 600 X 400 trolley)

Requires to be installed by a qualified electrical installer Power cable not included Refer to page 54 for trays









ACCESSORIES COMBI STEAM / CONVECTION OVEN



EXTRACTION HOOD

SPECIFICATIONS

POWER : 0.3kW VOLTAGE : 230V - 50Hz DIMENSIONS : 780 X 970 X 230MM WEIGHT: : 40KG

Note

On request only



ALUMINIUM BAKING TRAY SOLID

COP3022 480 X 345 X 8MM

Tray for COP 5024 Caboto oven only



GN1/1 FRY BASKET STS0530

530 X 330M X 40MM



BAKING TRAY ALUMINIUM SOLID

BTA0011

600 X 400 X 20MM

BAKING TRAY

600 X 400 X 10MM



16 TRAY TROLLEY COP2001

SPECIFICATIONS

OUTSIDE DIMENSIONS: 600 X 400MM

EQUIPPED WITH:

Tray holder 16 trays

Note

Suitable for all 20 Pan Piron Ovens



CHROME GRID

COR3001

COR3003

600 X 400MM

Note

Suitable for the Grande Forni Ovens, Anvil and Piron Combi Steam Ovens (6 & 10 pan)

ALUSTEEL PERFORATED



S/STEEL STAND COP7006

SPECIFICATIONS

OUTSIDE

DIMENSIONS : 780 X 840 X 930MM

WEIGHT : 28KG

EQUIPPED WITH:

Trav holder for 4 travs

Note

Suitable for all 10 Pan Piron Ovens



800 - S/STEEL STAND COP8001

SPECIFICATIONS

OUTSIDE

DIMENSIONS : 780 X 840 X 595MM

WEIGHT : 21KG

EQUIPPED WITH:

Tray holder for 8 trays

Note

Suitable for all 4 and 6 Pan Piron Ovens

COMMERCIAL MICROWAVES

Menumaster Microwaves Offer

- Superior even heating for consistent and delicious food results
 - Strength and durability for years of dependable use
 - Maximum efficiency ovens that save time and money

Space saving design from beef wellington to bagel sandwiches, salmon fillets to sausages, no matter what you're cooking, you can count on Menumaster's years of experience to provide the best in high quality commercial microwave ovens.

Menumaster offers the most complete line of commercial microwave and high speed combination ovens to fit virtually every foodservice need. Durable, powerful and easy to use, Menumaster commercial microwaves are right at home in even the most demanding environments.

HIGH VOLUME MICROWAVE

FEATURES

- The best choice for high volume operations
- 1800W ideal for use 70 plus times per day
- Up to 100 pragrammable menu items
- 11 power levels
- 4 Stage cooking

- Memory pads can be preset by power level, number of stages and time for fast consistent operation
- 2 magnetrons
- Stackable to save counterspace

1800W



1800W MWM1800

SPECIFICATIONS

CAPACITY : 17LT VOLTAGE : 230V - 50Hz POWER : 1800W

EXTERNAL DIMENSIONS : 578 X 343 X 419MM **CAVITY DIMENSIONS** : 305 X 171 X 330MM : 31KG

WEIGHT

FEATURES

- 1100W of power for fast heating
- S/Steel interior and exterior for easy cleaning
- Durable construction for years of commercial foodservice use
- Up to 100 programmable menu items
- Stackable to save counter space

1100W



1100W MWM1100

SPECIFICATIONS

CAPACITY : 34LT VOLTAGE : 230V - 50Hz **POWER** : 1100W

EXTERNAL DIMENSIONS

: 482 X 349 X 558MM **CAVITY DIMENSIONS** : 381 X 216 X 368MM

WEIGHT

OTHER ORDER CODES

SHELF MICROWAVE - S/STEEL SMW0001

SPECIFICATIONS

DIMENSIONS : 572 X 524 X 376MM

WEIGHT : 5.7KG





COMMERCIAL MICROWAVES

FEATURES

- 1000W of power for fast heating
- S/Steel interior and exterior for easy cleaning







- Durable construction for years of commercial foodservice use
- Up to 100 programmable menu items
- Stackable to save counter space

1000W

MWM1001

SPECIFICATIONS

POWER : 1000W VOLTAGE : 230V CAPACITY : 23LT

DIMENSIONS EXTERIOR : 512 X 403 X 310MM DIMENSIONS CAVITY : 330 X 330 X 197MM WEIGHT : 13.6KG

OTHER ORDER CODES

SHELF MICROWAVE - S/STEEL

SMW0001

SPECIFICATIONS

DIMENSIONS : 572 X 524 X 376MM

WEIGHT : 5.7KG



FEATURES

- 11 Variable cooking controls
- 20 Memory settings
- Easy to grip handles
- Double quantity facility







- Express defrost facility
- Solid, S/Steel cavity / cabinet
- Suitable for cafeteria, office, convenience store

1000W

MWS1000

SPECIFICATIONS

POWER : 1000W VOLTAGE

: 230 - 240V/50Hz **FUSE** : 16 Amp

CAPACITY : 28LT

DIMENSIONS EXTERIOR : 520 X 406 X 309MM

DIMENSIONS CAVITY : 351 X 372 X 211MM WEIGHT: : 18KG

OTHER ORDER CODES

SHELF MICROWAVE - S/STEEL

SMW0001

SPECIFICATIONS

: 572 X 524 X 376MM **DIMENSIONS**

WEIGHT : 5.7KG

SEMI-COMMERCIAL MICROWAVE

FEATURES

- Durable S/Steel interior and exterior
- Robust aluminium handle





- Full sleep mode (energy saver)
- Digital display indicates power, level, time, and program

1000W MWA0001

SPECIFICATIONS CONTROLS

: 5 Adjustable levels : 3 Stage cooking

: 100 user - defined programs

CAPACITY : 25LT cavity

POWER : 1.0kW VOLTAGE : 230V - 50Hz : 431 X 311 X 511MM **DIMENSIONS**

WEIGHT : 14.7KG

OTHER ORDER CODES

SHELF MICROWAVE - S/STEEL

SMW0001

SPECIFICATIONS

: 572 X 524 X 376MM **DIMENSIONS**

WEIGHT : 5.7KG



INDUCTION WARMER

What Is Induction?

Put simply, an induction-cooker element is a powerful, high-frequency electromagnet, with the electromagnetism generated by sophisticated electronics in the "element" below the unit's glass surface. When a good-sized piece of magnetic material such as, a S/Steel pot is placed in the magnetic field that the element is generating, the field transfers ("induces") energy into that metal. That transferred energy causes the metal (S/Steel pot) to become hot. By controlling the strength of the electromagnetic field, we can control the amount of heat being generated in the cooking vessel and we can change that amount instantaneously.

Please note that all of our S/Steel Infinity and Global pots and sauce-pans are Induction friendly

FEATURES

- Warmer must only be used in buffet heating application, must not be used for cooking
- Warmer is not for heating up water in chafing dish.

• Water must be pre-heated before being poured into water pan

: 2.0kW

Water must be kept below 90°C, to keep food warm



FEATURES

- Complete (1MM) 304 S/Steel with polished finish Non slip feet





SINGLE IND0002

OUTPUT

SPECIFICATIONS

POWER: : 2.0kW VOLTAGE : 230V - 50Hz **DIMENSIONS** : 302 X 372 X 77MM

WEIGHT : 3.2KG

INDUCTION STAND IHS1000


SPECIFICATIONS

OUTER DIMENSIONS : 475 X 400 X 85MM INNER DIMENSIONS : 300(W) X 370MM (L)

Note

Compatible with IND0002





INDUCTION WARMER

FEATURES

- LED Display
- Timer 0-180MIN
- 1 8 Power Levels (1800W+1300W)
- 1 8 Temperature Setting



- Temperature Range: 60°C~240°C
- Touch Control
- Double plate-separately controllable
- Electronic overheating protection

DOUBLE IND1002

SPECIFICATIONS

POWER : 3100W : 230V **VOLTAGE**

: 290 X 510 X 90MM **DIMENSIONS**

WEIGHT : 9KG

INDUCTION COOKERS

FEATURES

- Material: S/Steel body
- Timer 0 180MIN
- 1 10 Power levels (500 3500W) Per plate
- LED display

- 1 10 Temperature setting
- Temperature range: 60°C~240°C
- Touch panel
- Electronic overheating protection





SINGLE

IND2001

SPECIFICATIONS

POWER : 3500W VOLTAGE : 230V

DIMENSIONS : 330 X 425 X 105MM

WEIGHT : 10KG

Requires to be installed by a qualified electrical installer





DOUBLE

IND2002

SPECIFICATIONS

POWER : 7000W VOLTAGE : 230V

DIMENSIONS : 683 X 430 X 110MM

WEIGHT : 18KG

Note

Requires to be installed by a qualified electrical installer

INDUCTION HEATING PLATE

FEATURES

- Enables non-induction cookware to be used on any induction cook top
- Dishwasher safe



INDUCTION HEATING PLATE IHP2000

SPECIFICATIONS

DIMENSIONS : 235 X 5MM

INDUCTION COOKER

FEATURES

- LED display
- Touch control
- Timer 0 180 minutes



- Electronic overheat protection
- WOK IND2000

SPECIFICATIONS

: 3500W POWER **VOLTAGE** : 230V

- Temperature range: 60°C to 240°C

: 340 X 340 X 120MM **DIMENSIONS**

WEIGHT : 6KG

OTHER ORDER CODES

WOK ROUND BOTTOM S/STEEL

WRS1036 - 360MM

Note

Requires to be installed by a qualified electrical installer

HOT TRAY

FEATURES

- Toughened glass
- Material: S/Steel body
- Temperature range: 60°C~105°C



- Electric radiant Heating film
- Knob control
- Two handles

HOT TRAY HTE1000

SPECIFICATIONS

POWER : 230W : 230V **VOLTAGE**

DIMENSIONS : 615 X 363 X 52MM

WEIGHT : 11KG





RISER SHELVES

FEATURES

- Keeps food warm at the right temperature to be served
- Perfect for restaurants, canteens and fast food lines
 Easy pass-through and access from kitchen
- Can be used as a plate warmer
 - n be used as a plate warmer





RSA1100

SPECIFICATIONS
POWER RATING

POWER RATING : 1.5kW VOLTAGE : 230V

energized with an element.

DIMENSIONS : 1138 X 390 X 500MM WEIGHT : 12KG

Element configuration provides even heat distribution

· Power light to indicate when element is energised, only the top shelf is

1700MM RSA1700

SPECIFICATIONS

POWER RATING : 2.3kW VOLTAGE : 230V

DIMENSIONS : 1738 X 390 X 500MM

WEIGHT : 17KG

OTHER ORDER CODES

1100MM NEUTRAL

RSA1101

1700MM NEUTRAL

RSA1701



DECORATIVE FOOD DISPLAY LAMPS



MATT BLACK DDL1000

SPECIFICATIONS

(Neutral)

VOLTAGE : 230 V POWER : 250W WEIGHT : 1.5KG

DIMENSIONS : 320 X 320 X 340MM

MATT SILVER
DDL1001

SPECIFICATIONS

VOLTAGE : 230 V
POWER : 250W
WEIGHT : 1.5KG
DIMENSIONS : 320 X 320 X 340MM

Note Excludes globe



OTHER ORDER CODES FOR GENERAL LIGHTING

100W GLOBE - SCREW IN (MIRROR BACK)
XPMK3008

FOR HEATING AND LIGHTING

250W GLOBE SCREW IN (SATIN IR)
XPMK4025

FEATURES

- Max. cooking capacity 6KG
- High quality durable painted casing
- Thick aluminum inner pot
- Heavy duty heating element





8.5LT RCA1008

SPECIFICATIONS

CAPACITY : 8.5LT VOLTAGE : 230V POWER : 2650W

DIMESIONS : 495 X 495 X 300MM

WEIGHT : 8.7KG



RICE COOKER

PLATE WARMERS





DROP IN PWK1001

SPECIFICATIONS

VOLTAGE : 230V POWER : 0.4kW

DIMENSIONS : 405 circumference X 728MM

WEIGHT : 19k

PLATE GUIDES : 3 (Per compartment)
PLATE CAPACITY : Approx 40 (Varies with plate thickness)

PLATE SIZE : 200 - 280MM
MAX PLATE SIZE : 280MM Diameter

MAX PLATE SIZE : 280MM I CUT DIAMETER : 385MM

REQ CABINET DEPTH : 775MM

FEATURES

Full S/Steel double wall construction with adjustable shelf position offers flexibility, and can hold up to 60 plates

Preset-thermostat

This portable unit is ideal for buffets and caterers





SINGLE DOOR PWK0001

SPECIFICATIONS

VOLTAGE : 230V POWER : 0.75kV

POWER : 0.75kW
DIMENSIONS : 450 X 485 X 850MM

WEIGHT : 34KG

MAX PLATE SIZE : 360MM Diameter



PLATE LOWERATORS

FEATURES

- Temperature control via thermostat (PLK0001 & PLK0002)
- Preset thermostat on PWK1001
- Double skin S/Steel construction reduces heat loss and improves the strength of the unit









- Adjustable plate guides
- Adjustable spring tension

HEATED - MOBILE

PLK0001

SPECIFICATIONS

VOLTAGE : 230V **POWER** : 0.4kW

DIMENSIONS : 483 X 506 X 914MM - PLK0001

WEIGHT : 31KG

PLATE GUIDES : 3 (Per compartment)

PLATE CAPACITY : Approx 40 (Varies with plate thickness)

PLATE SIZE : 200 - 300MM MAX PLATE SIZE : 300MM Diameter

HEATED DOUBLE - MOBILE PLK0002

SPECIFICATIONS

VOLTAGE : 230V **POWER** : 0.8kW

: 483 X 930 X 914MM **DIMENSIONS**

WEIGHT : 48KG

PLATE GUIDES : 3 (Per compartment)

PLATE CAPACITY : Approx 80 (Varies with plate thickness)

PLATE SIZE : 200 - 300MM MAX PLATE SIZE : 300MM Diameter

MOBILE FOOD WARMING CABINET

FEATURES

- Heated convection air flow system heats and maintains the desired food
 Thermostatically controlled temperature
- Air flow system with two powerful circulation fans
- Robust castors-two supplied with brakes.





- Bumper strip all around
- Maximum temperature 110°C



11 SHELVES MFW0011

SPECIFICATIONS

: 2.63kW **POWER** POWER RATING : 230V - 50Hz : 691 X 874 X 1797MM **DIMENSIONS** : 22 trays - GN 1/1 CAPACITY

WEIGHT : 222KG

BAIN MARIES - TABLE TOP

FEATURES

- Element configuration provides even heat distribution
- Variable heat control
- Tap for easy drainage
- Dry and wet element











1 DIVISION BMA1001

SPECIFICATIONS

POWER : 2.7kW VOLTAGE : 230V

DIMENSIONS : 394 X 658 X 268MM

WEIGHT : 2KG

Note

Inserts sold separately







2 DIVISION BMA1002

SPECIFICATIONS

POWER : 2.7kW VOLTAGE : 230V

DIMENSIONS : 735 X 658 X 268MM

WEIGHT

Note

Inserts sold separately









3 DIVISION BMA1003

SPECIFICATIONS

POWER : 2.7kW **VOLTAGE** : 230V **DIMENSIONS** : 1074 X 658 X 268M

WEIGHT : 22KG

OTHER ORDER CODES **DIVIDER** XBMA0002

Note

Inserts sold separately





SOUS VIDE COOKERS

POPCORN MACHINES

FEATURES

- Interior heater to keep product warm
- 200G Capacity per load



Bottom element ensures that popcorn stays warm









FEATURES

- This counter top unit is ideal for cafes, flea markets and outdoor events
- Bold graphics and excellent product display make this unit a winner
- Casted-in-element bowl makes the production very high efficiently
- 500G large capacity kettle
- Non-stick kettle with cast in element for efficiency



14oz

POWER

DIMENSIONS : 520 X 520 X 800MM

WEIGHT : 33.5KG

8oz PMK0001

SPECIFICATIONS

VOLTAGE : 230V - 50Hz : 1.5kW

POWER

DIMENSIONS : 502 X 360 X 685MM : 20KG

WEIGHT



PMK0014

SPECIFICATIONS

VOLTAGE : 230V - 50Hz : 1.66kW

- Powerful circulation pump with removable filter to ensure uniformity temperature distribution
- Submersible parts made from S/Steel for durability and ease of cleaning
- Electronic temperature control with large easy to read digital display showing time, set temperature and current temperature
- Versatile clamp for attaching directly to inserts

CIRCULATOR

SVD0002

SPECIFICATIONS

POWER : 1.5kW VOLTAGE : 230V - 50Hz : 145 X 130 X 320MM **DIMENSIONS**

WEIGHT : 1.9KG

OTHER ORDER CODES

FULL SIZE INSERT X 200MM (POLYCARB) INF4200-C

Note

Tank and circulator sold seperately

FEATURES

FEATURES

- Powerful circulation pump with multiple inlet and outlet jets to ensure uniform temperature distribution, fitted with removable filters
- Lift out cooking tray for easy loading and unloading
- Electronic temperature control with large easy to read digital display showing time, set temperature and current temperature
- Lid with insulated mat to preserve heat
- Large surface area silicone heating element



BATH AND CIRCULATOR COMPLETE UNIT SVD0003

SPECIFICATIONS

POWER : 0.62kW VOLTAGE : 230V - 50Hz : 420 X 283 X 290MM **DIMENSIONS**

WEIGHT









FOOD DEHYDRATOR

Original design, Italian quality and extremely practical to use for the natural dehydration of any kind of food: fruit, vegetables, mushrooms, herbs and everything that creativity suggests. Perfect for kitchen professionals and enthusiastic foodies, Atacama offers a whole range of solutions coupled with outstanding features: compactness, solidity and the special horizontal air flow system which always ensures a uniform, effective dehydration.

FEATURES

- 6 Automatic programs for versatility
- Wide flow technology for even dehydration across all tray areas
- Digital displa
- Energy saving On/Off switch
- Anti-slip, anti vibration rubber feet
- Maintenance cycle at the end of each dehydrating process
- Structure in S/Steel and nylon











6 TRAY FDA1006

SPECIFICATIONS

RESISTOR POWER

TOTAL DEHYDRATING SURFACE DIMENSIONS

WEIGHT

SUPPLIED WITH

: 500W : 5 500CM²

: 270 X 260 X 500MM

: 5.5KG

: Six S/Steel dehydrating trays

: 250 X 360MM

atacama

MEAT AGER

FEATURES

- Constructed with a double glazed lockable door and S/Steel outer body.
- Moulded interior is resistant to bacteria and for ease of cleaning.
- Unit is fitted with a precise, intelligent temperature and humidy control, temperature 1°C - 4°C and humidity of 60 - 90%





- Ageing of meat with minimal weight loss.
- LED lighting to enhance the product displayed.
- Fitted with UVC lamp sterilization and high perspective anti-ultraviolet insulating glass.
- Activated carbon filter to purify the air inside the unit.



400LT MAB0400

SPECIFICATIONS

VOLTAGE : 230V POWER : 160W WEIGHT : 102KG

DIMENSIONS : 750 X 800 X 1650MM
CHAMBER SIZE : 555 X 555 X 1390MM

Includes

2 Shelves, 2 swivel hooks, salt tray and a hook hanger.

BILTONG CABINETS

FEATURES

- Well suited to small volume operations, hunters, home industries and biltong enthusiasts
- Preset temperature control to avoid tampering
- Heater cannot be switched on without the fan being in operation
- Efficient extraction fan for maximum air changes and uniform drying throughout the cabinet
- Unit can cure 25KG of wet product at a time
- Internal hanging brackets for improved flexibility
- High quality all S/Steel cabinet





JUNIOR - 245LT BCB0245

SPECIFICATIONS

VOLTAGE : 230V - 50Hz

POWER : 0.75kW

DIMENSIONS : 580 X 460 X 1080MM

WEIGHT : 43KG

CHAMBER SIZE : 500 X 450 X 910MM

Includes

10 X S/Steel hanging rods 1 X S/Steel drip tray

FEATURES

- The ideal machine for butcheries and supermarkets to produce high volumes of biltong
- Proven 20% performance benefit over competition
- Glass window for product display
- Unit fitted with anti-bacterial ultra violet lamp for product protection
- Locking door handle for security

- Adjustable thermostatic temperature control
- Powerful extraction fan to ensure maximum air changes for uniform drying throughout
- Heater cannot be switched on without the fan being in operation
- Unit can cure 100KG of wet product at a time
- High quality all S/Steel 1250LT cabinet





Do a dry cure (24 HR), or wet cure (12 HR) first with the temperature control switch off, and only the light and fan on. Then put the temperature control on setting 3, and leave for ±3 days. The ideal temperature for drying biltong is 32°C - 34°C.

1250LT

BCB1250-R01

SPECIFICATIONS

VOLTAGE : 230V - 50Hz POWER : 2 X 1.5kW

DIMENSIONS : 1000 X 740 X 2015MM WEIGHT : 120KG

CHAMBER SIZE : 950 X 730 X 1750MM

Includes

24 X S/Steel hanging rods 1 X S/Steel drip tray

Note

Optional additional extras available on request





COOKER CABINETS

SMOKING CABINETS

FEATURES

- High quality all S/Steel construction
- Smoking and drying functions controlled with a simple to operate
- Temperature controlled by a digital indicating electronic controller in the case of the 600LT unit and via a thermostat control on the junior smoker
- The junior smoker drying cycle has natural convection
- The 600LT smoker drying cycle has fan assisted convection
- The smoking cycle is achieved using natural convection with an ignition element for wood chips
- Inner parts easily removable for easy cleaning
- Smoked product has low mass loss
- Junior smoker fitted with electromechanical timer and time lapse signal to indicate completion of cycle.



JUNIOR - 170LT

SCB0170

SPECIFICATIONS

VOLTAGE

: 2 X 1kW Drying elements POWER

:1 X 0.5kW Sawdust ignition element

: 1015 X 610 X 940MM DIMENSIONS

WEIGHT :72KG

: 785 X 500 X 500MM CHAMBER SIZE

Includes

10 X Aluminium rods

1 X Sawdust grid

1 X Ashtray

1X Expanded mesh tray



600LT SCB0600

SPECIFICATIONS VOLTAGE

: 380V - 3 phase - 50Hz (N+E) : 2 X 2.25kW Drying elements **POWER** :1 X 0.75kW Sawdust ignition element

DIMENSIONS : 1280 X 770 X 2020MM

WEIGHT : 216KG

CHAMBER SIZE : 1000 X 655 X 1020MM

Includes

15 X Aluminium rods

1 X Sawdust grid

1 X Ashtray

1X Expanded mesh tray

FEATURES

- High quality all S/Steel junior cooking cabinet ideal for the smaller butcher
- The unit can be used for steam cooking or grilling

- Grilling and cooking temperatures controlled by hydraulic thermostats with selector switch for choice of grill or cook
- Well suited to small volume operations



JUNIOR - 170LT

CCB0170

SPECIFICATIONS

VOLTAGE : 230V

: 1 X 3kW Cooking element **POWER** : 1 X 2kW Grilling element

DIMENSIONS : 1015 X 720 X 610MM

WEIGHT : 80KG

CHAMBER SIZE : 700 X 500 X 500MM

Includes

3 X Perforated S/Steel cooking trays

10 X Aluminium rods

FEATURES

- High grade S/Steel for safe food processing
- The ideal machine for medium size butcheries

- Automatic alarm and shut down for low water
- Robust all S/Steel construction
- Low product weight loss



ECONOMY - 600LT CCB0600

SPECIFICATIONS

VOLTAGE : 380V - 3 phase (N+E) POWER : 3 X 3kW Cooking elements : 1280 X 770 X 1680MM **DIMENSIONS**

WEIGHT : 167KG

CHAMBER SIZE : 1000 X 655 X 1020MM

Includes

3 X Perforated S/Steel trays 10 X Aluminium rods





AUTOMATIC - BEAN TO CUP

The Bravilor Bonamat Bean to cup is a fully automatic espresso machine. It uses freshly ground beans to prepare all its coffee specialities. The machine is available in 2 models, namely the Esprecious 12 and Esprecious 11L [with FreshMilk].

The Esprecious 11L is supplied complete with the FreshMilk. The FreshMilk has been specially designed for the Esprecious espresso machine. The Bravilor Bonamat cooling system keeps the milk at a constant 4 degrees. The milk frother inside the Esprecious creates a milk foam as light as air. The whipping process of fresh cold milk, steam and air creates milk foam of superb quality. A major advantage of the FreshMilk is that it is controlled by the Esprecious touchscreen. Daily cleaning and rinsing activities are selected via the touchscreen, with visual and acoustic feedback.

FEATURES

- Ease of use: intuitive touchscreen
- Double dispensing outlet for serving two cups simultaneously
- Automatic rinsing program to optimise the in-cup quality
- Separate hot water outlet for e.g. tea
- Unique hot water system to reduce scaling, reduces the maintenance requirement







SPECIFICATIONS

OUTPUT CAPACITY BEAN CANISTER CAPACITY INSTANT CANISTERS NO. OF GRINDERS WATER SUPPLY

POWER **DIMENSIONS**





SPECIFICATIONS

OUTPUT

CAPACITY BEAN CANISTER CAPACITY INSTANT CANISTERS NO. OF GRINDERS


WATER SUPPLY **POWER DIMENSIONS**

Note



:1X3.2LT

: Yes



: 200 CUPS PER DAY : 1 X 1.4KG : 2 X 1.3LT :1

: Yes

: 230V 50/60Hz - 2250W : 330 X 570 X 660MM



ESPRECIOUS FRESH MILK 11LT

: 1 X 1.4KG

:1

: 230V 50/60Hz - 2300W

: 570 - 620 X 570 X 660MM

Fridge included



The Sego is one of Bravilor Bonamat's fully automatic espresso machines. All coffee specialities are made using freshly ground coffee beans. The extensive touchscreen menu offers 30 beverage choices. The Sego is suitable for many locations and takes up very little space thanks to its compact footprint.

FEATURES

- Easy, quick installation
- Intuitive touchscreen
- Menu with up to 30 beverage choices

- · Unique rotational brewer that's easy to remove and clean
- 2 instant ingredient canisters
- Maintenance friendly

SEGO BVS1200

SPECIFICATIONS

: 120 CUPS PER DAY OUTPUT CAPACITY BEAN CANISTER : 1 X 1.2 KG CAPACITY INSTANT CANISTERS : 2 X 1.3KG (30LT)

NO. OF GRINDERS : 1 WATER SUPPLY : Yes WATER DRAINAGE : No

: 30V - 50/60HZ 2290W POWER TAP HEIGHT : 105MM

DIMENSIONS : 315 X 450 X 590MM



FEATURES

- 1 canister for coffee beans.
- 1 canister for an instant ingredient, such as cocoa.
- Integrated milk system for the fresh milk (separate steam boiler and milk frother)



SEGO FRESH MILK 11LT BSF1000

SPECIFICATIONS

OUTPUT : 120 CUPS PER DAY CAPACITY BEAN CANISTER : 1 X 1.2 KG

CAPACITY INSTANT CANISTERS : 1 X 3.2 LITRES (11LT) **POWER** : 230V - 50/60HZ 2190W

TAP HEIGHT : 105 - 135MM

: 325 X 535 X 590MM **DIMENSIONS**

Note

Fridge sold seperately

SEGO FRESH MILK FRIDGE

BSF1002

SPECIFICATIONS

CAPACITY : 1110ML

POWER : 100 - 240V~ 50/60HZ 18W **DIMENSIONS** : 150 X 190 X 240MM





QUICK FILTER - POUR OVER

AUTOMATIC - BEAN TO CUP

FEATURES

- Removable 2.2LT water tank for manual water fill
- Incorporates the professional patented CIRCO brewer
- Made from sturdy high quality materials such as S/Steel and BPA-free
- · Full-colour user-friendly interface with capacitive touchscreen
- Offers many coffee specialties; and even more with the optional milk cooler
- Hot water from separate outlet







SPRSO FRESH MILK

BSF2000

SPECIFICATIONS

OUTPUT : 40 CUPS PER DAY CAPACITY : 300G Bean canister **POWER** : 230V - 50/60Hz - 1978W : 80 - 115MM (adjustable) TAP HEIGHT **DIMENSIONS** : 215 X 440 X 420MM

MILK COOLER

BSF2002

CAPACITY : 1LT **POWER**

: 230V - 50/60Hz - 100W **DIMENSIONS** : 150 X 190 X 240MM

AUTOMATIC - INSTANT MACHINE

FEATURES

- Quick and user-friendly
- Made from sturdy high-quality materials such as S/Steel and BPA-free
- Coffee strength and size (S/M/L) can be selected on-screen
- Patented mixing systems which greatly reduce any build-up of ingredients







- Day and cumulative counters
- Eco mode and boiler isolation for reduced energy consumption
- · Touchscreen menu offers 36 beverage choices



BOLERO 43

BVI0043

SPECIFICATIONS

OUTPUT CAPACITY INSTANT CANISTERS

: 230V~ 50/60Hz 2230W POWER : 120MM

TAP HEIGHT **DIMENSIONS**

: 315 X 440 X 590MM : Yes

: 200 CUPS PER DAY

: 4 X 1.3 LT

WATER SUPPLY

FEATURES

- Two self-regulating hot plates that re-adjust the temperature according to the amount of coffee in the decanter
- Used for immediate service
- Coffee should be served within 30 minutes of being brewed
- Without water connection







NOVO WITH 2 JUGS

CMB0001

SPECIFICATIONS

: 18LT/144 cups/HR OUTPUT **BREWING TIME** : 1.7LT in 5MIN

POWER : 2.1kW - 230 - 50 / 60Hz - 2100W

DIMENSIONS : 214 X 391 X 424MM

OTHER ORDER CODES

COFFEE MACHINE FILTERS 4 X 250 FILTERS CMF1000

COFFEE MACHINE JUG GLASS WITH LID - 1.7LT CMJ0002



FEATURES

- The machine can be manually filled with water and therefore be placed anywhere
- Easy operation and maintenance
- Vacuum flask included for maintaining the correct temperature for the coffee









SPECIFICATIONS

OUTPUT : 18LT/144 cups/HR BREWING TIME : 2LT in 6MIN CONNECTION : 230V - 50/60Hz 2000W

DIMENSIONS : 214 X 391 X 465MM

OTHER ORDER CODES

COFFEE MACHINE FILTERS 4 X 250 FILTERS CMF1000






AIRPOT BREWERS

FEATURES

· The THA brews delicious fresh filter coffee directly into an Airpot that keeps your coffee hot and fresh for extended periods





AIRPOT 15LT P/H ABB0015

SPECIFICATIONS

OUTPUT

: 15LT / 120 Cups/HR BREWING TIME : 2.2LT in 8MIN **POWER** : 230 - 50 / 60Hz - 2310W DIMENSIONS

: 235 X 406 X 545MM Water connection



VACUUM AIRPOT WITH GLASS INNER - 2.2LT ABB0022

COFFEE MACHINE FILTERS 4 X 250 FILTERS CMF1000

Note

Airpots sold separately



AIRPOT 19LT P/H

ABB2022

SPECIFICATIONS

OUTPUT : 19LT P/H 152 Cups HR **BREWING TIME** : 2.2LT in 7MIN

POWER : 230 - 50 / 60Hz - 2310W **DIMENSIONS** : 235 X 406 X 545MM

Manual water filling

OTHER ORDER CODES

VACUUM AIRPOT WITH GLASS INNER - 2.2LT

COFFEE MACHINE FILTERS 4 X 250 FILTERS CMF1000

Note

Airpots sold separately

BULK BREWERS

FEATURES

- Ideal for busy institutions to produce large quantities of coffee in short periods of time, easy to use
- Total and daily counters, digital control panel, direct brewing into containers
- Easy to transport for coffee to be served anywhere, at any time



2 X 5LT BBB2005

SPECIFICATIONS

OUTPUT : Approx 30LT an HR (240 cups) HOLDING CAPACITY : 10LT (2 X 5LT) BREWING TIME : Approx 5LT in 10MIN : 230 - 50 / 60Hz - 3130W **POWER**

Water connection without brewing basket

for use with flat filter paper

: 635 X 440 X 799MM

2 X 10LT BBB2010

DIMENSIONS

SPECIFICATIONS

OUTPUT HOLDING CAPACITY **BREWING TIME POWER**

: Approx 60LT an HR (480 cups)

: 20LT (2 X 10LT) : Approx 10LT in 10MIN : 400 - 50 / 60Hz - 6800W : 955 X 512 X 840MM DIMENSIONS

Water connection without brewing basket

for use with flat filter paper

2 X 20LT BBB2020

SPECIFICATIONS

OUTPUT HOLDING CAPACITY **BREWING TIME POWER**

: Approx 90LT an HR (720 cups)

: 40LT (2 X 20LT) : Approx 20LT in 14MIN : 400 - 50 / 60Hz - 9240W **DIMENSIONS** : 1175 X 600 X 947MM

> Water connection without brewing basket for use with flat filter paper





BULK BREWER URN

CUB0005 - 5LT CUB0010 - 10LT CUB0020 - 20LT





ESPRESSO MACHINES

HEATING

FEATURES

- Black in colour
- 2 steam wands
- 1 hot water outlet
- Remove S/Steel system wands
- 2 portafilters

NEW

- Includes Everpure filtration with installation pipes & brass fittings
- Direct water mains
- Direct water drainage pipe





FULLY AUTOMATIC EMF3312

SPECIFICATIONS

: 135MM **HEIGHT** VOLTAGE : 220 - 240V POWER : 3000W : 11.5LT Brass **BOILER SIZE** WEIGHT : 75KG

DIMENSIONS : 760 X 460 X 560MM

SEMI AUTOMATIC EMS3312

SPECIFICATIONS

HEIGHT : 135MM VOLTAGE : 220 - 240V POWER : 3000W **BOILER SIZE** : 11.5LT Brass WEIGHT : 75KG

DIMENSIONS : 760 X 460 X 560MM

COFFEE GRINDER

FEATURES

- 64MM flatt grinding burrs
- 2 Programmable buttons and an auto dose function
- Dose counter on digital display

GRINDER DOSER

FEATURES

- Suitable for bars with medium consumption needs
- Stepless micrometrical grinding adjustment
- With time switch
- 64MM Grinding blades
- Dose adjustment 5.5 to 8G



SUPER JOLLY ELECTRIC WITH TIMER - 1.2KG GRI2200

SPECIFICATIONS

POWER GRINDING BLADE SPEED COFFEE-BEAN CONTAINER

CAPACITY WEIGHT

: 350W : 1400 - 1600 R.P.M

: 1.2KG

: 14KG



SUPER JOLLY WITH TIMER 1.2KG GRI1200

SPECIFICATIONS

POWER : 350W GRINDING BLADE SPEED : 1400 (50 Hz)

COFFEE-BEAN CONTAINER

CAPACITY : 1.2KG **GROUND COFFEE**

CONTAINER CAPACITY : 280G WEIGHT : 14KG



ACCESSORIES



Note sold separately

ESPRESSO MACHINE SINGLE PORTABLE

XEMS0001





Includes

Clean Express Clean Brush Rubber Blind Filter



COFFEE TAMPER MILD STEEL CTC0001 57MM - 720G CHROME PLATED

The stylish Avenia urn will boil water very quickly and is suitable for caterers, schools, offices, and the durable plastic handles makes it safe and easy to move around. These urns are offered in 16, 20 and 30 liters making it easy to serve hot beverages to large audiences

URNS

|||BRAVILOR ||BONAMAT

HEATING

COFFEE PERCOLATOR

Fitted with gauge glass

15LT

CPL0115

POWER

DIMENSIONS

SPECIFICATIONS

HOLDING CAPACITY

HOURLY CAPACITY

MANUAL FILLING TAP WEIGHT: 115MM

FEATURES

FEATURES

Freshly percolated coffee

Double walled S/Steel container and steel filter

- Sight glass water level indicator
- Built-in boil dry protection
- Cool touch plastic handles
- Power and keep warm pilot lights
- 2.5kW embedded element boils water quickly





16LT URA0016-R01

SPECIFICATIONS

POWER: : 2.5kW **VOLTAGE:** : 230V

DIMENSIONS : 354 X 415 X 510MM

Boil dry safety and a heating element to maintain the coffee temperature

: 1500W : 510 X 330MM

: 11LT

NET WEIGHT : 5.2KG CAPACITY: : 16LT

20LT URA0020-R01

SPECIFICATIONS

: 2.5kW POWER VOLTAGE : 230V

DIMENSIONS : 354 X 415 X9 680MM : 5.2KG

NET WEIGHT CAPACITY : 20LT

30LT URA0030-R01

SPECIFICATIONS

POWER : 2.5kW VOLTAGE : 230V

DIMENSIONS : 354 X 415 X 700MM

NET WEIGHT : 5.7KG CAPACITY : 30LT



QUICK FILTER - POUR OVER

FEATURES

- Power switch Water entrance
- Brewing indicator
- Brew basket (also known as filter pan)





Decanter (coffee pot or airpot)

- Hot plate
- Switch for upper hot plate
- Upper hot plate

WITH 2 JUGS CMA2001

SPECIFICATIONS

VOLTAGE : 230V : 12 CUPS OUTPUT **BREWING TIME** : 1.8LT in 7MIN WEIGHT : 6.2KG CONTROL TYPE : MANUAL : 2060W MAXIMUM POWER

DIMENSIONS : 203 X 383 X 455MM

JUG CAPACITY : 1.8LT

OTHER ORDER CODES

JUG GLASS - NO LID 1.8LT

CMJ0001

FEATURES

- Keeps coffee hot for hours
- Pump action serving
- Convenient carry handle
- Dispensing tube agitates coffee to avoid mixed concentrations





AIRPOT BREWER

- S/Steel vacuum airpot
- Durable S/Steel pour-over funnel
- Large water reservoir
- Overheat protection

2.2LT CMA2002

SPECIFICATIONS

VOLTAGE

OUTPUT : 2LT / 13 CUPS : 2LT in 8MIN **BREWING TIME** WEIGHT : 6.5KG CONTROL TYPE : Manual MAXIMUM POWER : 1900W

: 230V

DIMENSIONS : 205 X 405 X 527MM

JUG CAPACITY : 2.2LT

OTHER ORDER CODES VACUUM AIRPOT

ABB0022 - 2.2LT



COFFEE JUG WARMER

FEATURES

- · Plates heat independently, therefore energy efficient
- Ideal for restaurants, coffee shops and guest houses





2 PLATE CWA0002

SPECIFICATIONS

POWER : 2 X 0.1kW VOLTAGE : 230V : 2 X 140MM PLATE DIAMETER : 432 X 243 X 84MM **DIMENSIONS** WEIGHT

: 3KG

FLASKS



THERMO FLASK WHITE **GLASS INNER** TFW0001 1LT



THERMO FLASK BLACK GLASS INNER TFB0001



VACUUM FLASK S/STEEL INSULATED VPS0150 - 1.5LT VPS0200 - 2LT



VACUUM FLASK S/STEEL INNER VFS0022 - 2.5LT VFS0035 - 3.5LT



VACUUM FLASK S/STEEL VPS0010 - 1.2LT **VPS0015** - 1.5LT





VACUUM AIRPOT ABB0022 2.2LT



Ideal for use with TH series



Double pump system

JUGS



COFFEE MACHINE JUG GLASS WITH CMJ0002 1.7LT



COFFEE MACHINE JUG GLASS - NO LID CMJ0001 1.8LT



COFFEE DECANTER S/STEEL & LID CDA0020 2LT





MILK FROTHING MFJ0600 - 600ML MFJ1000 - 1LT MFJ1500 - 1.5LT



NIPON CTP0600 600ML



CAST IRON TEA POTS







INSULATED SERVERS



POLISHED S/STEEL

INS0006 - 750ML INS0009 - 900ML INS0015 - 1500ML



BRUSHED S/STEEL

INS1010 - 1LT INS1015 - 1.5LT INS1020 - 2LT



SOUP KETTLES

Features

- Ideal for hotels, canteens, take aways and supermarkets
- Great for soup, sauces, curries, breakfast porridge and stew



S/STEEL 5.7LT SKD1004

SPECIFICATIONS SOUP KETTLE

CAPACITY : 5.2LT VOLTAGE : 230V POWER: : 0.3KW



S/STEEL 11LT SKD1008

SPECIFICATIONS

HEIGHT

CAPACITY
VOLTAGE
POWER
TOP DIAMETER
MIDDLE DIAMETER
BOTTOM DIAMETER



BLACK 11LT SKD0008

SPECIFICATIONS

CAPACITY : 11LT
VOLTAGE : 230V
POWER : 0.8KW
TOP DIAMETER : 270MM
MIDDLE DIAMETER : 215MM
BOTTOM DIAMETER : 235MM
HEIGHT : 365MM



: 11LT

: 230V

: 0.8KW

: 270MM

: 215MM

: 235MM

: 365MM



HEATED FOOD DISPLAY STATION

FEATURES

- Pleasing design for optimum product display
- Double warming lamps with individual dimmer controls





- Heated S/Steel base, with thermostat control
- Fitted with acrylic sneeze guard on both sides

2 LIGHT - WITH HEATED BASE CSS2001

SPECIFICATIONS

POWER : 750W

VOLTAGE : 230V

DIMENSIONS : 900 X 752 X 491MM

INCLUDES : 2 X 175W PAR 38 infrared globe : 400W Heating element in the base


OTHER ORDER CODES

INFRARED GLOBE - 175W

Note

Food pans sold separately





5 REASONS WHY 3 year warranty International brand established in 1985 Italian designed and manufactured to the highest international Constant research and development with latest technologies Solutions for all drink service needs **5 REASONS WHY** Established brand since 2009 Designed and manufactured to withstand commercial kitchen demands Solutions for all your refrigeration needs Front and back of house products that offer unique solutions Compact and practical products in modern designs SUMMIT **5 REASONS WHY** Established brand since 2009 Designed and manufactured to withstand commercial kitchen demands Ideal for front and back of house applications Sleek and modern designs to enhance any establishment Practical and robust products for everyday use

ICE FLAKER - SELF CONTAINED





153KG / 24HRS

IFB0150

SPECIFICATIONS

DIMENSIONS : 738 X 690 X 1020MM WEIGHT : 94KG : 55KG

STORAGE OUTPUT : 153KG / 24HRS

POWER : 0.70kW, 220V - 240V, 50Hz

REFRIGERANT : R290

Note

Installation requires a ventilated room, water connection and a waste

drainage.

ICE MAKERS - GOURMET CUBE - SELF CONTAINED







SPECIFICATIONS

: 307 X 470 X 687MM **DIMENSIONS**

WEIGHT : 32KG STORAGE : 9KG

: 29KG / 24HRS OUTPUT

POWER : 0.27kW, 220V - 240V, 50Hz

TYPE OF CUBES REFRIGERANT : R290





38KG / 24HRS IMB0033

SPECIFICATIONS

DIMENSIONS : 497 X 592 X 687MM

WEIGHT : 40KG STORAGE : 16KG OUTPUT : 38KG / 24HRS

POWER : 0.34kW, 220V - 240V, 50Hz

TYPE OF CUBES REFRIGERANT : R290



SPECIFICATIONS

DIMENSIONS : 497 X 592 X 797MM

WEIGHT : 46KG : 25KG STORAGE OUTPUT : 48KG / 24HRS

POWER : 0.45kW, 220V - 240V, 50Hz

TYPE OF CUBES REFRIGERANT : R290

Note

Installation requires a ventilated room, water connection and a waste drainage.





ICE MAKERS - GOURMET CUBE - SELF CONTAINED

ICE MAKERS - FAST ICE - MODULAR





72KG / 24HRS IMB0065

SPECIFICATIONS

DIMENSIONS : 735 X 603 X 850MM

WEIGHT : 67KG STORAGE : 40KG OUTPUT : 72KG / 24HRS

: 0.59kW, 220V - 240V, 50Hz **POWER**

TYPE OF CUBES : 18G REFRIGERANT : R290





95KG / 24HRS IMB0090

SPECIFICATIONS

DIMENSIONS : 735 X 603 X 1010MM

WEIGHT : 74KG STORAGE : 55KG

OUTPUT : 95KG / 24HRS

POWER : 0.87kW, 220V - 240V, 50Hz

TYPE OF CUBES : 18G REFRIGERANT : R290





134KG / 24HRS

IMB0130

SPECIFICATIONS

DIMENSIONS

: 840 X 740 X 1075MM WEIGHT : 113KG

STORAGE

OUTPUT : 134KG / 24HRS : 1.25kW, 220V - 240V, 50Hz

POWER TYPE OF CUBES : 18G

REFRIGERANT : R290





140KG / 24HRS

IMB0140

SPECIFICATIONS DIMENSIONS

: 540 X 544 X 747MM WEIGHT : 73KG

OUTPUT : 140KG / 24HRS : 1.4kW, 220V - 240V, 50Hz **POWER**

: IMB0180 - 220KG - (Sold Separately) BIN TYPE

TYPE OF CUBES : 7G : R290 REFRIGERANT





200KG / 24HRS

IMB0200

SPECIFICATIONS

: 770 X 550 X 805MM **DIMENSIONS** : 90KG

WEIGHT

OUTPUT : 200KG / 24HRS

POWER : 1.6kW, 220V - 240V, 50Hz

: IMB0180 / IMB0380 - 220KG - (Sold Separately) BIN TYPE

TYPE OF CUBES : 7G REFRIGERANT : R290





400KG / 24HRS IMB0400

SPECIFICATIONS

DIMENSIONS

: 770 X 550 X 805MM

WEIGHT : 113KG

OUTPUT : 400KG / 24HRS POWER

: 3kW, 220V - 240V, 50Hz : IMB0380 - 320KG - (Sold Separately) **BIN TYPE**

TYPE OF CUBES : 7G REFRIGERANT : R290

ICE CUBER - GOURMET CUBE - MODULAR





300KG / 24HRS

IMB0300

SPECIFICATIONS

DIMENSIONS : 1250 X 580 X 848MM

WEIGHT : 152KG OUTPUT : 300KG / 24HRS

POWER : 2.6kW, 220V - 240V, 50Hz

: Single phase

TYPE OF CUBES

BIN TYPE : IMB1300 - (Sold Separately)







REFRIGERATION REFRIGERATION

ICE BINS - S/STEEL



220KG IMB0180

SPECIFICATIONS

DIMENSIONS : 780 X 750 X 1130MM (Includes legs)

STORAGE : 220KG

: IMB0140 / IMB0200 - (Sold Separately) SUITABLE FOR

: 1200 X 750 X 1130MM (Includes legs)

WEIGHT



320KG IMB0380

SPECIFICATIONS

DIMENSIONS STORAGE

: 320KG SUITABLE FOR

: IMB0400 - (Sold Separately) WEIGHT

: 100KG



500KG IMB1300

SPECIFICATIONS

DIMENSIONS : 1250 X 900 X 1500MM (Includes legs)

STORAGE : 500KG

: IMB0300 - (Sold Separately) SUITABLE FOR

WEIGHT





Salvadore will be using a new, more environmentally friendly insulation material, called cyclopentane, in the manufacture of select units. Cyclopentane is a blowing agent for the polyurethane foams that are used to insulate refrigerators and freezers. Unlike other chemicals used to insulate refrigerators, cyclopentane does not contain hydro-fluorocarbons (HFCs). Using cyclopentane results in significant reductions in equivalent CO2 emissions.

FEATURES

- Aluminium for internal and black coated steel for external side
- Item with shiny finishing and total height at 900MM
- Roll-bond evaporator system with fan assisted cooling
- Automatic compressor cycle defrost
- Foaming agent cyclopentane (40MM per side)
- Digital thermostat
- Self closing door

- Removable gasket
- Adjustable shelves
- Toughened safety temperated glass
- Lock fitted as standard
- Adjustable feet
- Energy efficiency class: D





SINGLE HINGED DOOR BBC1001

SPECIFICATIONS CAPACITY

NUMBER OF SHELVES : 2 (Included) : 230V 50Hz VOLTAGE REFRIGERANT : R600a

: 1.393kW / 24HRS POWER CONSUMPTION : 600 X 520 X 900MM **DIMENSIONS**

: 44KG WEIGHT





DOUBLE HINGED DOOR BBC1002

SPECIFICATIONS

CAPACITY : 201LT

NUMBER OF SHELVES : 4 (Included) : 230V 50Hz VOLTAGE REFRIGERANT : R600a

POWER CONSUMPTION : 1.339kW / 24HRS : 900 X 520 X 900MM **DIMENSIONS**

: 62KG WEIGHT





TRIPLE HINGED DOOR BBC1003

SPECIFICATIONS

CAPACITY

: 320LT NUMBER OF SHELVES : 6 (Included) VOLTAGE : 230V 50Hz

REFRIGERANT : R600a POWER CONSUMPTION

: 2.109kW / 24HRS **DIMENSIONS** : 1350 X 520 X 900MM

WEIGHT : 80KG





UNDERBAR FRIDGES - PIZZA TOP - SOLID DOOR

UNDERBAR FRIDGES - SOLID DOOR

FEATURES

- Temperature range 2°C 6°C
- 4 Swivel castors, 2 with brake
- Digital temperature controller
- Spring loaded door mechanism

- Automatic defrosting
- 1 Shelf per full door
- Fitted with Embraco compressor
- Full S/Steel interior



1 AND HALF DOOR UFS7012-R01

SPECIFICATIONS

: 2.5 kW **POWER** VOLTAGE : 230V~/50Hz : 1180 X 750 X 900MM UNIT

WEIGHT : 86KG TEMPERATURE : 2°C - 6°C CAPACITY : 320LT SHELVES : 1 per full door

2 AND HALF DOOR

UFS7018-R01

SPECIFICATIONS

: 2.5 kW **POWER** VOLTAGE : 230V~/50Hz UNIT : 1780 X 750 X 900MM : 110KG WEIGHT

TEMPERATURE : 2°C - 6°C CAPACITY : 550LT SHELVES : 1 per full door



3 AND HALF DOOR UFS7024-R01

SPECIFICATIONS

: 3 kW **POWER**

: 223V~/50Hz VOLTAGE

UNIT : 2380 X 750 X 900MM

WEIGHT : 139KG TEMPERATURE : 2°C - 6°C

CAPACITY : 780LT

SHELVES : 1 per full door



- Temperature range 2°C 6°C
 4 Swivel castors, 2 with brake
- Digital temperature controller
- Spring loaded door mechanism
- Automatic defrosting

FEATURES

- 1 Shelf per full door
- Fitted with Embraco compressor
- Full S/Steel interior



2 AND HALF DOOR

UPS7018-R01

SPECIFICATIONS

POWER : 2.5 kW : 230V~/50Hz VOLTAGE : 1780 X 750 X 900MM UNIT

WEIGHT : 110KG TEMPERATURE : 2°C - 6°C CAPACITY : 550LT

SHELVES : 1 per full door

3 AND HALF DOOR

UPS7024-R01

SPECIFICATIONS

POWER : 3 kW **VOLTAGE** : 230V~/50Hz : 2380 X 750 X 900MM

WEIGHT : 139KG **TEMPERATURE** : 2°C - 6°C CAPACITY : 780LT SHELVES : 1 per full door

NOTE

UNIT

(Inserts not included)







REFRIGERATOR AND FREEZER - S/STEEL

The Salvadore range of commercial upright refrigerators and freezers are vital for any restaurant, bakery, catering business or other foodservice establishments. Use our Salvadore upright refrigerators to keep items like meat, vegetables, fruits and garnishes fresh and within reach. Our Salvadore upright freezers will keep your ice cream and any other products frozen until they are ready to be used. Our units are available with solid doors for ease of cleaning and provides for good insulation.

FEATURES

- High density insulation
- Grade 304 S/Steel construction
- GN2/1 shelf size
- GN pan or wire shelf uses same rails



COMMERCIAL REFRIGERATOR SINGLE DOOR

Rounded internal corners for easy cleaning

Digital controller with constant digital display

Self-closing doors with lock

European compressors and fans

CKR0830-R01

SPECIFICATIONS

Lockable castors

CAPACITY : 580LT NUMBER OF DOORS :1 SHELVES PER DOOR : 3

TEMPERATURE RANGE : 0°C to +10°C REFRIGERANT : R134a **VOLTAGE** : 230V - 50Hz INTERIOR DIMENSION : 588 X 682 X 1395MM OUTSIDE DIMENSIONS : 738 X 818 X 1980MM WEIGHT



COMMERCIAL FREEZER SINGLE DOOR CKF0830-R01

SPECIFICATIONS

CAPACITY : 580LT NUMBER OF DOORS :1 SHELVES PER DOOR : 3

: -10°C to -22°C REFRIGERANT : R404a **VOLTAGE** : 230V - 50Hz INTERIOR DIMENSIONS : 588 X 682 X 1395MM : 738 X 818 X 1980MM

: 122KG

WEIGHT





REFRIGERATOR AND FREEZER - S/STEEL



COMMERCIAL REFRIGERATOR DOUBLE DOOR

CKR1480-R01

SPECIFICATIONS

CAPACITY : 1200LT NUMBER OF DOORS : 2 SHELVES PER DOOR : 3 TEMPERATURE RANGE

: 0°C to +10°C REFRIGERANT : R134a : 230V - 50Hz VOLTAGE INTERIOR DIMENSIONS : 1275 X 682 X 1395MM

OUTSIDE DIMENSIONS : 1425 X 818 X 1980MM : 181KG

WEIGHT



COMMERCIAL FREEZER DOUBLE DOOR

CKF1480-R01

SPECIFICATIONS

CAPACITY : 1200LT NUMBER OF DOORS : 2 SHELVES PER DOOR : 3

TEMPERATURE RANGE : -10°C to -22°C REFRIGERANT : R404a VOLTAGE : 230V - 50Hz : 1275 X 682 X 1395MM INTERIOR DIMENSIONS

OUTSIDE DIMENSIONS : 1425 X 818 X 1980MM

WEIGHT

: 197KG

UNDERCOUNTER - REFRIGERATOR AND FREEZER - S/STEEL







STORAGE REFRIGERATOR

USR0200

200LT - 598 X 679 X 838MM

SPECIFICATIONS

CAPACITY : 200LT NUMBER OF DOORS

TEMPERATURE RANGE : +0°C to +8°C REFRIGERANT : R600A VOLTAGE : 220/240V

INTERIOR DIMENSIONS : 477 x 443 x 652MM OUTSIDE DIMENSIONS : 598 x 679 x 838MM RATED POWER : 56W

WEIGHT : 43KG



STORAGE FREEZER USF0200

200LT - 598 X 679 X 838MM

SPECIFICATIONS

CAPACITY NUMBER OF DOORS

TEMPERATURE RANGE : -23°C to -18°C REFRIGERANT : R600A VOLTAGE : 220/240V

INTERIOR DIMENSIONS : 493 X 478 X 635MM : 598 X 679 X 838MM **OUTSIDE DIMENSIONS**

: 200LT

RATED POWER : 80W WEIGHT : 41KG







WINE COOLER





FEATURES

- · The control panel in the middle of the appliance, behind the glass door allows for easy temperature setting
- The unit has two separate temperature zones, the lower zone is ideal for storing white and red wine, the upper zone is suitable for storing champagne and white wine
- The temperature in the lower zone must be set either the same as or higher than the temperature in the upper zone
- The shelves are fully adjustable to suit various wine bottle shapes and sizes

46 BOTTLES WCS0046

SPECIFICATIONS

VOLTAGE : 220 - 240V POWER : 280W CAPACITY : 137LT WEIGHT : 65KG

DIMENSIONS : 595 X 565 X 870MM TEMPERATURE RANGE : 5°C - 22°C

REFRIGERANT : R600A



JUICE DISPENSERS

FEATURES

- LED illumination of bowl to enhance product display
- Individual temperature control of each bowl
- Clear polycarbonate bowl for easy cleaning











- Free flow dispensing taps
- Continuous paddle agitation avoiding foaming and sedimentation
- High performance and easy to use designed baffle plate

2 BOWL JDS4002

SPECIFICATIONS

VOLTAGE : 230V~/50Hz POWER : 280W CAPACITY : 2 X 18LT WEIGHT : 29KG

DIMENSIONS : 510 x 470 x 740MM

: R134 REFRIGERANT

3 BOWL JDS4003

SPECIFICATIONS

VOLTAGE : 230V~/50Hz POWER : 320W CAPACITY : 3 X 18LT WEIGHT : 37KG

DIMENSIONS : 750 X 470 X 740MM

REFRIGERANT : R134

SLUSH MACHINES

FEATURES

- LED illumination of bowl to enhance product display
- Individual temperature control of each bowl
- Clear polycarbonate bowl for easy cleaning







- Free flow dispensing taps
- Continuous paddle agitation avoiding foaming and sedimentation
- High performance and easy to use designed baffle plate
- One bowl can be used as a juice dispenser

2 BOWL SMS2002

SPECIFICATIONS

VOLTAGE : 230V~/50Hz **BOWL CAPACITY** : 2 X 12LT

DIMENSIONS : 450 X 600 X 750MM **NET WEIGHT** : 48KG

POWER : 1100W CONTROL KEYBOARD : Manual DISPENSING MODE : Manual REFRIGERANT : R404

TEMPERATURE RANGE : -2°C to -3°C







3 BOWL SMS2003

SPECIFICATIONS

VOLTAGE : 230V~/50Hz **BOWL CAPACITY** : 3 X 12LT : 600 X 600 X 750MM

DIMENSIONS NET WEIGHT : 62KG **POWER** : 1350W CONTROL KEYBOARD : Manual DISPENSING MODE : Manual REFRIGERANT : R404 TEMPERATURE RANGE : -2°C to -3°C







FROZEN YOGHURT MACHINES

The multi-purpose Summit machine combines technological innovation and versatility with ease of use, allowing you to delight your customers. Thanks to its innovative bowl temperature control system and push button that allows increased working speed, GT Push is the only counter-top machine on the market capable of preparing real frozen cream (coffee cream, hazelnut cream, etc.) as well as soft ice cream and frozen yoghurt.

With the GT Push you can prepare soft ice cream and frozen yoghurt, together with any product that can be prepared with a temperature between 7 and 10 degrees below zero.

FEATURES

- Compact counter machine
- Exceptional quality/price ratio
- LED based electronic key pad
- HACCP certified
- Lockable lid

- Designed to work with water or milk based dried products or with mixtures ready to be poured into the bowl, providing a significant overrun
- Automatic defrost mode
- Available in one or two bowl configuration





GT1 PUSH - 1 BOWL

SIM1001

SPECIFICATIONS

CAPACITY :1 X 6LT DIMENSIONS :260 X 4

DIMENSIONS : 260 X 425 X 650MM NET WEIGHT : 28KG

POWER : 350W - 230V - 50Hz

CONTROL KEYBOARD : Electronic with LED

DISPENSING MODE : Manual REFRIGERANT : R404a PREPARATION TIME : 40 - 60MIN





GT2 PUSH - 2 BOWL SIM1002

SPECIFICATIONS

BOWL CAPACITY : 2 X 6LT


DIMENSIONS : 450 X 435 X 650MM

NET WEIGHT : 46KG

POWER : 765W - 230V - 50Hz
CONTROL KEYBOARD : Electronic with LED

DISPENSING MODE : Manual REFRIGERAT : R404a PREPARATION TIME : 40 - 60MIN







DISPLAY UNIT - FLOOR STANDING - HEATED

FEATURES

- Pleasing modern design
- Temperature range 40°C to 75°C at ambient temperature of 32°C
- Illuminated shelf and base for perfect product presentation
- Castor wheels make the unit easy to move
- Digital display and temperature control; for high accuracy
- Grade 304 S/Steel interior

CENCIO



900MM

DHC7900

SPECIFICATIONS

CAPACITY : 285LT SHELVES

: 230V - 50Hz **VOLTAGE** : 900 X 680 X 1200MM **DIMENSIONS**

WEIGHT : 122KG

1200MM

DHC7200

SPECIFICATIONS

CAPACITY : 390LT SHELVES : 3

: 230V, 50Hz VOLTAGE

: 1200 X 680 X 1200MM DIMENSIONS WEIGHT

: 139KG

1500MM DHC7500

SPECIFICATIONS

CAPACITY

: 500LT SHELVES VOLTAGE

: 230V, 50Hz DIMENSIONS : 1500 X 680 X 1200MM

WEIGHT : 157KG

DISPLAY UNIT - FLOOR STANDING HEATED AND REFRIGERATED

FEATURES

- Half side heated, half side refrigerated
- Heated temperature range +40°C to +75°C
- Refrigerated temperature range +2°C to +8°C
- Illuminated shelves for perfect product presentation Castor wheels make the unit easy to move

- Twin, easy access sliding doors for each section
- Digital display and temperature control independent for each section
- Grade 304 S/Steel interior
- Unit supplied with two adjustable shelves





COMBO - HOT/COLD - 1500MM DCC1500

SPECIFICATIONS

CAPACITY : 485LT SHELVES : 3 : 1.3KW POWER VOLTAGE : 230V - 50Hz

DIMENSIONS : 1500 X 680 X 1200MM

WEIGHT : 254KG

DISPLAY UNITS - FLOOR STANDING - HEATED

ADONE

FEATURES

- Temperature range 40°C 75°C at ambient temperature of 32°C
- Illuminated shelf and base for perfect product presentation
- Castor wheels make the unit easy to move
- Digital display and temperature control for high accuracy
- Grade 304 S/Steel interior
- Unit provided with two adjustable shelves



900MM

DHC1900

SPECIFICATIONS CAPACITY

: 225LT SHELVES : 3

VOLTAGE : 230V - 50Hz : 900 X 730 X 1200MM **DIMENSIONS**

WEIGHT : 112KG

1200MM DHC2200

SPECIFICATIONS

CAPACITY : 310LT SHELVES : 3

VOLTAGE : 230V - 50Hz **DIMENSIONS** : 1200 X 730 X 1200MM

WEIGHT : 134KG

1500MM

DHC2500

SPECIFICATIONS CAPACITY

: 395LT SHELVES : 3 VOLTAGE : 230V - 50Hz **DIMENSIONS** : 1500 X 730 X 1200MM

WEIGHT : 153KG

DISPLAY UNITS - COUNTERSUNK - HEATED

FEATURES

- Counter top type can be fitted on or into counter
- Robust stainless steel outer body
- Temperature range 40°C 75°C at ambient temperature of 32°C
- Will maintain displayed product at HACCP controlled temperature
- Illuminated shelf and base for perfect product presentation
- Digital display and temperature control for high accuracy
- Grade 304 S/Steel interior
- Unit provided with 1 adjustable shelf & fixed bottom shelf

ALESSIA





WORKTOP CUT OUT

| - ٦ | 150mm 6"mir | <u></u> |
|----------|-------------|---------|
| mm 6'mir | CUT OUT | B m |
| 150 | Α | Š |

| Model | A | В |
|---------|------|-----|
| DHC0900 | 850 | 430 |
| DHC1200 | 1150 | 430 |
| DHC1500 | 1450 | 430 |

900MM DHC0900

SPECIFICATIONS

CAPACITY : 70LT SHELVES : 2

VOLTAGE : 230V - 50Hz **DIMENSIONS** : 900 X 470 X 680MM

WEIGHT : 46KG

1200MM DHC1200

SPECIFICATIONS

CAPACITY : 94LT SHELVES : 2

VOLTAGE : 230V - 50Hz **DIMENSIONS** : 1200 X 470 X 680MM

WEIGHT : 65KG

It is essential that the cabinet below the cut-out is well ventilated Poor ventilation will affect the performance of the unit

HOT FOOD BAR

FEATURES

- Counter top unit can be fitted on or into counter
- Robust S/Steel construction
- Specially designed element to ensure excellent heat distribution
- Illuminated via flourescent lighting for perfect product presentation
- Adjustable feet for levelling on uneven surfaces
- To be used with water

3 DIVISION BMA4003

SPECIFICATIONS

VOLTAGE : 230V POWER : 1800W

DIMENSIONS : 1074 X 710 X 728MM

WEIGHT : 95KG DIVISIONS : 3

Note

Inserts sold separately





HEATED DISPLAY MERCHANDISER - COUNTERTOP

FEATURES

- Screened glass for up market appearance
- Low maintenance halogen light fittings
- High power German supplied tangential fan blowers
- Removable top glass easy to clean
- High quality smooth running removable sliding doors
- Removable water tray to provide humidity

- Removable chrome wire rack for additional small items
- Thermostatic heat control
- Dry heat element with fan assisted air flow provides even heat distribution
- Humidity tray to maintain moisture





3 DIVISION HDM0003

SPECIFICATIONS

NUMBER OF DIVISIONS : 3 MAX INSERT DEPTH : 100MM : 2.5kW POWER RATING VOLTAGE : 230V - 50Hz **DIMENSIONS**

: 1070 X 720 X 630MM **BOX DIMENSIONS** : 1120 X 840 X 910MM

PACKED WEIGHT : 70KG

Note

Inserts sold separately





DISPLAY UNITS - COUNTERSUNK - REFRIGERATED

FEATURES

- Temperature range +2°C to +8°C at ambient temperature of 32°C
- Unit provided with 1 adjustable shelf
- LED illuminated shelf and base for perfect product presentation
- Digital display and temperature control for high accuracy
- Automatic defrost
- Tempered glass
- Grade 304 S/Steel interior
- Double glazed glass windows to prevent condensation

AZELIO

SPECIFICATIONS

900MM DFC1900

CAPACITY : 70LT SHELVES : 2 POWER : 280W VOLTAGE : 230V - 50Hz DIMENSIONS : 900 X 470 X 680MM

: 66KG


1200MM DFC2200

WEIGHT

SPECIFICATIONS

CAPACITY SHELVES : 2 POWER : 400W : 230V - 50Hz VOLTAGE : 1200 X 470 X 680MM **DIMENSIONS** WEIGHT

WORKTOP CUT-OUT



| Model | Α | В |
|---------|------|-----|
| DFC1900 | 850 | 430 |
| DFC1200 | 1150 | 430 |



DISPLAY UNITS - FLOOR STANDING - REFRIGERATED

FEATURES

- Temperature range +2°C to +8°C ambient temperature of 32°C
- LED Illuminated shelf and base for perfect product presentation
- Digital display and temperature control for high accuracy
- Grade 304 S/Steel interior
- Unit provided with two adjustable shelves

- Automatic defrost
- Tempered heated glass
- Double glazed glass window to prevent condensation
- Castor wheels make the unit easy to move

CAPPI



900MM DFC7900

SPECIFICATIONS

CAPACITY : 285LT SHELVES : 3 POWER : 626W VOLTAGE : 230V - 50Hz : 900 X 680 X 1200MM **DIMENSIONS** : 174KG

WEIGHT

1200MM DFC7200

SPECIFICATIONS

CAPACITY : 390LT SHELVES : 3 POWER : 769W **VOLTAGE** : 230V - 50Hz : 1200 X 680 X 1200MM **DIMENSIONS**

WEIGHT : 215KG

1500MM

DFC7500 **SPECIFICATIONS**

CAPACITY : 500LT SHELVES : 3 **POWER** : 923W **VOLTAGE** : 230V - 50Hz DIMENSIONS : 1500 X 680 X 1200M

WEIGHT : 254KG









DISPLAY UNITS - FLOOR STANDING - REFRIGERATED

AZZURO

FEATURES

- Temperature range +2°C to +8°C at ambient temperature of 32°C
- Unit provided with 2 adjustable shelves
- Digital display and temperature control for high accuracy
- Automatic defrost
- LED illuminated shelf and base for perfect product presentation
- Grade 304 S/Steel interior
- Double glazed glass windows to prevent condensation
- Castor wheels make the unit easy to move



900MM

DFC0900

SPECIFICATIONS

CAPACITY : 225LT

SHELVES : 3

POWER : 1000W

VOLTAGE : 230V - 50Hz

DIMENSIONS : 900 X 730 X 1200MM

WEIGHT : 163KG

1200MM DFC1200

SPECIFICATIONS

 CAPACITY
 : 310LT

 SHELVES
 : 3

 POWER
 : 1100W

 VOLTAGE
 : 230V - 50Hz

 DIMENSIONS
 : 1200 X 730 X 1200MM

WEIGHT : 200KG

1500MM

DFC1500

SPECIFICATIONS

CAPACITY : 395LT
SHELVES : 3
POWER : 1200W
VOLTAGE : 230V - 50Hz
DIMENSIONS : 1500 X 730 X 1200MM
WEIGHT : 274KG

DISPLAY UNIT - TABLE TOP

FEATURES

- Automatic defrost
- Temperature range -20°C to -15°C
- High quality digital temperature controller
- Heated front window to prevent condensation build up
- Low pressure hermetic compressor R404 gas
- Unit supplied with five polycarbonate 5LT storage pans
- Grade 304 S/Steel interior

ICE CREAM FREEZER - 1200MM

ICF1200

SPECIFICATIONS

CAPACITY : 5 X 3.5LT pans
POWER : 500W
VOLTAGE : 230V - 50Hz
DIMENSIONS : 1200 X 540 X 790MM

WEIGHT : 130KG

OTHER ORDER CODES

ICE CREAM FREEZER INSERT

Note

Inserts Included

The Salvadore refrigerated pizza display cabinets are ideal for the display and storage of ingredients used in pizza and sandwich outlets

REFRIGERATED PIZZA DISPLAYS

FEATURES

- Keeps food between +2°C and +10°C at +32°C ambient
- · Ideal for storing and display of pizza or sandwich ingredients
- Sneeze guard glass for hygiene

- Low maintenance auto defrost function
- Can accommodate 6 or 9 GN1/4 inserts
- High quality digital set point controller

INGREDIENT FRIDGE - 1400MM PIF1400

SPECIFICATIONS

POWER : 0.16kW

VOLTAGE : 230V - 50Hz

DIMENSIONS : 1400 X 350 X 440MM

BOX DIMENSIONS : 500 X 450 X 540MM

PACKED WEIGHT : 44K0

INGREDIENT FRIDGE - 2000MM PIF2000

SPECIFICATIONS

POWER : 160W

VOLTAGE : 230V - 50Hz

DIMENSIONS : 2000 X 350 X 440MM

BOX DIMENSIONS : 2100 X 450 X 540MM

PACKED WEIGHT : 53KG

Note

Inserts not included

COLD FOOD BARS

FEATURES

- Electronic thermostat with constant digital reading
- Pressed tank with drainage and rounded corners for ease of cleaning
- Sliding doors easy to remove and clean
- Temperature range +2°C and +6°C

- High quality watertight silent compressor with a ventilated dual condenser
- S/Steel and tempered glass design
- LED lighting system



6 INSERT - SILVER SDF5006

SPECIFICATIONS

CAPACITY : 6 Pan (GN1/3 X 40MM) VOLTAGE : 230V - 50Hz

REFRIGERANT : R134a

DIMENSIONS : 1438 X 395 X 245MM

8 INSERT - SILVER SDF5008

SPECIFICATIONS

CAPACITY : 8 Pan (GN1/3 X 40MM) VOLTAGE : 230V - 50Hz

REFRIGERANT : R134a

DIMENSIONS : 1788 X 395 X 245MM

OTHER ORDER CODES

COLD FOOD BAR - THIRD INSERT
XSDF2015

Note

Inserts included





COLD FOOD BARS - SQUARE

FEATURES

- Built with double glazed glass
- Flat top surface tempered crystals to gain more workspace on top
- Double lighting

- Access height to work comfortably inside
- Easy-cleaning powerful evaporator
- Temperature range +2°C +6°C



6 INSERT - BLACK

SPECIFICATIONS

CAPACITY : 6 INSERTS

DIMENSIONS : 1190 X 380 X 300MM



8 INSERT - BLACK SDF7008

SPECIFICATIONS

CAPACITY

: 8 INSERTS **DIMENSIONS**

: 1540 X 380 X 300MM

Note

Inserts included



AMBIENT DISPLAY CABINETS

Our Salvadore displays are neat, classy and provide a hygienic ambient display for muffins, biscuits and other items not requiring heating or refrigeration. We have four types of these units, and you can choose the one that best suits the demands and requirements of your business.

FEATURES

- Rear sliding doors
- Tempered glass
- Supplied in knock down form

- Easy to assemble
- Glass protector profile



SINGLE SHELF - MEDIUM NDC0001 - 920 X 330 X 215MM





DOUBLE SHELF - SMALL NDC0003 - 555 X 390 X 375MM

DOUBLE SHELF - MEDIUM NDC0002 - 920 X 330 X 315MM

DOUBLE SHELF - EXTRA LONG NDC1002 - 1200 X 330 X 315MM



CAKE DISPLAY FRIDGE

FEATURES

- Modern design
- Double glazed windows with heater to prevent condensation
- Reliable refrigeration system using high quality components
- - Accurate digital temperature control with digital temperature readout
 - Automatic defrost





FLOOR STANDING CDF3701

SPECIFICATIONS

DIMENSIONS : 700 X 650 X 1900MM

WEIGHT : 170KG CAPACITY : 420LT POWER : 230V - 50Hz TEMP : +2°C to +10°C

This unit is ideal for any area where the display of refrigerated products is required. The rotating shelves will stop when the door is opened. The unit has a power saving function that allows you to turn off the rotating shelves and the display lights while still maintaining the refrigeration





CAKE DISPLAY FRIDGES



TABLE TOP ROTATING SHELVES CDF2000

SPECIFICATIONS

DIMENSIONS : 524 X 449 X 1083MM

WEIGHT : 60KG CAPACITY : 120LT : 0.48KW POWER VOLTAGE : 230V - 50Hz

TEMP : +2°C to +10°C at ambient temperature +32°C



FLOOR STANDING CDF2001

SPECIFICATIONS

DIMENSIONS : 650 X 650 X 1790MM

WEIGHT : 110KG CAPACITY : 500LT **POWER** : 0.57KW VOLTAGE : 230V - 50Hz

TEMP : +2°C to +10°C at ambient temperature +32°C





FEATURES

- Perfect for point-of-sale display of hot products such as chickens and pies
- Perfect for point-of-sale display of products requiring refrigeration
- LED illumination for each shelf
- Unit fitted with 4 shelves
- Digital temperature control

- Powerful circulation fan ensures even shelf temperatures
- Unit fitted with castors for easy movement 2 with brakes
- Automatic defrost
- Night curtain

GRAB AND GO DISPLAYS









COOLED GGC0001 **SPECIFICATIONS**

POWER : 1340W VOLTAGE : 230V - 50Hz WEIGHT : 96KG CAPACITY : 220LT

: 494 X 674 X 1740MM **DIMENSIONS**

TEMPERATURE RANGE: 2-10°C

HEATED GGH0001

SPECIFICATIONS

POWER : 2000W VOLTAGE : 230V - 50Hz WEIGHT : 67KG CAPACITY : 220LT

DIMENSIONS : 494 X 600 X 1740MM

TEMPERATURE RANGE: 30-80°C



PIE WARMER

FEATURES

- Fixed front glass
- Rear hinged glass door
- 3 shelves 105MM spacing between shelves
- Thermostatically controlled heater, temp range 30°C to 110°C
- Interior light









- Removable crumb tray
- Humidity pan
- Temperature indicating gauge
 Operating temperature: 50°C 80°C



SPECIFICATIONS

: 230V : 0.75kW VOLTAGE **POWER**

DIMENSIONS : 353 X 393 X 604MM

WEIGHT : 13.7KG











PIE WARMERS

FEATURES

- This unit is ideal for use in small supermarkets or fast-food outlets
- Thermostatically controlled temperature
- Rear sliding doors







- Easily removable crumb tray
- Full S/Steel double wall construction, keeps outside wall cool
- Operating temperature: 50°C 80°C

640MM

PWK0004

SPECIFICATIONS VOLTAGE

: 230V POWER : 1kW

: 640 X 364 X 525MM **DIMENSIONS**

WEIGHT : 23KG

CAPACITY : Approx 30 standard size pies

865MM PWK0005

SPECIFICATIONS VOLTAGE

: 230V **POWER** : 1kW

: 865 X 364 X 525MM DIMENSIONS

WEIGHT : 21KG

CAPACITY : Approx 50 standard size pies

FEATURES

- This attractive unit with illuminated display and superb product visibility offers excellent point-of-sale value
- Convenient front and rear sliding doors provide quick, easy access
- Humidity pan prevents drying out
- Front mounted temperature indicating gauge for monitoring internal
- Suitable for bakeries, take-aways and convenience stores
- Shelves can be adjusted and sloped for display purposes
- Thermostatically controlled heater, temp range 50°C 90°

VOLTAGE

: 660 X 483 X 620MM **DIMENSIONS**

CAPACITY : Approx 30 standard size pies



: 1.5kW

CAPACITY : Approx 45 standard size pies

DIMENSIONS : 1200 X 483 X 785MM

CAPACITY





SPECIFICATIONS

POWER : 1.2kW

WEIGHT : 40KG

PWK0003-R01

SPECIFICATIONS

VOLTAGE : 230V **POWER**

: 873 X 483 X 590MM **DIMENSIONS** WEIGHT

1200MM PWK0006-R01

SPECIFICATIONS

VOLTAGE : 230V POWER : 1.8kW

WEIGHT

: Approx 60 standard size pies





COMMERCIAL IMMERSION MIXER

Fully portable, ideal to mix soups or salsas directly in the bowl. Suitable for small restaurants, coffee shops or any other light duty application.



HAND HELD MMH1000

SPECIFICATIONS LENGTH OF TUBE

POWER : 0.175kW - 220V - 50Hz : 445 X 76MM : 1HP

MOTOR



Hamilton Beach.

POWER MIXERS

Through the dedication and hard work of Robot Coupe's staff, the company has become the foodservice industry leader in the development and refinement of food processors, vegetable preparation units, and combination processing units. For the healthcare sector, the Blixer produces the smoothest and creamiest of purees and patés in just seconds. Robot Coupe has introduced its new line of Immersion Blenders, which is distinguished from its competition by its superior cleanability, power, ease of use and enhanced sanitation.

FEATURES

- S/Steel knife, bell and tube
- Removable foot and knife, a Robot Coupe exclusive patented system
- Delivered with 1 S/Steel wall support
- Removable knife, a Robot Coupe exclusive patented system
- Foot equipped with a 3 level watertightness system

MP 160 V.V. - MINI

(KNIFE AND EMULSIFYING DISC INCLUDED)

SPECIFICATIONS

PMM0160

LENGTH OF TUBE TOTAL LENGTH VARIABLE SPEED

455 X Ø78MM : From 2000 to 12500RPM MOTOR POWER : 240W SINGLE PHASE

230V - 50Hz WEIGHT

: 1.4KG

: 160MM



MICROMIX

PMM0165

(KNIFE AND EMULSIFYING DISC INCLUDED)

SPECIFICATIONS

LENGTH OF TUBE : 165MM TOTAL LENGTH : 430 X Ø61MM : 220W - SINGLE PHASE MOTOR POWER

230V - 50Hz VARIABLE SPEED : From 1500 to 14000RPM

WEIGHT

robot @ coupe **5 REASONS WHY**

Trusted by South African industry professionals since 199 Engineered and manufactured to the highest international

®ADDIC

YEAR

International brand established in 1961

5 REASONS WHY

2 Year warranty

National spare parts support

Unrivalled after-sales service

- French designed and manufactured to the highest international standards
- At the cutting edge of technology, innovation, and excellence Undisputed leader in food preparation equipment World leader in more than 130 countries

5 REASONS WHY

5 REASONS WHY

2 Year warranty

international standards

International brand established in 1910

International brand established in 1950

Italian designed and manufactured to the highest

American designed and manufactured to the highest international standards

RHENINGHAUS

YEAR

A strong and innovative tradition coupled with creativeness Uncompromised safety complying with European standards

Hamilton Beach

Award winning products at the forefront of technology and innovation

a Venia

- The global leader in blending solutions
- More than 500 approved American patents

SUMMIT

5 REASONS WHY

- Established brand since 2009
- Designed and manufactured to withstand commercial kitchen demands
- Ideal for front and back of house applications
- Sleek and modern designs to enhance any establishment
- Practical and robust products for everyday use

5 REASONS WHY

- A trusted brand within the industry
- Ranges to suit a variety of needs
- Manufactured to withstand demanding hospitality
- Sleek and modern designs for front and back of house
- Continuous expansion to meet changing needs



FOOD PROCESSORS

POWER MIXERS



MP 190V.V. - MINI

PMM0190

(KNIFE AND EMULSIFYING DISC INCLUDED)

SPECIFICATIONS

LENGTH OF TUBE : 190MM

TOTAL LENGTH : 470 X 485 X Ø78MM VARIABLE SPEED : From 2000 to 12500RPM : 250W - SINGLE PHASE MOTOR POWER

230V - 50Hz WEIGHT : 2.5KG



MP 240 COMBI - MINI

PMC1240

(WHISK AND KNIFE INCLUDED)

SPECIFICATIONS

LENGTH OF TUBE : 240MM - Ø78MM TOTAL LENGTH : 535MM

: 550MM WITH WHISK

VARIABLE SPEED : From 2000 to 12500RPM

(Mixer function) From 350 to 1560RPM

(Whisk function) : 270W SINGLE PHASE

MOTOR POWER 230V - 50Hz

WEIGHT : 2.8KG



300 V.V. - COMPACT

PMC0300 30LT

WEIGHT

PML0450

(KNIFE INCLUDED)

SPECIFICATIONS

LENGTH OF TUBE

TOTAL LENGTH

SINGLE SPEED

MOTOR POWER

WEIGHT

(KNIFE INCLUDED)

SPECIFICATIONS

LENGTH OF TUBE : 300MM

660 X Ø94MM TOTAL LENGTH VARIABLE SPEED : From 2300 to 9600RPM

MP450 ULTRA - LARGE

MOTOR POWER : 350W - SINGLE PHASE

230V - 50Hz : 3.4KG



UNIVERSAL **PAN SUPPORT** PMC0001

: 450MM

: 9500RPM

: 6.3KG

: 485 X Ø78MM

230V - 50Hz

: 270W SINGLE PHASE

MP800 TURBO

SPECIFICATIONS

: 9500 RPM SINGLE SPEED

MOTOR POWER : 1000W - SINGLE PHASE

: 9.2KG



(WHISK AND KNIFE INCLUDED)

LENGTH OF TUBE : 450MM

: 840MM WITH WHISK

From 250 to 1500RPM (Whisk function)

MOTOR POWER

WEIGHT : 8.2KG



PML0800

(WHISK AND KNIFE INCLUDED)

LENGTH OF TUBE : 740MM TOTAL LENGTH : 1130 x Ø 125MM

230V - 50Hz

WEIGHT



MP450 COMBI ULTRA - LARGE PML1450

SPECIFICATIONS

TOTAL LENGTH : 890 X Ø125MM

VARIABLE SPEED : From 1500 to 9000RPM (Mixer function)

: 500W - SINGLE PHASE

230V - 50Hz





2 MACHINES IN 1

A cutter bowl and a vegetable preparation attachment on the same motor base.

They easily chop, grind, knead, mix and thanks to their complete selection of discs, grate, slice and julienne to perfection. They can perform any number of tasks, which you will gradually discover as you use them.

FEATURES

- Induction motor
- Mechanical safety system for R201 Ultra and magnetic safety system for R301 Ultra and motor brake
- Complete selection of S/Steel discs available



R201 XL ULTRA (1 TO 50 SERVINGS) FPR1201

SPECIFICATIONS

POWER : 550W - SINGLE PHASE - 230V - 50Hz

SINGLE SPEED : 1500RPM - Pulse function **DIMENSIONS** : 495 X 220 X 280MM

DELIVERED WITH : 2.9LT S/Steel cutter bowl with ergonomic handle

Smooth blade

WEIGHT : 10KG

LID EQUIPPED WITH TWO HOPPERS

- A large hopper for large veg and a cylindrical hopper for long or fragile veg (carrots, cucumbers, etc.)
- Supplied with: 2 discs: slicer 2MM and grater 2MM

Selection of discs for R201 XL Bistro available, see pg 117

FEATURES

- Induction motor
- Magnetic safety system for R301 Ultra and motor brake
- Complete selection of S/Steel discs available















VEGETABLE SLICER WITH EJECTION. **EQUIPPED WITH TWO HOPPERS** 1 LARGE HOPPER (AREA: 104CM²) and one cylindrical hopper (Ø:58MM)

: 19KG

R301 ULTRA (1 TO 100 SERVINGS)

: 650W - SINGLE PHASE - 230V - 50Hz

: 3.7LT S/Steel cutter bowl with brushed finish

: 1500RPM - Pulse function

: 550 X 325 X 300MM

Smooth blade

and ergonomic handle

SUPPLIED WITH

4 DISCS: Slicer 2MM and 4MM, Grater 2MM and Julienne 2 X 2MM

Complete selection of discs for R301 ULTRA Bistro available, see pg 117





FPR0301 **SPECIFICATIONS POWER**

WEIGHT

SINGLE SPEED **DIMENSIONS**

DELIVERED WITH

FOOD PROCESSOR

VEGETABLE PREPARATION MACHINES

PROCESSING



R502 ULTRA (50 TO 300 SERVINGS)

SPECIFICATIONS

: 900W - 3 PHASE - 400V - 50Hz POWER 2 SPEEDS : 750 and 1500RPM - PULSE FUNCTION

DIMENSIONS : 378 X 347 X 660MM

DELIVERED WITH : 5.9LT S/Steel bowl with handle

Smooth blade WEIGHT : 18KG

Note

The machine is also delivered with Exactitube pusher

VEGETABLE SLICER WITH EJECTION, EQUIPPED WITH TWO HOPPERS

- Large hopper of 139CM² and cylindrical hopper (Ø: 58MM)
- No discs included

Slection of discs for R502 ULTRA Bistro available, see pg 117

VEGETABLE PREPARATION MACHINE

Today, we are encouraged to eat at least 5 portions of fresh fruit and vegetables each day. As variety is the spice of life, your Robot Coupe vegetable preparation machine can be fitted with a large range of discs and cutting sets for slicing, grating, julienne and dicing any fruit or vegetable you wish. Let your imagination and creativity go wild

FEATURES

- Magnetic safety system and motor brake
- Automatic restart of the machine with the pusher





CL30 BISTRO (20 TO 80 SERVINGS) VPR0030

SPECIFICATIONS

POWER

: 500W - SINGLE PHASE - 250V - 50Hz

SINGLE SPEED : 500RPM **DIMENSIONS**

: 590 X 320 X 304MM OPERATING TIME : Up to 80KG/H

DELIVERED WITH : Removable bowl and lid in abs equipped with a large Hopper (area: 104CM²) and a cylindrical

hopper (Ø:58MM)

WEIGHT : 15.2KG

Complete selection of 28 discs for CL30 BISTRO available see pg 117

FEATURES

- Industrial induction motor for heavy duty use guarantees durability and reliability
- Magnetic safety system and motor brake
- Automatic restart of the machine with the pusher





CL50 - (300 SERVINGS) VPR0050

SPECIFICATIONS

POWER : 550W - SINGLE PHASE - 250V - 50Hz

: 375RPM SINGLE SPEED

: 590 X 350 X 320MM **DIMENSIONS** OPERATING TIME : Up to 250KG/H

DELIVERED WITH : Removable lid equipped with a large half moon

Hopper (area: 139CM²) and a cylindrical Hopper (Ø:58MM)

WEIGHT

Note

The machine is also delivered with Exactitube pusher

Complete selection of discs for CL50 Bistro available, see pg 117

FEATURES

- Industrial induction motor for heavy duty use guarantees durability and reliability
- Magnetic safety system and motor brake
- Automatic restart of the machine with the pusher











Extra large











Extra precise



CL52E (200 TO 600 SERVINGS) VPR0052

SPECIFICATIONS

POWER : 750W - SINGLE PHASE - 230V - 50Hz SINGLE SPEED : 375RPM

DIMENSIONS : 690 X 340 X 360MM OPERATING TIME : Up to 300KG/H

DELIVERED WITH : Removable lid equipped with a cylindrical hopper (Ø: 58MM)


WEIGHT

Note

The machine is also delivered with Exactitube pusher

Complete selection of discs for CL52E Bistro available, see pg 117





VEGETABLE PREPARATION MACHINE



D-CLEANING KIT

Cleaning tool dicing grids



ROBOT COUPE D-CLEANING KIT XFPR0065

Grid holder

- One side for CL30 Bistro
- One side for R502 and CL50 to CL60



Dicing grid cleaning tool 5 mm, 8 mm, 10 mm, 12 mm and 14 mm



BLADES

| DISCS | R 201 Ultra - R 301 Ultra | R 502 |
|--------------------------|---------------------------|---------------|
| 2,000 | CL 30 Bistro | CL 50 - CL 60 |
| SLICERS | | |
| Almonds 0,6 MM | | UPR0006 |
| 0,8 MM | | UPR1008 |
| 1 MM | FPR0001 | UPR0001 |
| 2 MM | FPR0002 | UPR0002 |
| 3 MM | FPR0003 | UPR0003 |
| 4 MM | FPR0004 | UPR0004 |
| 5 MM | FPR0005 | UPR0005 |
| 6 MM | FPR0006 | UPR2006 |
| 8 MM | | UPR0008 |
| 10 MM | | UPR0010 |
| 14 MM | | UPR0014 |
| 6 MM for cooked potatoes | | UPR1006 |
| RIPPLE CUT SLICERS | | |
| 2 MM | FPR1002 | UPR2002 |
| 3 MM | | UPR2003 |
| 5 MM | | UPR2005 |
| GRATERS | | |
| | | |

| 3 IVIIVI | | UFN2003 |
|------------------------------|---------|---------|
| 5 MM | | UPR2005 |
| GRATERS | | |
| 1,5 MM | FPR2015 | UPR3015 |
| 2 MM | FPR2002 | UPR3002 |
| 3 MM | FPR2003 | UPR3003 |
| 4 MM | | UPR3004 |
| 5 MM | | UPR3005 |
| 6 MM | FPR2006 | |
| 7 MM | | UPR3007 |
| 9 MM | FPR2009 | UPR3009 |
| Parmesan | FPR3001 | UPR4001 |
| Röstis potatoes | FPR3002 | UPR4002 |
| 0,7 MM for horseradish paste | FPR3004 | |
| 1 MM for horseradish paste | FPR3005 | UPR4003 |
| 1,3 MM for horseradish paste | FPR3006 | |

| DISCS | R 201 Ultra - R 301 Ultra CL 30 Bistro | R 502 CL 50 - CL 60 |
|-----------------------|---|------------------------|
| JULIENNE | | |
| 1 X 8 MM | | UPR4008 |
| 1 X 30 Onions/Cabbage | | UPR4030 |
| 2 X 2 MM | FPR4002 | UPR5002 |
| 2.5 X 2.5 MM | | UPR5025 |
| 2 X 4 MM | FPR4004 | UPR5004 |
| 2 X 6 MM | FPR4006 | UPR5006 |
| 2 X 8 MM | | UPR5008 |
| 2 X 10 MM | | UPR5010 |
| 3 X 3 MM | | UPR6003 |
| 4 X 4 MM | FPR5004 | UPR6004 |
| 6 X 6 MM | FPR5006 | UPR6006 |
| 8 X 8 MM | FPR5008 | UPR6008 |

| DISCS | CL 30 Bistro | R 502 CL50 - CL60 | |
|--|--------------|----------------------|--|
| DICING EQUIPMENTS (1 dicing grid + 1 slicer) | | | |
| 5 X 5 X 5 MM | | UPR6005 | |
| 8 X 8 X 8 MM | FPR8008 | UPR6018 | |
| 10 X 10 X 10 MM | FPR8010 | UPR6010 | |
| 12 X 12 X 12 MM | FPR8012 | | |
| 14 X 14 X 14 MM | | UPR6014 | |
| 14 X 14 X 5 MM (mozzarella) | | UPR6015 | |
| 14 X 14 X 10 MM | | UPR6111 | |
| 20 X 20 X 20 MM | | UPR6020 | |
| 25 X 25 X 25 MM | | UPR6025 | |
| 50 X 70 X 25 MM | | UPR6050 | |

| FRENCH FRIES EQUIPMENTS* | | | |
|--------------------------|---------|----------|--|
| 8 X 8 MM | FPR9008 | UPR7008* | |
| 10 X 10 MM | FPR9010 | UPR7010* | |
| 10 X 16 MM | | UPR7016* | |
| | | | |

SLICERS







RIPPLE CUT SLICERS









GRATERS







JULIENNE







DICING EQUIPMENTS







FRENCH FRIES EQUIPMENTS







* Not available for CL60 with pusher feed head

French fry and cubing discs must be used with dedicated blade supplied with cuber





PROCESSING

ROBOT COOK



The 1st professional Cooking Cutter-Blender! The kitchens assistant for Chefs.

Emulsifying, grinding, mixing, chopping, blending and kneading are among the many functions carried out to perfection by the Robot Cook® In addition, there is modulable heating capacity up to 140°C, accurate to the nearest degree. The large capacity bowl means you can produce sufficient quantities for professional needs.

The Robot Cook® stimulates the chef's imagination. It is the ideal assistant when innovating and preparing a multitude of attractive, hot and cold, savoury or sweet recipes.

FEATURES

- Easy to use with its variable speed function of 100 to 3 500 RPM Refined dishes prepared in no time with its Turbo/Pulse rotary speed reaching 4 500 RPM
- A mix of delicate products prepared without cutting due to the inverse rotation of the blade: the R-Mix® function from - 100 to - 500 RPM
- Keeps the food preparation hot thanks to the intermittent function
- The powerful Robot Cook® relies on a very robust industrial induction



ROBOT COOK® RCR0001

SPECIFICATIONS

POWER VOLTAGE

4 SPEED FUNCTIONS

HIGH SPEED

R-MIX BLEND SPEED

INTERMITTENT SPEED HEATING CAPACITY

PRECISE TEMPERATURE CONTROL

S/STEEI BOWL CUTTER

LIQUID CAPACITY

2 BLADES

SCRAPER ARM

PROGRAMMING FUNCTION

DIMENSIONS

WEIGHT

: 1800W

: 230V 50Hz

: VARIABLE SPEED

: From 100 to 3 500 RPM

: Turbo/Pulse of 4 500 RPM

: From - 100 to - 500 RPM

: Slow speed blade rotation every 2 seconds

: Up to 140°C

: +/- 1°C

: 3.7LT with handle

: 3.7LT

: Fine serrated blade - special for blender function

Smooth blade - special for cutter function

: Yes

: 9 Recipes

: 226 X 338 X 522MM

: 15KG

OTHER ORDER CODES

ADDITIONAL BOWL SET

RCR0002

FINE SERRATED BLADE - BLENDER FUNCTION

RCR0003

SMOOTH BLADE - CUTTER FUNCTION

RCR0004





BOWL CUTTERS

Robot Coupe table top cutters have been designed to process all types of food and will mix, grind, chop, knead and puree with speed and efficiency, giving consistent high quality end-products in a couple of minutes for the longest preparation.

FEATURES

- Pulse function
- Industrial induction motor for heavy duty use guarantees durability and reliability
- Magnetic safety system and motor brake









SPECIFICATIONS POWER

SINGLE SPEED : 1500RPM - pulse function

: 350 X 200 X 280MM **DIMENSIONS**

DELIVERED WITH : S/Steel bowl with ergonomic handle,

2.9LT capacity and smooth blade WEIGHT : 9KG

















SPECIFICATIONS

POWER SINGLE SPEED

DELIVERED WITH

: 650W - SINGLE PHASE - 250V - 50Hz : 1500RPM - pulse function

DIMENSIONS : 400 X 210 X 320MM

: S/Steel bowl with ergonomic handle, 3.7LT capacity and smooth blade

: 700W - SINGLE PHASE - 250V - 50Hz

: 550W - SINGLE PHASE - 250V - 50Hz

: 10KG









BCR0004 **SPECIFICATIONS**

R4 - 4.5LT

POWER

SINGLE SPEED

: 1500RPM - pulse function **DIMENSIONS**

: 440 X 226 X 304MM **DELIVERED WITH** : S/Steel bowl with ergonomic handle, 4.5LT

capacity and smooth blade

WEIGHT : 13KG



BOWL CUTTER

FEATURES

- Pulse function
- Industrial induction motor for heavy duty use guarantees durability and reliability
- Magnetic safety system and motor brake










SPECIFICATIONS

POWER 2 SPEEDS **DIMENSIONS**

DELIVERED WITH

WEIGHT



: 2600W - 3 PHASE - 400V - 50Hz : 1500 and 3000RPM - pulse function

: 660 X 345 X 560MM

: S/Steel bowl with handles, 11.5LT capacity and S/Steel 3 smooth blade assembly Removable blade for cleaning

BLIXER

THE FUNCTIONS OF A CUTTER + A BLENDER IN 1 MACHINE

- Since 1991, Robot Coupe has been improving the Blixers® concept in close partnership with healthcare and catering specialists, in order to process food for people who have problems to chew and swallow
- · With a Blixer®, preparing healthy, well balanced and tasty food is simplicity itself, due to it's ability to blend raw ingredients
- Robot Coupe Blixers® allow you to make any starter, main dish or dessert you choose with a modified texture for the health sector
- Handy polycarbonate lid equipped with a watertight seal and with a bowl and lid scraper
- All parts that are in contact with food can be easily removed for cleaning
- · With a specific blade to process batches from 300gr to 2KG, the Blixer® has incredible small portion control

FEATURES

- S/Steel motor shaft
- Pulse function
- Induction motor

- Magnetic safety system and motor brake
- High liquid capacity bowl
- Sealed lid
- Bowl and lid scraper made in two parts, easy to dismantle and to clean

Blixer® is the essential tool for the trendy cuisine in gourmet bistros, top level restaurants, caterers, banquets and for health care facilities







Bowl and lid scraper



Delivered with a fine serrated blade assembly









BLIXER 3 - (MIXER / BLENDER) BLX0003

SPECIFICATIONS

POWER SINGLE SPEED

DIMENSIONS DELIVERED WITH

: 750W - SINGLE PHASE - 250V - 50Hz : 3000RPM - pulse function

: 420 X 210 X 330MM : S/Steel 3.7LT capacity bowl with

ergonomic handle and fine serrated blade WEIGHT : 12KG

FEATURES

- Central lid opening for adding liquid or solid ingredients during processing
- High heat- and shock-resistant see-through lid to monitor processing from start to finish
- Leakproof lid and bowl unit with bowl scraper arm and lid wiper
- All parts are dishwasher-safe and can easily be removed for cleaning









BLIXER 5 BLX0005

[230/50/1]

SPECIFICATIONS

POWER 1500W SINGLE SPEED : 3000RPM 540 X 365 X 280MM **DIMENSIONS**

: S/Steel 5.9LT capacity bowl ergonomic handle DELIVERED WITH

WEIGHT



PROCESSING

BLIXER

VEGETABLE CUTTER





















FIMAR (NO BLADES) VCF0001

SPECIFICATIONS POWER

: 0.37kW **VOLTAGE** : 230V DIMENSIONS

: 220 X 610 X 520MM WEIGHT : 25KG

OTHER ORDER CODES

PLATE FIMAR

VPC3002 - SLICING 2MM VPC3003 - SLICING 3MM VPC3010 - SLICING 10MM **VPC3005** - SERRATED SLICE 5MM VPC5010 - CHIPPER 10MM VPC6006 - JULIENNE 6MM VPC6008 - JULIENNE 8MM VPC7010 - CUBING 10MM

VPC8003 - GRATING 3MM VPC8004 - GRATING 4MM VPC8007 - GRATING 7MM

EJECTOR

VPE1001 - NORMAL (LOW)





POTATO PEELER

FEATURES

- Stand and sludge trap supplied as standard
- Flat packed for easy delivery
- Peels 12KG of potatoes in 2 minutes

- Removable gritting system
- High grade S/Steel drum Rubber lid, to minimise vibration noise



12KG PPA0012

12KG WITH TIMER PPA1012

SPECIFICATIONS

OUTPUT : Up to 240KG /HR VOLTAGE : 230V - 50Hz POWER : 0.55kW

DIMENSIONS : 775 X 540 X 1315MM



SLICERS



SPECIFICATIONS

CUT CAPACITY : 290 X 140MM **CUT THICKNESS** :1-20MM CUT LENGTH : 290MM CUT HEIGHT : 140MM

: 0.27kw - 230V - 50Hz **POWER** DIMENSIONS : 650 X 540 X 460MM

BLADE DIAMETER : 300MM : 30KG WEIGHT

MONDIAL - 350MM SLM0350

SPECIFICATIONS

CUT CAPACITY : 285 X 190MM **CUT THICKNESS** :1-20MM CUT LENGTH : 285MM : 190MM CUT HEIGHT

POWER : 0.27kW - 230V - 50Hz **DIMENSIONS** : 700 X 540 X 500MM

BLADE DIAMETER : 350MM WEIGHT : 34KG

Built-in blade sharpener CSE: Clear slice exit

SLICERS

FEATURES

- Operates automatically, operator can do other work while machine cuts automatically
- Ideal for polonies in high volume mass catering establishments
- Automatic carriage return saves time and effort



START (AUTO) - 300MM SLS1301

SPECIFICATIONS

CUT CAPACITY : 280 X 160MM **CUT THICKNESS** :1-20MM

POWER : 0.42kW - 230V - 50Hz **DIMENSIONS** : 660 X 665 X 595MM

BLADE DIAMETER : 300MM

VARIABLE SPEED : 0 - 60 slices P/MIN WEIGHT : 43KG

Note

Built-in blade sharpener CSE: Clear slice exit

Double platform designed for high production outputs in butcheries and supermarkets, perfect for slicing raw meat for steaks. Adjustable cut thickness from 1MM to 30MM. Vertical slicer 90° - less product friction and a more comfortable working position.



BETA - 350MM SLB0350

SPECIFICATIONS

CUT CAPACITY : 270 X 205MM **CUT THICKNESS** :1-30MM

POWER : 0.27kW - 230V - 50Hz DIMENSIONS : 840 X 690 X 555MM

: 350MM BLADE DIAMETER WEIGHT : 36KG

Note

Built-in blade sharpener CSE: Clear slice exit







SLICERS

SAFE BLADE REMOVAL (SBR)

The unique Safe Blade Removal System of the Deluxe Slicer models allows for quick and safe removal of the blade during slicer cleaning, allowing multiple product processing with very little down time.









Ideal for cold cuts in medium sized establishments with some extra unique features:

FEATURES

- Safe blade removal device to facilitate easy cleaning of the unit
- S/Steel bearings to prolong the life of the blade drive
- Promotes a smooth sliding motion



START - DELUXE - 300MM SLS3301

SPECIFICATIONS

CUT CAPACITY : 240 X 160MM **CUT THICKNESS** :1-20MM

: 0.27kW - 230V - 50Hz **POWER DIMENSIONS** : 650 X 560 X 470MM

BLADE DIAMETER : 300MM WEIGHT : 29KG

OTHER ORDER CODES

START - FROZEN MEAT SLICING BLADE ONLY SLS9300

Note

Built-in blade sharpener

Designed to slice the perfect piece of cheese, QuanTanium coated surface prevents sticking and makes using and cleaning a pleasure. Avoid cross contamination of your dairy and meat products by using this dedicated cheese slicer for all your cheese requirements.



Ideal for cold cuts and processed meats in medium size establishments



START - CHEESE - 300MM SLS2301

SPECIFICATIONS CUT CAPACITY

: 240 X 160MM **CUT THICKNESS** : 1 - 20MM : 0.27kW - 230V - 50Hz **POWER**

DIMENSIONS : 650 X 560 X 470MM **BLADE DIAMETER** : 300MM

WEIGHT : 29KG

Note

Built-in blade sharpener

START - 300MM

SLS0301

SPECIFICATIONS - SLS0301

CUT CAPACITY : 240 X 160MM **CUT THICKNESS** :1-20MM

: 0.27kW - 230V - 50Hz POWER **DIMENSIONS** : 650 X 560 X 470MM

BLADE DIAMETER : 300MM WEIGHT : 29KG

OTHER ORDER CODES

START - FROZEN MEAT SLICING BLADE ONLY SLS9300

Note

RHENINGHAUS

Built-in blade sharpener

SLICERS

Multipurpose slicer ideal to slice bread, processed meats, parma ham and carppaccio in coffee shops, small restaurants and take-aways. Motor is situated below the blade which allows for larger moving area and larger cuts. Not suited for supermarket or institutional use.



PRIMA - 300MM

SLP0300

SPECIFICATIONS

CUT CAPACITY : 245 X 175MM **CUT THICKNESS** : 1 - 15MM

POWER : 0.22kW - 230V - 50Hz **DIMENSIONS** : 625 X 430 X 415MM **BLADE DIAMETER** : 300MM

WEIGHT : 25KG

Note

CSE - clear slice exit



START AUTO DELUX - 300MM

SPECIFICATIONS

CUT CAPACITY : 280 X 160MM **CUT THICKNESS** :1-20MM

: 0.42kW - 230V - 50Hz **POWER DIMENSIONS** : 660 X 665 X 595MM **BLADE DIAMETER** : 300MM

VARIABLE : 0 - 60 slices P/MIN

WEIGHT : 43KG

Note

Built-in blade sharpener



STELLINA - 220MM

SLS0220

SPECIFICATIONS

CUT CAPACITY : 195 X 135MM **CUT THICKNESS** : 1 - 14MM CUT LENGTH : 195MM **CUT HEIGHT** : 135MM

: 0.17kW - 230V - 50Hz **POWER** : 470 X 420 X 340MM **DIMENSIONS**

BLADE DIAMETER : 220MM WEIGHT : 15KG

Note

Built-in blade sharpener





SLICERS





XPRESS - 220MM SLX0220

SPECIFICATIONS

CUT CAPACITY : 150 X 200MM **CUT THICKNESS** : 1 - 15MM **POWER** : 0.13kW - 230V - 50Hz DIMENSIONS : 300 X 420 X 340MM BLADE DIAMETER : 220MM

: 12.5KG WEIGHT

Note

Built-in blade sharpener

Ideal for medium size workloads in small restaurants and take-away operations



SPECIFICATIONS

CUT CAPACITY : 230 X 145MM **CUT THICKNESS** : 1 - 15MM CUT LENGTH : 230MM : 145MM **CUT HEIGHT**

: 0.21kW - 230V - 50Hz **POWER** DIMENSIONS : 530 X 430 X 375MM BLADE DIAMETER : 250MM

WEIGHT : 18KG

ARGENTA - 280MM SLA0280

SPECIFICATIONS

CUT CAPACITY : 230 X 170MM **CUT THICKNESS** : 1 - 15MM : 230MM CUT LENGTH **CUT HEIGHT** : 170MM

POWER : 0.21kW - 230V - 50Hz

DIMENSIONS : 550 X 430 X 390MM BLADE DIAMETER : 280MM

WEIGHT : 20KG

Note

Built-in blade sharpener





With three sizes to choose from, the Avenia meat slicers are an excellent choice for those who want superior quality at an affordable price. The S/Steel blades are durable, easy to clean, and the calibrated knob makes it very easy to adjust the meat thickness accurately.

FEATURES

- Precision carriage slides
- Safety guard
- Easy to adjust the thickness of the cut

- High quality aluminium finish Up to 5 hours of continuous use
- Blade sharpener





220MM SLA3220

SPECIFICATIONS

BLADE DIAMETER : 220MM MAXIMUM SLICE THICKNESS : 10MM **CUT CAPACITY** : 160 X 190MM : 0.28kW - 230V - 50Hz **POWER**

NET WEIGHT : 13KG





250MM SLA3250

SPECIFICATIONS

BLADE DIAMETER : 250MM MAXIMUM SLICE THICKNESS : 12MM : 170 X 190MM CUT CAPACITY **POWER** : 0.42kW - 230V - 50Hz

NET WEIGHT : 14.5KG





300MM SLA3300

SPECIFICATIONS

BLADE DIAMETER : 300MM MAXIMUM SLICE THICKNESS : 17MM **CUT CAPACITY** : 240 X 150MM **POWER** : 0.52kW - 230V - 50Hz

NET WEIGHT : 24KG





BANDSAW - TABLE TOP

FEATURES

- Ideal for for medium work loads in small resturants and take-away operations
- Safety switch on access doors
- Cast aluminium body easy to clean
- Electro mechanical brake motor. Blade stops instantly when door is opened or unit is switched off
- Food safe 304 S/Steel for food contact points







TABLE TOP BSB6001

SPECIFICATIONS

POWER VOLTAGE **DIMENSIONS** WEIGHT CUT CAPACITY

CUT WIDTH **CUT HEIGHT** : 1.1kW : 230V - 50Hz

: 610 X 650 X 1130MM : 92KG

: 210 X 250MM : 210MM : 250MM



BANDSAWS - FLOOR STANDING - MILD STEEL

FEATURES

- Food safe 304 S/Steel for food contact points
- Easy slide system a smooth moving table reduces effort and increases
- Easy cleaning all parts are easily removable for easy cleaning
- Metal guides support blades Spring loaded blade tensioning system
- Ideal for butcheries, supermarkets and commercial meat processing applications



SINGLE PHASE BSB5001

3 PHASE BSB5003

SPECIFICATIONS

POWER : 1.5kW

VOLTAGE : 380V - 3 PHASE - 50Hz

230V - 1 PHASE - 50Hz

DIMENSIONS : 855 X 870 X 1800MM

BLADE : 2845 X 16MM

WEIGHT : 220KG

OTHER ORDER CODE **BAND SAW BLADE**

BSB0112

2845MM X 16MM (112")

SAFETY FEATURES

- Brake motor fitted to ensure the blade stops immediately when unit is switched off or the doors are opened
- Brake motor will stop automatically when doors are opened







ELECTRIC MINCERS

MINCER

FEATURES

- Ideal for use in supermarkets, butcheries and any other commercial meat processing application
- Comes standard with 1 stomper, 1 splash paddle, 1 knife, 2 plates (1 X 4.5MM and 1 X 13MM)
- The body and tray is made of high quality S/Steel
- Fitted with hand guard and rubber feet to prevent slipping
- S/Steel mincer head and worm



NO. 32 - 3 PHASE MNB0032

SPECIFICATIONS

THREE PHASE POWER : 2.2kW VOLTAGE

: 380V - 3 PHASE - 50Hz

: 206RPM WORM SPEED

DIMENSIONS : 670 X 1150 X 680MM

WEIGHT : 78KG

OTHER ORDER CODES

NO. 32 - STAND ONLY

MNB4032

MINCER PLATES - NO. 32



MPB3204 - 4.5MM MPB3208 - 8MM MPB3212 - 12MM

32 MINCER KNIFE

MKE1032



S/STEEL MINCER KNIVES - ELECTRIC



NO. 8 NO. 22 MKE5008 MKE5022 NO. 10/12 NO. 32 MKE5032 MKE5010

S/STEEL MINCER PLATES - ELECTRIC





NO. 12 NO. 32 MPE4204 - 4.5MM MPE6204 - 4.5MM MPE4206 - 6MM MPE6206 - 6MM MPE4208 - 8MM MPE6208 - 8MM MPE4210 - 10MM MPE6210 - 10MM MPE4212 - 12MM MPE6212 - 12MM NO. 22 MPE5204 - 4.5MM MPE5206 - 6MM

MPE5208 - 8MM **MPE5210** - 10MM

MPE5212 - 12MM

FEATURES

- The ideal mincer for farmers, hunters, game lodges, home industries, etc. and well suited as a back up unit in large butcheries
- S/Steel base
- S/Steel motor cover



NO. 12 - PROFESSIONAL

MNT0012

SPECIFICATIONS

OUTPUT : Up to 120KG/HR POWER : 0.48kW - 240V - 50Hz

WORM SPEED : 160RPM

DIMENSIONS : 270 X 370 X 390MM

WEIGHT : 15KG

PACKED DIMENSIONS : 270 X 370 X 390MM

PACKED WEIGHT

Supplied standard with 1X mincer knife and 1X 6MM mincer plate



NO. 22 - PROFESSIONAL

MNT0022

SPECIFICATIONS

OUTPUT : Up to 180KG/HR **POWER** : 0.6kW - 240V - 50Hz WORM SPEED : 80RPM

DIMENSIONS : 400 X 505 X 240MM

WEIGHT : 18.5KG

PACKED DIMENSIONS: 440 X 585 X 390MM

PACKED WEIGHT : 20.5KG

Supplied standard with 1 X mincer knife and 1 X 8MM mincer plate



NO. 32 - PROFESSIONAL MNT0032

SPECIFICATIONS

OUTPUT : Up to 450KG/HR : 1.1kW - 240V - 50Hz **POWER** WORM SPEED : 120RPM

DIMENSIONS

: 280 X 570 X 340MM WEIGHT : 25KG

PACKED DIMENSIONS : 390 X 585 X 440MM

PACKED WEIGHT

Supplied standard with 1X mincer knife and 1X 8MM mincer plate

Note

All outputs based on medium hard meat, processed with standard plate

TENDERISER ATTACHMENT FOR MNT0032 ONLY TAT0001





HAND MINCERS

Make your own delicious hamburgers, sausages or bratwurst at home. Our Tre Spade hand mincers are easy to use and are great both for commercial use or home use. They are made from cast iron and are easy to dismantle for cleaning purposes. Our mincers provide a fast and efficient way to process your meat.





NO. 22 MHP1022

SPECIFICATIONS

WEIGHT : 6.7 KG
DIMENSIONS : 34 X 15 X 32CM



SPECIFICATIONS

WEIGHT : 11KG

DIMENSIONS : 34 X 18 X 32CM



Designed to be bolted to a table or stand Mincer Funnels - pg 143



FEATURES

- 304 S/Steel structure, casing, tank, paddle and shaft
- Tank cover made of clear Lexan

- Manual meat mixer for preparing meat for salami, sausages and hamburgers
- Removable paddle makes for easy disassembly and quick cleaning







MX - 20 - 20KG MMT0020

SPECIFICATIONS WEIGHT

DIMENSIONS : 310 X 630 X 470MM

: 12KG

TANK CAPACITY : 27.7LT MEAT MIXTURE WEIGHT : 20KG



BILTONG SLICERS / CUTTERS



SLICER HAND OPERATED ALUMINIUM TABLE MOUNTED

SPECIFICATIONS (PACKAGED)

DIMENSION : 345 X 220 X 200MM WEIGHT : 14KG



CUTTER MANUAL ALUMINIUM CAST

SPECIFICATIONS (PACKAGED)

DIMENSION : 300 X 125 X 120MM WEIGHT : 14KG

Perfect for small bars, clubs or

restaurants

FEATURES

- The cutting disc is dynamically balanced with the blade for vibration free operation
- Hinged door facilitating easy access for cleaning

- Hooks fitted for holding packet in position while slicing
- Machine designed to be bolted to a table or stand
- Die-cast aluminium body



SPECIFICATIONS

POWER : 0.75kW

VOLTAGE : 230V - 50Hz

SPEED : 1440RPM

WEIGHT : 14KG

OTHER ORDER CODES
REPLACEMENT BLADE ONLY
XBSV0002



CHIPPERS

Use a chipper bridge to mount the potato chipper safely on the vegetable sink. This allows hygenic collection of the raw chips in the bowl. The chipper is spring loaded and therefore cannot be operated as a free standing unit. It must be attached to the chipper bridge. Nuts and bolts supplied. Chipper can be permanently mounted.



BRIDGE 500MM INNER

CBA0001 - (PERFECT FOR 510MM SINK)

6 HOLE - 14MM

CHA0006

7 HOLE - 12MM

CHA0007

OTHER ORDER CODES

CHIPPER BLADE

XCHA2006 - 6 x 6MM

XCHA2007 - 7 x 7MM

CHIPPER SPARE BLOCK

XCHA1006 - 6 x 6MM **XCHA1007** - 7 x 7MM



FRENCH FRY CUTTER



CHIPPER CHF0010 - 10MM

PUSH BLOCK XCHH1006 - 6MM **XCHH1010** - 10MM **XCHH1012** - 12MM

XCHH3012 - 12MM Use for American-style french fries: 6MM

BLADE FRAME

XCHH3006 - 6MM XCHH3010 - 10MM

CATERACE

TOMATO SLICER

FEATURES

- Cleanly slices even over-ripe tomatoes
- Consistent cut size for portion control
- Easily replaceable cartridge blade assembly



NEMCO II

TSN0001

NSF Listed

(4.8MM) 510 X 240 X 240MM

Compact, portable and simple to use

OTHER ORDER CODES BLADE ASSEMBLY XTSN0001 - 3/16 (4.76MM)





VEGETABLE MILL

INDUSTRIAL S/STEEL VMI0320 (200MM)

WRAPPING MACHINES - S/STEEL

FEATURES

- Fitted with a water resistant, long lasting pad element
- Excludes plastic wrapping



380MM WMW1380

SPECIFICATIONS

POWER : 0.175kW VOLTAGE : 230V

DIMENSIONS : 463 X 670 X 158MM

MAX ROLL SIZE : 380MM

500MM WMW1500

SPECIFICATIONS

POWER : 0.21kW VOLTAGE : 230V

DIMENSIONS : 583 X 670 X 158MM WEIGHT : 7KG

MAX ROLL SIZE : 500MM





FEATURES

- Great for storage, portion control and packaging
- Adjustable timer to allow for various packet thicknesses



200MM HSM0200

SPECIFICATIONS

SEALING BAR : 200MM POWER : 230V - 0.26kW : 0 - 1.5SEC **HEATING TIME** : 320 X 80 X 215MM **DIMENSIONS**

: 2.3KG WEIGHT

300MM HSM0300

SPECIFICATIONS

SEALING BAR : 300MM : 230V - 0.38kW POWER **HEATING TIME** : 0 - 1.5SEC : 430 X 80 X 255MM **DIMENSIONS** WEIGHT : 3.3KG

400MM HSM0400

SPECIFICATIONS

SEALING BAR : 400MM : 230V - 0.52kW **POWER HEATING TIME** : 0 - 1.5SEC : 530 X 90 X 270MM DIMENSIONS : 4.8KG

WEIGHT



SPECIFICATIONS

SEALING BAR : 500MM POWER : 230V - 0.65kW **HEATING TIME** : 0.2 - 3SEC DIMENSIONS : 707 X 105 X 195MM WEIGHT : 5.5KG



VACUUM PACK MACHINE

The only system that allows you to vacuum pack all types of glass jars with metal lids. This makes it possible to convert waste into a resource, save a considerable amount of time and money, while reducing waste to a minimum.

FEATURES

- Made with ABS body and S/Steel lid
- · Voltage and Frequency: 220-240 V/ 50-60 Hz (motors for other voltages and frequencies available on request)
- Features four different operating modes: Automatic cycle Manual cycle- Suction in jars cycle Sealing cycle (for rolls)
- Double sealing bar (width: 3MM) with excellent heat resistance
- Simple and precise sealing settings
- Clean, streamlined design.
- Built-in jar suction system
- Removable trays for easy cleaning operations





TAKAJE DELUXE - 330MM VPT0033

SPECIFICATIONS

WEIGHT : 3.5KG

POWER : 220 - 240V - 50Hz
DIMENSIONS : 365 X 185 X 80MM
SEALING POD LENGTH : 220MM

SEALING ROD LENGTH : 330MM
ABSORPTION : 200W
MAX DEPRESSION : 800MBAR
PUMP SUCTION : 16LT/MIN

VACUUM PACK BAGS - EMBOSSED

VPB1525 - 15 X 25CM [PACK OF 50] VPB2030 - 20 X 30CM [PACK OF 50] VPB2535 - 25 X 35CM [PACK OF 50]

Note

Not suitable for liquid application





PROCESSING

- . The Orved Company was founded in Verona, Northern Italy, in 1984 and it is today considered to be the leading Italian company for vacuum pack machines.
- The company is also involved in many technical projects which involve all sort of vacuum applications.
- Orved also produces the consumable materials (vacuum pouches) which are needed when using a vacuum pack machine.

FEATURES

- Compact and ergonomic
- Complete with vacuum sensor
- Ease of use and high versatility
- Vacuum both in-chamber and out-of-chamber

- Stain resistant
- 2 vacuum levels
- 4 sealing times
- Capacitive sensor





EVOX 25 - 250MM VPM0025

SPECIFICATIONS

DIMENSIONS : 444 X 482 X 208MM CHAMBER SIZE : 290 X 300 X 109MM

BASIN VOLUME : 7,65LT

VOLTAGE : 220-240V - 50-60Hz

MAX POWER ABSORPTION : 300W
VACUUM PUMP : 4M³/H
FINAL PRESSURE : 2MBAR
SEALING BAR : 260MM
WEIGHT : 22KG



EVOX 30 - 300MM VPM0030

SPECIFICATIONS

 DIMENSIONS
 : 495 X 627 X 288MM

 CHAMBER SIZE
 : 366 X 355 X 183MM

BASIN VOLUME : 17,10LT VOLTAGE : 220-240V - 50-60Hz

MAX POWER ABSORPTION : 530W
VACUUM PUMP : 8M³/H
FINAL PRESSURE : 2MBAR
SEALING BAR : 310MM
WEIGHT : 35,5KG

Ideal vac-pack machine for cafés or small restaurants. It is also suitable for deli shops and small supermarkets. It can vacuum pack wet or dry products.







IN CHAMBER VACUUM PACK MACHINES

FEATURES

- 10 editable programs
- Smart sensor
- Opening system with support rod

- 5" waterproof and scratch-resistant digital control panel
- Hard-wearing vacuum chamber
- Can vacuum pack outside the vacuum chamber



IDEA 30 - 310MM VPM1030

SPECIFICATIONS

 DIMENSIONS
 : 425 X 504 X 398MM

 CHAMBER SIZE
 : 334 X 351 X 190MM

 BASIN VOLUME
 : 14,10LT

 VOLTAGE
 : 220-240V - 50-60Hz

MAX POWER ABSORPTION : 600W
VACUUM PUMP : 8M³/H
FINAL PRESSURE : 2MBAR
SEALING BAR : 310MM
WEIGHT : 35,3KG



IDEA 40 - 410MM VPM1040

SPECIFICATIONS

SEALING BAR

WEIGHT

DIMENSIONS : 531 X 600 X 461MM
CHAMBER SIZE : 440 X 448 X 190MM
BASIN VOLUME : 25,20LT
VOLTAGE : 220-240V - 50-60Hz
MAX POWER ABSORPTION : 800W
VACUUM PUMP : 16M³/H
FINAL PRESSURE : 2MBAR

: 410MM

: 60,9KG



IN CHAMBER VACUUM PACK MACHINES

This unique commercial vac pack machine has an upsize vacuum pump of 25M³. VM18 is the perfect butcher's choice. Its very deep inner chamber allows packing butchery meat cuts.



VM18 - 420MM VPM0018

SPECIFICATIONS

DIMENSIONS : 582 X 574 X 496MM CHAMBER SIZE : 440 X 448 X 185MM

BASIN VOLUME : 27LT

VOLTAGE : 220-240V - 50-60Hz

MAX POWER ABSORPTION : 1200W
VACUUM PUMP : 25M³/H
FINAL PRESSURE : 0,5MBAR
SEALING BAR : 420MM
WEIGHT : 74KG

VM20 is particularly suitable for large butchers shops, supermarkets, catering or food processing companies.



VM20 - 2 X 630MM (ON REQUEST ONLY) VPM4020

SPECIFICATIONS

DIMENSIONS : 772 X 682 X 1034MM CHAMBER SIZE : 536 X 650 X 200MM

BASIN VOLUME : 61LT

VOLTAGE : 400V - 50-60Hz - 3 Ph+PE

MAX POWER ABSORPTION : 1500W
VACUUM PUMP : 60M³/H
FINAL PRESSURE : 0,5MBAR
SEALING BAR : 2 X 620MM
WEIGHT : 168,5KG







SAUSAGE FILLERS - HAND DRIVEN



IN CHAMBER VACUUM PACK MACHINES

Our Avenia vacuum pack machines are the perfect commercial vac-pack machines for all applications in the food industry. They have a powerful oil lubricating vacuum pump which has a PLC control for vacuum and sealing time. These vacuums are made of S/Steel from the body to the chamber and have very durable lid

FEATURES

- Ideal for prolonging the storage life of a range of food products.
- Powerful oil lubricating vacuum pump.
- S/Steel body and chamber construction.

- PLC control of vacuum time and sealing time.
- Robust lid hinges
- Easily replaced sealing heater



300MM VPM3300

SPECIFICATIONS

: 0.37Kw **POWER** VOLTAGE : 230V - 50Hz CHAMBER VOLUME : 370 X 320 X 135MM VACUUM PUMP : 10M3/HR SEALING BAR : 300MM

WEIGHT : 39KG **DIMENSIONS** : 370 X 480 X 450MM



: 475 X 555 X 485MM

400MM VPM3400

SPECIFICATIONS

DIMENSIONS

POWER : 0.75Kw VOLTAGE : 230V - 50Hz : 440 X 420 X 150MM CHAMBER VOLUME VACUUM PUMP : 20M3/HR SEALING BAR : 400MM WEIGHT : 60KG

FEATURES

- Exceptionally strong, easy to use. Suitable for producing any kind of
- 3LT and 5LT fillers are ideal for hunters, home industries, etc
- Larger models are suitable for higher volume demands
- Upright fillers are great for saving space

- S/Steel cylinders easily removable to clean
- To avoid damage when using the 12MM or smaller nozzles, ensure that the product has been processed first through a 8MM plate, then a 4.5MM plate



7LT - VERTICAL

SPECIFICATIONS

DIMENSIONS : 320 X 260 X 695MM : 16.5KG WEIGHT

Two speed gearbox SUPPLIED WITH: 10, 20, 30 and 40MM

funnel nozzles



15LT - VERTICAL DELUXE SFT1015

SPECIFICATIONS

DIMENSIONS : 380 X 340 X 830MM : 35.5KG WEIGHT

Two speed gearbox SUPPLIED WITH: 10, 20, 30 and 40MM

funnel nozzles



3LT - MINI SFT0003

SPECIFICATIONS

DIMENSIONS : 360 X 180 X 170MM WEIGHT : 5KG

Threaded shaft

: 530 X 200 X 200MM

Single speed SUPPLIED WITH : 10, 20 and 40MM funnel nozzles



5LT - FLAT / GEAR SFT0005

SPECIFICATIONS DIMENSIONS

WEIGHT : 10.5KG

Two speed gearbox

: 10, 20, 30 and 40MM funnel nozzles SUPPLIED WITH



10LT - FLAT SFT0010

SPECIFICATIONS

DIMENSIONS : 730 X 240 X 220MM

WEIGHT

SUPPLIED WITH : 10, 20, 30 and 40MM funnel nozzles





SAUSAGE FILLERS - HAND DRIVEN

FEATURES

- Watertight and easy to clean cylinder weldings
- Racks in carbon steel
- Alusteel metal gears

- Aluminium gear-block with self-lubricating bushes
- "Moplen" pistons equipped with vents and silicone gaskets
- Speed variator to increase the withdrawal speed

STAR LINE



STAR 5 - 5LT SFT3005

SPECIFICATIONS

CAPACITY

DIMENSIONS : 520 X 210 X 160MM

: 7KG WEIGHT

SUPPLIED WITH : 10, 20, 30 and 40MM funnel nozzles



STAR 8 - 7LT SFT3007

SPECIFICATIONS CAPACITY

DIMENSIONS : 635 X 210 X 160MM

WEIGHT : 9KG

SUPPLIED WITH : 10, 20, 30 and 40MM funnel nozzles

: 7LT



STAR 5 - 5LT - S/STEEL

SFT4005

SPECIFICATION

CAPACITY : 5LT

DIMENSIONS : 520 X 210 X 160MM

WEIGHT

SUPPLIED WITH : 10, 20, 30 and 40MM funnel nozzles



STAR 8 - 7LT - S/STEEL

SFT4007

SPECIFICATIONS

CAPACITY : 7LT

DIMENSIONS : 635 X 210 X 160MM

WEIGHT

SUPPLIED WITH : 10, 20, 30 and 40MM funnel nozzles



MINCER FUNNELS - PLASTIC



NO. 5 MFP0510 - 10MM MFP0520 - 20MM

> NO. 8 MFP0810 - 10MM

MFP0820 - 20MM NO. 10 MFP1010 - 10MM

MFP1020 - 20MM

NO. 22 MFP2212 - 12MM MFP2220 - 20MM NO. 32 MFP3212 - 12MM MFP3220 - 20MM



SAUSAGE FILLER FUNNELS - S/STEEL



SFS0012 - 12MM SFS0020 - 20MM SFS0030 - 30MM SFS0040 - 40MM

Note

For sausage fillers with a screw-on funnel holder Not for quick release

SAUSAGE FILLER FUNNELS - PLASTIC



SFP0010 - 10MM **SFP0020** - 20MM **SFP0030** - 30MM

SFP0035 - 40MM

For sausage fillers with a screw-on funnel holder Not for quick release





TENDERISER

Ideal for mass catering and butcheries. Has a safety switch and easy to clean.



S/STEEL TDS1001

וטטופט

SPECIFICATIONS

POWER : 0.37kW - 220V - 50Hz DIMENSIONS : 530 X 470 X 220MM WEIGHT : 29KG

OTHER ORDER CODES

STRIPCUTTER ATTACHMENT

TDS0012 12MM



HAND OPERATED PATTY MACHINES

FEATURES

- Heavy duty cast aluminium base
- Detachable S/Steel bowls
- Dual action press and release the burger patty





HAND PRESSED - 100MM

PMB1100

SPECIFICATIONS

DIMENSIONS : 300 X 165 X 262MM WEIGHT : 4.48KG

HAND PRESSED - 130MM PMB1130

SPECIFICATIONS

DIMENSIONS : 300 X 165 X 262MM WEIGHT : 4,76KG



HEAVY DUTY - PATTY FORMERS



115MM - S/STEEL

PFH0001

SPECIFICATIONS

DIMENSIONS : 115MM WEIGHT : 550G

140MM - S/STEEL

PFH0002

SPECIFICATIONS

DIMENSIONS : 140MM WEIGHT : 677G

SPIRAL DOUGH MIXERS

FEATURES

- Ideal for small bakeries and pizzerias. All units are supplied with castors for easy cleaning and manoeuvrability
- Silent transmission system
- S/Steel protection grid for increased safety
- Units fitted with an electronic timer and 2 speed motor
- New improved belt and chain drive



20LT - SINGLE PHASE DMA2020

DIVIAZUZU

SPECIFICATIONS

CAPACITY : 20LT (Dry flour 8KG)

VOLTAGE : 230V - SINGLE PHASE - 50Hz

POWER : 1.1kW

DIMENSIONS : 800 X 430 X 950MM BOWL SIZE : 360 X 210MM

WEIGHT : 94KG

ROTATION SPEED BOWL/HOOK: Single speed - 15/185RPM

30LT DMA2030

SPECIFICATIONS

CAPACITY : 30LT (Dry flour 12KG)
VOLTAGE : 400V - 3 PHASE - 50Hz

POWER : 1.6kW

DIMENSIONS : 880 X 470 X 1000MM BOWL SIZE : 380 X 260MM

WEIGHT : 108KG

ROTATION SPEED BOWL/HOOK: Dual speed - 16/101 RPM

40LT DMA2040

SPECIFICATIONS

CAPACITY : 40LT (Dry flour 16KG) VOLTAGE : 400V - 3 PHASE - 50Hz

POWER : 2.7kW

DIMENSIONS : 940 X 520 X 1160MM BOWL SIZE : 450 X 270MM

WEIGHT : 150KG

ROTATION SPEED BOWL/HOOK: Dual speed - 16/101 RPM

50LT DMA2050

SPECIFICATIONS

CAPACITY : 50LT (Dry flour 20KG) VOLTAGE : 400V - 3 PHASE - 50Hz

POWER : 2.7kW

DIMENSIONS : 1030 X 570 X 1160MM BOWL SIZE : 500 X 270MM

WEIGHT : 162KG

ROTATION SPEED BOWL/HOOK: Dual speed - 16/101 RPM



PLANETARY MIXERS

FEATURES

- All mixers come standard with a dough hook, whisk and flat beater
- S/Steel safety guard
- Safety guard and bowl micro-switch cuts off the machine in the event of being opened while in use
- Mixers are coated with long lasting enamel which make them easy to clean and toxin free
- Hardened steel alloy gears with 3 speed transmission





10LT - NO HUB PMK5010

SPECIFICATIONS

TOTAL VOLUMETRIC CAPACITY : 10LT VOLTAGE : 230V - 50Hz POWER : 0.6kW

DIMENSIONS : 470 X 450 X 600MM : 148 / 244 / 480RPM PLANETARY SPEED : 46KG WEIGHT

20LT - NO HUB PMF5020

SPECIFICATIONS

TOTAL VOLUMETRIC CAPACITY : 20LT VOLTAGE : 230V - 50Hz POWER : 1.1kW DIMENSIONS : 540 X 490 X 780MM PLANETARY SPEED : 197 / 317 / 462RPM : 66.5KG WEIGHT

30LT - NO HUB PMF5030

SPECIFICATIONS

TOTAL VOLUMETRIC CAPACITY : 30LT

: 230V - 50Hz - 2 PHASE VOLTAGE **POWER** : 1.5kW DIMENSIONS : 550 X 480 X 890MM PLANETARY SPEED : 197 / 317 / 462RPM

WEIGHT : 68KG

40LT - NO HUB PMF5040

SPECIFICATIONS

TOTAL VOLUMETRIC CAPACITY : 40LT

VOLTAGE : 230V - 50Hz - 2 PHASE **POWER** : 2.1kW

DIMENSIONS : 650 X 620 X 1120MM : 109 / 170 / 497RPM PLANETARY SPEED

WEIGHT : 162KG







60LT - NO HUB

PMF5060

SPECIFICATIONS TOTAL VOLUMETRIC CAPACITY

VOLTAGE : 400V - 50Hz - 3 PHASE

: 60LT

POWER : 2.3kW

: 910 X 730 X 1460MM DIMENSIONS PLANETARY SPEED : 114 / 221 / 458RPM

: 409KG WEIGHT

20LT - WITH HUB PMF5120

SPECIFICATIONS

TOTAL VOLUMETRIC CAPACITY : 20LT

VOLTAGE : 230V - 50Hz - 2 PHASE

POWER : 1.1kW

DIMENSIONS : 680 X 510 X 1060MM PLANETARY SPEED : 130 / 234 / 418RPM

WEIGHT : 70KG

30LT - WITH HUB PMF5130

SPECIFICATIONS

TOTAL VOLUMETRIC CAPACITY : 30LT

VOLTAGE : 230V - 50Hz - 2 PHASE

POWER : 1.5kW

DIMENSIONS : 640 X 500 X 1030MM

PLANETARY SPEED : 130 / 234 / 418RPM

WEIGHT : 71KG

OTHER ORDER CODES

MINCER ATTACHMENT ONLY

PMF2001

INCLUDES 6MM, 8MM, S/STEEL PLATES

VEG CUTTER ATTACHMENT ONLY

INCLUDES 3MM AND 5MM SHREDDER





PLANETARY MIXERS

WHAT SETS THE KITCHENAID MIXER APART FROM DOMESTIC MIXERS?

- Professional mixer designed for commercial use
- All metal construction
- Driven by gears, not a belt therefore maintains constant speed even when large quantities are added to the bowl
- Machine has chip and stain resistant finish
- Uses a lift system i.e. mixer's head does not tilt, promoting mixer stability

A must for any professional kitchen: reliable, quiet and durable with unsurpassed performance. Comes standard with S/Steel mixing bowl, whisk, dough hook and beater attachment.





4.8LT - WHITE PMK3005

SPECIFICATIONS

: 0.32kW - 220-240V - 50-60Hz MOTOR **DIMENSIONS** : 411 X 264 X 348MM

: 12KG WEIGHT

FEATURES

- Smooth rounded bowl-lift professional design. Ideal for heavy loads/ use and easy to clean
- 6.9LT S/Steel bowl. Easily handles very large quantities of food
- 1.3HP high efficiency motor with direct drive quiet and powerful
- Full metal body construction, high precision metal gears and metal control knobs stable, quiet and durable
- All S/Steel standard accessories robust, durable and dishwasher-safe
- Original planetary action fast and thorough mixing
- Single attachment hub easy usage with a wide choice of optional
- Wire guard and stop switch for high safety in a commercial

6.9LT - PROFESSIONAL PMK0069

SPECIFICATIONS

MOTOR : 0/5kW - 220-240V - 50-60Hz : 419 X 287 X 371MM **DIMENSIONS**

: 13KG

WEIGHT PACKAGED WEIGHT : 13KG







Includes 6.9LT bowl, removable pouring chute, Elliptic 11 wire whisk, power knead spiral dough hook and flat beater

STAND MIXER

"Compact, Durable and Versatile"

Built for versatility and offering labour-saving power for all kinds of foodservice kitchens, our countertop stand mixer isn't just for small bakeries and pastry shops. For chain and independent restaurants to healthcare, catering operations and beyond, adding the 8LT PMH0008 from Hamilton Beach Commercial® to your operation brings in a utility player that gives you the ability to produce countless small-batch recipes.

FEATURES

- Tilt-back head
- All-metal gears
- Die-cast aluminum body

- Variable 7 speed dial + pulse
- BPA-free plastic bowl guard

COMMERCIAL PLANETARY MIXER 8LT

PMH0008

SPECIFICATIONS CONTROLS

: Capacitive start/stop buttons and rotary


7 speed dial plus pulse : 240V - 60HZ - 1.5kW - IPX2 240V SPECIFICATIONS

: 16.2KG WEIGHT

DIMENSIONS (DxWxH) : 350 X 430 X 400MM

ACCESSORIES INCLUDED

- Mixer beater
- Mixer wire whisk
- Mixer dough hook
- Mixer bowl
- BPA-Free plastic bowl guard



DOUGH ROLLER

Convenient, reliable and simple operation. This precision engineered machine is maintenance free. In only a few seconds it will create flat dough up to 400MM wide and 1 to 5MM thick for pizza or any other use. (Now with safety guard).





DOUGH ROLLER DRM1001

SPECIFICATIONS

DIMENSIONS : 530 X 450 X 800MM

WEIGHT : 44KG : 370W **POWER VOLTAGE** : 230V - 50Hz

Note

For use with room temperature dough only





CULINARY BLENDERS

FEATURES

- Transparent lid and dosing cup gives the operator a clear view of when to stop blending
- Ergonomic comfort handles
- 4LT, heavy-duty, brushed S/Steel container built for long-lasting performance in the world's busiest kitchens
- Temperature gauge helps prevent overheating

- Custom programs provides automation for signature recipes
- Weighted, die-cast aluminum base with non-skid feet for improved stability
- Heavy-duty lid locks
- Variable speed dial adjusts the speed for maximum control
- Preset timer buttons free up operators to perform other kitchen tasks

LIFETIME WARRANTY ON BLADE AND MOTOR DRIVE COUPLING





4LT HBC1100

SPECIFICATIONS
JUG CAPACITY

MOTOR POWER : 3.5HP - 230V - 50-60Hz DIMENSIONS : 226 X 378 X 481MM

WEIGHT : 11

FEATURES

- 3HP Motor (maximum output power) lets chefs puree soups, emulsify dressings, grind flours, and chop salsas & compotes
- Patented design keeps ingredients circulating through the blades to ensure that contents are well emulsified
- Adjustable speed dial offers chef variable speed options
- Unique one-touch chopping function thoroughly chops solid ingredients
- Temperature gauge alerts chef if motor overheats to help prevent unnecessary burnout
- Jar pad sensor helps prevent "wear & tear"

LIFETIME WARRANTY ON BLADE AND MOTOR DRIVE COUPLING





1.8LT FBH6000

SPECIFICATIONS

JUG CAPACITY : 1.8

MOTOR POWER : 3HP - 230V - 50-60Hz DIMENSIONS : 178 X 203 X 467MM

: 6.4KG

WEIGHT

OTHER CODE SPARE JUG XFBH6001



FEATURES

- Lid-Open Sensor Prevents blending with lid removed
- Durable Metal Drive Coupling Provides long-lasting performance for uninterrupted use



- Removable Jar Pad For easy cleaning
- Sure Grip™ Feet Holds blender securely on the countertop



S/STEEL 1.8LT CBH0500-R01

SPECIFICATIONS

JUG CAPACITY : 1.8LT

MOTOR POWER : 2.4 HP - 220-240V - 50-60Hz, 6.5A

DIMENSIONS : 190 X 210 X 515MM

WEIGHT : 6.3KG

BAR BLENDER

FEATURES

- QuietBlend™ technology and advanced Quiet Shield™ enclosure reduce noise to conversation level
- Select from over 100 pre-programmed cycles custom programs also available
- Compact size Quiet Shield™ opens to a maximum height of 56CM
- Wave~Action® System continually forces mixture down into the blades for smooth results
- Easy-to-remove Quiet Shield™ built-in clips allow for quick removal of shield for faster cleanup
- Memory card slot for custom programming







ON BLADE AND MOTOR DRIVE COUPLING



SPECIFICATIONS

JUG CAPACITY : 2LT MOTOR POWER : 3HP

MOTOR POWER : 3HP - 220-240V - 50-60Hz DIMENSIONS : 216 X 286 X 470MM

WEIGHT : 6.3k

OTHER ORDER CODES
SPARE JUG

XEBH0001 - 1.4LT **EBH0755** - 2LT





BAR BLENDERS

FEATURES

- Powerful precision blending with pulse action
- 3HP Motor with all-metal drive coupling
- Wave~Action® system provides super-smooth drink profile, every time
- Timer with automatic shut-off
- 2 Speeds plus pulse button
- Sure Grip™ feet prevent skidding





FURY 1.8LT FBH0550

SPECIFICATIONS

JUG CAPACITY : 1.8LT

: 3HP - 220-240V - 50-60Hz MOTOR POWER : 178 X 203 X 457MM DIMENSIONS

WEIGHT : 6.3KG

OTHER ORDER CODES **SPARE JUG** TBH1516

FEATURES

- WaveAction® system continually forces mixture down into the blades for smooth results
- 1.25LT (44 oz.) Container with easy-to-read measurement marks
- S/Steel Blades quickly cut through ice
- Durable 2 Speed Toggle Switch. Easy to reach and control
- Lid-Open Sensor prevents blending with lid removed
- 1 Peak HP* Motor delivers smooth results





908 - PLASTIC JUG 1.25LT BBH0908-R01

SPECIFICATIONS

JUG CAPACITY : 1.3LT MOTOR POWER

DIMENSIONS

: 220-240V - 50-60Hz, 3A : 195 X 205 X 400MM

WEIGHT : 3.68KG

OTHER ORDER CODE **SPARE JUG** XBBH9914



BAR BLENDERS

FEATURES

Lid open and jar pad sensor - prevents blending if jar or lid is not on correctly









Lid-Open Sensor - Prevents blending with lid removed

1.4LT (48 oz.) Co-Polyester Container. BPA free

SPECIFICATIONS

BBH2001-R01

JUG CAPACITY : 950ML (S/Steel jug)

Simple high, low, pulse controls for easy operation

Durable and easy-to-use sealed switches ensure long life

Perfect for a variety of cocktail & coffee shop applications

MOTOR POWER : 1.6 HP with pulse - 220-240V - 50-60Hz, 3.2A

DIMENSIONS : 190 X 216 X 430MM

WEIGHT : 4.7 KG

RIO - S/STEEL JUG 950ML

- Protective Brow. Directs drips away from controls
- Sealed Switches, For durability and ease of use
- Adjustable Timer. 0-40 seconds + continuous runfor walkaway convenience



FEATURES

Triple-Seal Lid







TANGO 1.4LT BBH2002-R01


SPECIFICATIONS

JUG CAPACITY

MOTOR POWER : 2.4 peak HP - 220-240V - 50-60Hz

: 195 X 205 X 400MM **DIMENSIONS**

WEIGHT : 5.6 KG



FEATURES

- Multi function
- Two in one S/Steel cutting blade
- Industrial high speed motor





- Crushes ice in seconds
- Premium quality, transparent
- Precision technology

1.5LT BBS1200

SPECIFICATIONS

JUG CAPACITY

MOTOR POWER : 1200W - 3HP (2238W - Max motor power)

VOLTAGE : 230V - 50Hz DIMENSIONS : 213 X 405 X 235 mm

WEIGHT : 4.5kg

OTHER ORDER CODES **SPARE JUG 1.5LT**

BBS1201





MILKSHAKE MIXERS - SINGLE HEAD (INCL CUP)

Rugged construction. Ideal for vending areas, fastfood outlets, cafes, tuck shops and canteens.

- Available in various trendy colours to suit every application
- Comes standard with a S/Steel mixing cup
- Attractive and modular



BLACK MMA0001

RED

MMA0004 **SILVER** MMA0007

SPECIFICATIONS

POWER DIMENSIONS WEIGHT

: 0.35kW - 220V : 165 X 158 X 498MM

Supplied with one milkshake cup - 800ML

OTHER ORDER CODES

MILKSHAKE CUP S/STEEL - 750ML MSC0001



COMMERCIAL MILKSHAKE MIXERS

The world's best choice for making the perfect milkshake. Choose the triple head unit for busy high volume establishments. Fitted with unique patented S/Steel agitator.







SINGLE HEAD MMH0200

SPECIFICATIONS

POWER DIMENSIONS WEIGHT

: 0.24kW - 220-240V - 50-60Hz

: 165 X 171 X 520MM

Supplied with 1 X 750ML milkshake cup





TRIPLE HEAD MMH0400

SPECIFICATIONS

POWER DIMENSIONS WEIGHT

: 0.9kW - 50-60Hz : 317 X 228 X 520MM

: 17KG

Supplied with 3 X 750ML milkshake cups 3 Speed rocker switch

Unique pulse switches



M/MIX HB [ALL] AGITATOR SOLID XMMH5005





MILKSHAKE CUP S/STEEL WITH HANDLE MSC0003

880ML - IDEAL FOR HOT PRODUCT







JUICE EXTRACTORS



FEATURES

- Patented automatic feed system, ø 79MM
- High clearance juice spout 162MM
- Easy removable S/Steel bowl and basket for fast cleaning

J80

JER0001

SPECIFICATIONS

AUTOMATIC CENTRIFUGAL JUICER : Up to 120LT /HR OUTPUT

: 700W - SINGLE PHASE - 230V 50Hz **POWER**

SINGLE SPEED : 3000RPM

DIMENSIONS : 505 X 235 X 420MM

WEIGHT : 11KG



FEATURES

- Induction motor
- Patented automatic feed system, Ø79MM
- High clearance juice spout up to 250MM
- Ejection chute sends a continous flow of pulp straight into a bin
- 7.2LT Container slots neatly under the ejector
- Easy removable S/Steel bowl and basket for fast cleaning
- Drip tray

J100 ULTRA

JER0002

SPECIFICATIONS

AUTOMATIC CENTRIFUGAL JUICER : Up to 160LT / HR OUTPUT

: 1000W - SINGLE PHASE - 230V - 50Hz

SINGLE SPEED : 3000RPM

DIMENSIONS : 595 X 235 X 438MM

WEIGHT : 14KG



robot @ coupe°





CITRUS EXTRACTOR CES0001

SPECIFICATIONS

: Approx 200 oranges /HR : 0.3kW - 230V - 50Hz **POWER**

: 1410RPM SPEED : 200 X 310 X 390MM DIMENSIONS

WEIGHT

🚰 sammıc



FEATURES

- Ideal to obtain perfect juice straight from fresh fruit or vegetables



- For small volume restaurants
- Product to be processed must be pitless

MULTI JUICER

JES0001

SPECIFICATIONS

POWER : 0.24kW - 220V - 50Hz SPEED : 6300RPM DIMENSIONS : 210 X 310 X 370MM

WEIGHT : 5KG



FOOD BLENDERS

Use specifically for mayonnaise





4LT - SEAMLESS BOWL LQS1004

SPECIFICATIONS

POWER : 0.7kW - 220V - 50Hz SPEED : 3410RPM : 210 X 240 X 600MM **DIMENSIONS** Removable jug

: 10.5KG



WEIGHT

25LT - SEAMLESS BOWL LQS1025

SPECIFICATIONS

POWER : 1.9kW - 220V - 50Hz SPEED : 3000RPM **DIMENSIONS** : 1180 X 410 X 525MM

Tilting jug WEIGHT : 20.5KG



ICE CRUSHERS

FEATURES

Note

- Adjustable height
- Heavy duty steel and aluminium base and support
- Output 10KG/HR



Provides consistent, reliable power, especially during crucial peak work hours in restaurants, bars and institutions

Quiet & fast

ELECTRIC - DELUX

SPECIFICATIONS

POWER : 0.65kW - 230V - 50-60Hz DIMENSIONS : 200 X 230 X 300MM WEIGHT

OTHER ORDER CODES

MIXING BOWL TAPERED - MB2 (MINI)

MBT1002

180 X 65MM - 800ML

Crystal

Ideal for bars and restaurants where crushed ice is required in small quantities. Easy to use.



HAND



Global...



ICE SHAVER - ELECTRIC ICH0945

SPECIFICATIONS

POWER : 220V-230V - 50Hz : 700 X 160 X 245MM **DIMENSIONS POWER** : 0.3kW

: 12.9KG

WEIGHT

Makes perfect shaved ice





DISHWASHERS - UNDER COUNTER

FEATURES

- Ideal for coffee shops and canteens
- Double skin door, 120/SEC wash cycle, 30 racks/HR
- Can fit above or below counter, full auto process

- Clean cups and glasses on demand
- Consumes less than 2.0LT of water per cycle
- Gravity drain recommended drain height floor level



YEAR

Italian designed and manufactured to the highest international

WASH

YEAR

Global...

2 Year warranty Italian designed and manufactured to the highest inte

The perfect solution for a commercial kitchen Standard with detergent and rinse aid dispenser Includes a drain pump

Continuous improvement and expansion of the range

5 REASONS WHY
Established brand since 2009
Extensive range of value products
Solutions for front and back of house

5 REASONS WHY

Trusted for generations
High durability
Innovative technology
Inspire food safety & sustainability

Inspire efficiency and profitability

standards
Approved for 7 international patents and 9 quality marks
The global leader in dishwashing solutions

5 REASONS WHY• 2 Year warranty

5 REASONS WHY

International brand established in 1985





G35 - GLASS WASHER

GWD1000

SPECIFICATIONS

DIMENSIONS : 400 X 470 X 585MM

WEIGHT : 33KG POWER : 2.1kW

POWER : 2.1kW VOLTAGE : 220V S

VOLTAGE : 220V Single phase BASKET SIZE : 350 X 350MM

MAX GLASS HEIGHT : 195MM max glass/plate height INCLUDES : 2 X mesh/glass rack, 1 X plate rack,

1 X cutlery holder

OTHER ORDER CODES

MESH RACK 350 X 350MM

GWD1035

SMALL PLATE RACK

GWD2001

FEATURES

- Ideal for small restaurants and bars
- 120/SEC wash cycle, double skin door, 30 racks/hr
- Fully automatic process
- Durable, heavy duty and long lasting

- Gravity drain recommended drain height floor level
- Door security
- Built-in rinse aid pump
- Optional drain pump kit available on request







DWD0400

GS40

SPECIFICATIONS

DIMENSIONS : 450 X 530 X 700MM

WEIGHT : 43KG POWER : 3.05kW

VOLTAGE : 220V Single phase BASKET SIZE : 400 X 400MM

MAX GLASS HEIGHT : 290MM max glass/plate height INCLUDES : 2 X mesh/glass rack, 1 X plate rack,

1 X cutlery holder

OTHER ORDER CODES

PLATE RACK 400 X 400MM

DWD2040

GLASS RACK 400 X 400MM

DWD3040



DISHWASHER - UNDER COUNTER

FEATURES

- Ideal for medium sized restaurants and busy bars
- 120/SEC wash cycle. Double skin door, 30 racks/hr
- Fully automatic process, durable, heavy duty and long lasting
- Gravity drain recommended drain height floor level





- Door security
- Anti drip proof panel
- Built-in rinse aid pump
- Thermostop system
- · Optional drain pump kit available on request

GS50 - SINGLE PHASE

DWD0500

SPECIFICATIONS

DIMENSIONS : 590 X 600 X 850MM

WEIGHT : 65KG POWER : 3.45kW

VOLTAGE : 220V Single phase BASKET SIZE : 500 X 500MM

MAX GLASS HEIGHT : 325MM max glass/plate height INCLUDES : 1 X plate rack, 1 X glass rack, 1 X cutlery holder

Note

Refer to pg 167 - 171 for comprehensive range of racks.

DISHWASHER - HOOD TYPE

FEATURES

- Extra large washtank reduces detergent cost
- Gravity drain recommended drain height 150MM from the ground
- Minimum water pressure required 2 bar
- Max plate height: 410MM





- Deep-formed tank
- Independent wash/rinse arms
- Built-In rinse-aid pumps
- Double tank filters & pump filter

HT11 DWD0011

SPECIFICATIONS

 DIMENSIONS
 : 720 X 735 X 1400/1890MM

 WEIGHT
 : 116KG (gross weight)

 VOLTAGE
 : 400V 3 phase + neutral

 BASKET SIZE
 : 500 X 500MM

OUTPUT : Approx 60 racks per hour TOTAL POWER : 13.12kW

WASH PUMP : 1.1kW
WASH TANK : 35LT

INCLUDES : 2 X Plate racks, 1 X glass rack,

1 X Cutlery holder

OTHER ORDER CODES - ACCESSORIES

DWD0002 - DISH WASHER DIHR WATER SOFTENER
DWD0003 - DISH WASHER DIHR DRAIN PUMP KIT
DWD0004 - DISH WASHER DIHR SOAP DISPENSER

Note

All DIHR machines are gravity drain systems and require fitted chemical dispensers

Refer to pg 167 - 171 for comprehensive range of racks.

HOOD TYPE DISHWASHER COMPLETE SETUP

DIHR WASHING CYCLE

DIHR your ideal partner in professional glass, dish and utensil washing.

An integral part of any busy hotel or restaurant kitchen. Use the complete DIHR 5-step dish washing system to provide a constant supply of sparkling clean crockery and cutlery on demand.

STEP 1

Rinse off your soiled crockery and cutlery with the pre-rinse spray

STEP 2

Stack your dirty crockery and cutlery into the glass or dish racks and slide into the dishwasher to commence the wash cycle

STEP 3

On completion of the wash cycle, slide out the rack and the washed items will air dry in minutes

STEP 4

Stack the washed items still in the racks onto your rack dolly for safe and damage free storage of your valuable crockery and glasses

STEP 5

Wheel your rack dolly to your storage or setup area, ready to be wheeled into action on demand









DISHWASHER - TUNNEL

SMALL SIZE, GREAT PERFORMANCE! The RX101E compact dishwasher has been designed to satisfy the demand of commercial kitchens. These machines combine compact dimensions with high performance.

FEATURES

- Self-cleaning vertical wash pumps, protected from electrical overloads
- Traction system with built-in clutch preventing derailment
- AISI 304 S/Steel boilers fully insulated to reduce thermal losses
- Electronic soft touch panel with IP65 security level, manufactured to be user friendly and easy to be cleaned
- S/Steel washing and rinsing arms. These are removable without using any tool, for easier cleaning operation or to help the change of working
- S/Steel surface filters on every tank, easily removable without detaching washing arms
- Insulated double skin door, counterbalanced, equipped with anti-drop safety system
- Auto timer in order to switch off the rack conveyor motor after a prolonged period of inactivity
- Economizers to allow operation only when the rack is detected on that specific area, avoiding any waste of water and energy





RX101E DWT0161

SPECIFICATIONS

DIMENSIONS : 1080 X 715 X 1565/1900MM


TOTAL POWER : 22.33kW VOLTAGE : 400V 3N~ 50Hz RACKS PER HOUR : 70/100 : 207KG WEIGHT

OTHER ORDER CODES

TUNNEL DISHWASHER R101E - DRYER OPTIONAL EXTRA DWD2161

Note

This item needs to be installed by a qualified Technician Refer to pg 167 - 171 for comprehensive range of racks.



DISHWASHERS - UNDER COUNTER

Our Dwash dishwasher range is the most competitive brand of dishwashers to be introduced into the market. It is our value range that is coupled with quality to provide a complete offering.

Dwash is Italian made and has a basic range of machines to fit all your needs for a light commercial kitchen. Made from S/Steel, it comes standard with a detergent and rinse aid dispenser and also includes a drain pump!

FEATURES

- AISI 304 S/Steel dishwasher, double skin door, sloped tank with screwed basket rails
- Wash and rinse arms group in polypropylene
- With electromechanical buttons





DWASH 40 DWD4040 **SPECIFICATIONS**

DIMENSIONS : 450 X 530 X 700MM

WEIGHT : 37KG **POWER** : 2590W : 230V 50HZ VOLTAGE BASKET SIZE : 400 X 400MM

MAX GLASS HEIGHT : 290MM max glass/plate height : Detergent & rinse-aid dispenser **INCLUDES**

> Drain pump Thermo-stop 1 X Plate rack 1 X Mesh pack

1X Cutlery holder

OTHER ORDER CODES

PLATE RACK 400 X 400MM

DWD2040

GLASS RACK 400 X 400MM

DWD3040

DWASH 50 DWD4050

SPECIFICATIONS

: 590 X 600 X 850MM **DIMENSIONS**

WEIGHT : 56.5KG POWER : 3200W : 220V 50HZ VOLTAGE **BASKET SIZE** : 500 X 500MM

MAX GLASS HEIGHT : 320MM max glass/plate height **INCLUDES** : Detergent & rinse-aid dispenser

Drain pump Thermo-stop

1 X Plate rack 1 X Mesh pack 1 X Cutlery holder

Refer to pg 167 - 171 for comprehensive range of racks.







DISHWASHER - HOOD TYPE

FEATURES

- AISI 304 S/Steel dishwasher, double skin door, sloped tank with screwed basket rails
- Wash and rinse arms group in polypropylene
- With electromechanical buttons





DWASH 100 DWD4100

SPECIFICATIONS DIMENSIONS

 DIMENSIONS
 : 720 X 735 X 1445/1880MM

 WEIGHT
 : 100KG

 VOLTAGE
 : 400V 3N 50HZ

 BASKET SIZE
 : 500 X 500MM

 TOTAL POWER
 : 6550W

 WASH PUMP
 : 400W

WASH TANK : 29LT

INCLUDES : Detergent & rinse-aid dispenser

Drain pump Thermo-stop 1X Plate rack 1X Mesh pack 1X Cutlery holder

Note

Refer to pg 167 - 171 for comprehensive range of racks.



PRE-RINSE SPRAYS AND HOSE REEL

Designed to remove food waste from dishes prior to dishwashing. By switching to a pre-rinse spray, a commercial or institutional kitchen can save in energy and water costs.








CAMBRO


GLASS SIZING REFERENCE GUIDE





Place glass or stemware upside down over circle chart. Look down on the glass. Whatever circle the largest diameter of the glass fits within will determine the number of compartments.

Use the vertical guide marks at right to determine item height and appropriate rack number.





FLATWARE BOWL RACK



FEATURES

- Flatware/bowl rack
- Ideal for bulk or irregular shaped items







GREY

OPEN

OEG0050

EXTENDER

500 X 500 X 50MM

FLATWARE CUTLERY RACK

FEATURES

- Flatware/combination
- Mesh design base specifically for cutlery



FLATWARE RACK FWR0100 500 X 500 X 100MM



OPEN EXTENDER 0EG0050 500 X 500 X 50MM

ALL PURPOSE PLATE RACK

FEATURES

- All purpose rack
- Moulded-in support stands to hold plates and trays
- Includes first extender





OPEN EXTENDER OEG0050 500 X 500 X 50MM GREY






GLASS RACKS

9 COMPARTMENT

FEATURES

9 Compartment glass rack Maximum diameter = 14.9CM



GLASS RACK CGG0143 500 X 500 X 143MM GREY



16 COMPARTMENT

FEATURES

16 Compartment glass rack Maximum diameter = 11.1CM Includes first extender



GLASS RACK CGG0144 500 X 500 X 143MM GREY



20 COMPARTMENT

FEATURES

MILLIMETERS

20 Compartment 9 glass rack Maximum diameter = 9.84CM Includes first extender





HEIGHT EXTENDER CHE0020 500 X 500 X 50MM GREY

CAMBRO



GLASS RACKS

GLASS RACK

CLEANING AND WASHING

25 COMPARTMENT

FEATURES

- 25 Compartment cup rack
- Maximum diameter = 8.7CM
- Includes first extender



GLASS RACK CGG0145 500 X 500 X 143MM **GREY**



HEIGHT EXTENDER CEG0052 500 X 500 X 50MM GREY

30 COMPARTMENT

FEATURES

- 30 Compartment glass rack
- Maximum diameter = 7.94CM
- Includes first extender



GLASS RACK CGG0146 500 X 500 X 143MM GREY



HEIGHT EXTENDER CEG0053 500 X 500 X 50MM GREY

36 COMPARTMENT

FEATURES

- 36 Compartment glass rack
- Maximum diameter = 7.3CM
- Includes first extender



GLASS RACK CGG0147 500 X 500 X 143MM GREY



HEIGHT EXTENDER CEG0054

500 X 500 X 50MM GREY

49 COMPARTMENT

FEATURES

- 49 Compartment glass rack
- Maximum diameter = 6.2CM
- Interior dimensions: 65 X 65 X 80MM





CUTLERY HOLDERS



FLATWARE CYLINDER WHITE FCW0143 11.4 X 14CM



8 COMPARTMENT FLATWARE BASKET NO HANDLES CFB0184 18.4CM H









RACK MOBILE DOLLY

MOBILE REFUSE BINS





FEATURES

- Rack dolly
- Handle and wheels for easy transportation of racks
- Convenient drain feature for excess water
- Large swivel castors with non-marking rubber wheels





GLASS RACK DOLLY WITH HANDLE

GFC0500 500 X 500MM SOFT GREY

Note

Colours availabe on request

RACK DUST COVER

FEATURES

Use to cover glass rack to protect clean glasses



GLASS RACK FLAT COVER RDC0122-C 50 X 50CM LIGHT GREY





No Dirty Hands










No Dirt



FOOT PEDAL WHEELY BIN

PEDAL BINS





68LT - PLASTIC IBP9068

SPECIFICATIONS

CAPACITY

MATERIAL : VIRGIN POLYPROPYLENE DIMENSIONS

: 47CM X 40CM X 68CM

90LT IBP9087

SPECIFICATIONS

CAPACITY MATERIAL : LLDPE DIMENSIONS (FRONT): 500 X 745MM DIMENSIONS (SIDE) : 405 X 680MM

Gl@bal...



REFUSE BIN



ROUND REFUSE BIN WITH FLAT LID 120LT - 560 X 820MM



FEATURES

 Made from durable ABS high impact plastic UV resistant to withstand exposure to sunlight

Use only with 18/10 or magnetic steels

Magnets contained in moisture-proof cells, prevents bacteria growth

MOBILE DOLLY FOR IBP1001 IBP1004

CUTLERY SAVER

REFUSE BIN



REFUSE BIN BLACK - WITH LID IBP1085 85LT - 450 X 630MM



Unique, patented design

CUTLERY SAVER FOR IBP0085/IBP1085 CTS0001



MOBILE DOLLY METAL IBP0001

COLOUR CODED PLASTIC TRIGGER SPRAY BOTTLES



TRIGGER BOTTLES - 750ML

TBB0750 TBG0750 TBR0750 TBW0750 TBY0750

JANITOR TROLLEY - PLASTIC

FEATURES

- Robust 3 shelf design
- Smooth gliding wheels



TROLLEY JTP0001 1140 X 510 X 980MM

- Heavy duty moulded hooks for cart bag and for cleaning



HOTEL SERVICE TROLLEY

FEATURES

- Heavy duty moulded hooks for durable service bag
- Smooth gliding wheels
- Multifunctional and versatile
- Adjustable shelving

PLASTIC TROLLEY HST0001 1480 X 550 X 1000MM

VACUUM CLEANER

FEATURES

- New NST sound reduction and AutoSave energy conservation
- Environmentaly friendly
- Less energy, lower noise, longer life and user convenience



INDUSTRIAL NVC0001 6.1KG - 355 X 355 X 430MM

WEIGHT: 7.6KG





PLASTIC BUCKETS AND WRINGERS

FEATURES

Provides great visibility for increased safety

Portable and lightweight designs are ideal for use in any environment



SINGLE BUCKET AND WRINGER PLASTIC FRAME

PBW0001

1 X 36LT

OTHER ORDER CODES

BUCKET AND WRINGER 36LT

PBW0003 PBW0004 O


PBW0005





PBW0002 - PLASTIC FRAME







CLEANING AND WASHING CLEANING AND WASHING

PLASTIC BUCKETS AND WRINGERS



FEATURES

- 30LT capacity
- One year warranty for all parts under normal operational use

SINGLE COMPARTMENT NPB0001

Note

Also available on request in these colours:













- Dual compartment mopping unit
- 18LT front clean water container
- 12LT dirty water section to the rear
- Split container capacity allows larger areas to be cleaned before emptying and refilling is required
- One year warranty for all parts under normal operational use

DOUBLE COMPARTMENT NPB0002

Note

Also available on request in these colours:











GEERPRES BUCKET AND WRINGER

WET FLOOR A FRAME SIGN

Provides 360 degree visibility for increased safety Portable and lightweight designs are ideal for use in any



BUCKET AND WRINGER

OTHER ORDER CODES

BUCKET

WRINGER GPB0003

Note

Bucket and handles also available on request in these colours:











SPECTRA



Spectra

MOP HANDLES AND HEADS



MOP HOLDER ALUMINIUM HANDLE MHA0400 - 1400MM



FEATURES

MHW0500 MHW0501

MHW0502 MHW0503 (





FAN MOP CLIP E-LINE - BLACK FMC0001

HAND HELD GSH0300

300MM



MOP HEAD ONLY MHW1500 500g



MOPHEAD ONLY BLUE LINE MHA1400 400g

GLASS SCRAPER







MANUAL 3-HEAD GWH2003 200MM









CLEANING AND WASHING

BROOMS AND FLOOR SQUEEGEE





MOULDED TOP & PLASTIC BOTTOM THREAD HANDLE



WHITE MTW1300 1300 X 240MM

BLACK MTB1300 1300 X 240MM



DOUBLE BLADE WHITE ssq1500 500MM



SINGLE MOULDED BLADE BLACK ssq0500 500MM



HEAD SOFT BRISTLE - WHITE BHW0450 450MM



HEAD HARD BRISTLE - BLACK BHB0300 300MM

SCRUB BRUSHES



SOFT BRISTLE WHITE ssw0175 175MM



HARD BRISTLE BLACK SSB0175 175MM



NAIL BRUSH SOFT BRISTLE - WHITE NBS0110 110MM

SCRUB BRUSHES AND MICROFIBRE MOP

SOFT BRISTLE - WHITE

HARD BRISTLE - BLACK

SHORT HANDLE SCRUB



SPECTRA LONG HANDLE SCRUB

LHS1355 355MM



LONG HANDLE SCRUB

LHS0355 355MM

210MM





SLIMLINE SCRUB

SSH0300 300MM



MOULDED TOP AND BOTTOM PLUG HANDLE - BLACK

MPH1300 1300 X 24MM



MICROFIBRE MOP HEAD - BLUE MFM0700

180 X 700MM (260G)
WITH TAGS FOR COLOUR CODING

Spectra

WALL MOUNTED HOLDER SYSTEM





WALL RAIL WITH 3 BRACKETS WRS0500 500MM



Spectra

INSECT EXTERMINATORS - LED

FEATURES

- High quality UV-A LED for best attraction
- Electronic transformer to ensure effective kill rate
- ABS fireproof material for safety



- Full open design
- Removable collection tray for easy cleaning
- Coverage 300SQM

MEDIUM IEA1003

SPECIFICATIONS

VOLTAGE : 230V - 50Hz **DIMENSIONS** : 470 X 100 X 263MM

WEIGHT : 1.7KG

ULTRA VIOLET



SMALL

IEA1001

SPECIFICATIONS VOLTAGE

: 230V : 395 X 95 X 300MM **DIMENSIONS**

LAMPS : 2 X 10W : 11.74KG WEIGHT



MEDIUM IEA1002

SPECIFICATIONS VOLTAGE

: 230V **DIMENSIONS** : 645 X 95 X 390MM

LAMPS : 2 X 20W WEIGHT : 11.06KG

a Venia









HEALTHCARE

CAMBRO





CAMDUCTION CHARGING STATION

Cambro introduces the newest generation of conduction heating systems. The camduction is the most innovative system for today's demanding foodservice travlines and room service operations

FEATURES

- Quickly heats up to 20 bases at one time
- Initial start up takes approx. 4-6 minutes
- Made of high grade S/Steel

- Independent functionality of each charging slot reduces the risk of service interruption
- Camduction innovative hot meal delivery system is fast and efficient
- Perfect for any facility with a hot tray line system



SINGLE PHASE 220V CCS1001

762 X 479 X 879MM WEIGHT : 49.2KG



MOBILE DRYING RACKS



FOR CAMDUCTION BASES
MDR0001

128 - BASE CAPACITY



FOR INSULATED DOME COVERS MDR0002
100 - DOME CAPACITY

193



HEALTHCARE

CAMDUCTION BASE PELLET

DOME COVERS

NAVY BLUE

- Suited for 230MM plate

243.1MM DIAMETER

Suited for 230MM plate

IDC0260

CBP0001



STORAGE AND HANDLING



HEATED MEAL DELIVERY CARTS

FEATURES

- The standard for all your banquet and catering needs, these units are
- High quality, thick foam insulation retains hot temperatures for up to 4

- Patented vent cap design enables operators to maintain natural food moisture and quality by eliminating excess pressure and steam
- Lightweight yet durable
- Tough polyethylene exterior remains cool to the touch, reducing the risk of employee injury

- the right choice for cost effective, energy efficient heated cabinets
- hours unplugged and reduces unnecessary electrical usage
- Two cabinet with wheels

UPC ELECTRIC HEATED FRONT LOADERS



800 SERIES UEL0001 220V - SLATE BLUE 33 X 54.5 X 48.5CM WEIGHT : 46,3KG



1600 SERIES UEL0002 220V - SLATE BLUE

33 X 54.5 X 48.5CM WEIGHT: 46.3KG

245MM DIAMETER - 40MM H **MEAL DELIVERY CARTS**

FEATURES

FEATURES

FEATURES

Not for use in a microwave

Bases heat from centre of the plate

- Transport meal trays from the kitchen to patients, nursing home residents or correctional facility inmates
- Enhance satisfaction with high quality, room service style meals served Features light-weight non-insulated ABS doors quietly and efficiently

Plastic rims remain cool and safe to touch or handle once the base is heated

Insulated dome cover and base assist with temperature retention

Tough, one-piece, double-wall polyethylene carts are easy to clean

INSULATED BASE COVER, HARBOUR COLLECTION

Dishwasher safe - must be allowed to dry completely before using again

FOR SINGLE PHASE CAMDUCTION SYSTEM NAVY BLUE

- Non-electric and requires no assembly

INSULATED LOW PROFILE

260MM DIAMETER - 699MM H

260MM DIAMETER - 817MM H **INSULATED BASE**

SLATE BLUE



20 TRAY MDC0970 96.5 X 140 X 112.4CM

Note Takes 20 X 1520



30 TRAY MDC0750 74.5 X 152.5 X 161.6CM

Note Takes 30 X 1520 Camtrays



FULLY INSULATED - 20 TRAY EHT0001 220V





HEALTHCARE



STORAGE AND HANDLING







POLYCARBONATE DINNERWARE

Our new Camwear range of polycarbonate dinnerware is scratch resistant, tough, hygienic and virtually unbreakable. Revitalise your kitchen with this high gloss dinnerware. This tableware range is superior in design, function and value. It is both affordable and practical whilst meeting the consumers

FEATURES

- Resists stains, scratches and odours
- Dishwasher safe
- Extreme durability

BEIGE



NARROW RIM SIDE PLATE PSP0205-C 16.5CM



NARROW RIM DINNER PLATE PDP0229 25.4CM



NARROW RIM DINNER PLATE PDP0230-C 22.9CM



SQUARE BOWL PSB0278 278ML

SNAP ON LID FOR 10CW BOWL PSL0100 CLEAR



ROUND SOUP/ SALAD BOWL PSB0450-C 22.9CM



CEREAL BOWL PCB0370 370ML



3 DIVISION DINNER PLATE PDP0002-C 22.9CM



NAPPIE BOWL PSB0350-C 452ML

POLYCARBONATE DINNERWARE



JUG - CLEAR PTP0750-C 1LT CLEAR LID FOR JUG PLJ0340



MUG - BEIGE PCM0300-C 288ML



TUMBLER - CLEAR GTA0001-C 296ML



JUICE GLASS CLEAR PJG0150 150ML



CAMBRO



Global...

S/STEEL PLATE COVER



PCR0280 260MM



Gl@bal...

CAMTRAYS - FIBERGLASS SMOOTH TRAY ANTIQUE PARCHMENT



FST0350 27 X 35CM



FST0530 32 X 53CM - FULL



FST5150 38 X 51.5CM

Note Fits cambro meal delivery carts







ADJUSTABLE DISH CADDY

SERVICE AND TRANSPORT CARTS



FEATURES

- Shelves feature raised ridges to protect surface against heat
 Four sided 1.3CM marine rail on top shelf to contain spills
- Four (4) 15CM non-marking heavy-duty plate castors
- No assembly required



PRO HEAVY DUTY 2 TIER SCH0236 105 X 60 X 94CM BLACK



QUICK CONNECT CUTLERY BIN QCC0310 40 X 18 X 31CM BLACK



QUICK CONNECT TRASH BIN QCT0540 40 X 18 X 54CM **BLACK**

FEATURES

- Versatile, strong and durable
- Lightly textured polypropylene shelves to reduce sliding
- Stain resistant surface that is easy to clean

- Caster diameter: 12,7CM 2 fixed, 2 swivel, 1 with brake steel castors that are rust-proof
- No assembly required



2 TIER SCH0235 95 X 55 X 88CM BLACK







FEATURES

- Compact design with unparalleled capacity Store more caddies and dishes in the same space, or keep the same quantity of caddies and dishes, and free up valuable space for other uses
- Smooth maneuvering
- Compact square design, with 2 rigid and 2 swivel castors, means easier transporting in and out of storage, up and down ramps and across carpet



COMPACT - 4 TOWER ADC0002

69 X 69 X 81CM **BLACK**



ADD ON LEVERS (PACK OF 4) XBO4025

FOR CONVERTING ADCRC CADDY FOR SMALLER DISHES

STORAGE CAPACITIES

UNIT HOLDS BETWEEN 45 & 60 DISHES PER STACK BASED ON DISH SIZE.







PORTABLE ICE CADDY

- Rotomoulded for maximum durability, resisting cracks, dents, bubbling, and
- Ideal for beverage and meal service in catering, outdoor events, and hotels
- Unique sliding lid slides back and under to reduce contamination
- Recessed well and drain shelf keeps ice away from water
- Ergonomic, moulded-in handles ease lifting and transport

57KG ICB0570

59 X 80 X 75CM **BLACK**









UPC

TOP LOADER

SLATE BLUE

(NSF_o)





UPC



FRONT LOADERS SLATE BLUE

FEATURES

Two compartment with wheels







1600 SERIES UFL0622 72 X 82 X 135CM



Lid with gasket and wide nylon latches for better temperature retention

Interlock and stack to ease transporting and maximize storage space





FEATURES

FEATURES

- Durable polypropylene construction

Polyurethane injected foam insulated

Transport full or fractional GN food pans

- Superior performance: both models keep food hot or cold for up to 4 hours
- Polyurethane foam insulation improves temperature maintenance and allows for a safe exterior compared to hot metal cabinets

UTL0305 63 X 44 X 30.5CM

- Durable construction
- Built in handles for easy maneuvering
- Doors open 270° for easy loading and unloading of food pans
- Units are stackable and can be placed on a dolly





400 SERIES UFL0620 43 X 62 X 62CM



UFL0620 (X1)= UFL0621 (X2)= UFL0622 (X4)=

6 x 2½" (6,5 cm)





CAMBRO



CAPACITY GUIDE



ULTRA CAMTAINERS

HIGH HEAT INSERTS - GN FOOD PAN

STORAGE AND HANDLING







FEATURES

- Use to hold, transport and serve hot or cold beverages
- Sturdy latches secure lids tightly and will never rust
- Drip-proof recessed spigot for easy self-serve access
- Stack units on riser to fill large cups or coffee pots
- One piece, seamless double-wall polyethylene with thick foam insulation

 Stack interlocking ensures stable stacking during transport and storage

BEVERAGE SERVER - DARK BROWN



10LT BSI0104 43 X 30 X 50CM



20LT BSI0199 43 X 30 X 68CM



40LT BSI0397 52 X 42 X 66CM



SPECIFICATIONS

- Reduce handling and save expense with one pan that can go from prep to cooler to oven to steam table
- Gastronorm dimensions to fit in standard prep tables
- Unlike metal pans, H-pans are safe for use in microwave ovens
- Ideal for heated carts, steam tables and chafing dishes

AMBER







HIGH HEAT LIDS

NEW) STORAGE AND HANDLING

HIGH HEAT DRAIN SHELVES



HIGH HEAT INSERTS - THIRD GN PAN AMBER









CAMWEAR POLYCARBONATE INSERTS

FEATURES

- Standard gastronorm and bain marie sizes
- Polycarbonate food pans can withstand tough use and resist food acids and ails.
- Not suitable for use with steam or heat

- Optional solid or notched lids and drain shelves
- Dishwasher safe
- Clear pans are ideal for storage and transportation
- Dishwasher safe











CAMWEAR POLYCARBONATE INSERTS

CAMWEAR POLYCARBONATE INSERTS







FULL INF4150-C 150MM CLEAR





FULL INH4065-C 65MM CLEAR



HALF INH5065-C 65MM BLACK



HALF INH4100-C 100MM CLEAR



HALF INH5100-C 100MM BLACK



HALF INH4150-C 150MM CLEAR



HALF INH5150-C 200MM CLEAR





THIRD INT4150-C 65MM CLEAR



THIRD INT5100-C 100MM CLEAR



THIRD INT5101-C 100MM BLACK



SIXTH INS5100-C 100MM CLEAR



SIXTH INS4150-C 150MM CLEAR



NINTH INN5100-C 100MM CLEAR



THIRD INT5063-C 150MM CLEAR



SIXTH INS5150-C 100MM BLACK



SIXTH INS4100-C 150MM BLACK



NINTH INN9150-C 150MM CLEAR







CAMWEAR COLDFEST FREEZER PAN AND LID

FEATURES

- Keep food chilled without the use of messy ice
- ABS material with non-toxic refrigerant gel cores Conforms to gastronorm exterior dimensions to fit
- standard food bars or make tables
- Stackable





CLEAR FLAT LID FOR CFP0150 PCL0135 POLYCARBONATE

CAMWEAR POLYCARBONATE LIDS FOR INSERTS




CAMWEAR POLYCARBONATE HINGED FLIP LIDS

· Flip up lid to easily access contents. Food can be held without getting dried out, increasing yields. Reduces points of cross contamination



CAMWEAR POLYCARBONATE LIDS FOR INSERTS



CAMWEAR POLYCARBONATE PERFORATED DRAIN SHELVES CLEAR





POLYPROPYLENE INSERTS



FEATURES

- An economical choice for storing food
- Translucent polypropylene material provides content visibility
- Meets gastronorm GN food pan specifications EN-631-1
- Non-stick smooth interior surface promotes easy cleaning

TRANSLUSCENT



FULL SCF1065-C 65MM



FULL SCF1100-C 100MM



FULL SCF1150-C 150MM



HALF SCH1065-C 65MM



HALF SCH1100-C 100MM



HALF SCH1150-C 150MM



THIRD SCT0100-C 100MM



THIRD INT3150-C 150MM



SIXTH INS6065-C 65MM



SIXTH INS6100-C 100M



SIXTH INS6150-C 150MM



SNAP ON SEAL COVERS FOR INSERTS



FEATURES

• Snap on seal lids are designed to fit both polycarbonate and polypropylene cambro pans

TRANSLUCENT











SIXTH INS4004-C



NINTH INN4004-C







PRO CONTAINERS - POLYCARBONATE - SQUARE



STORAGE BOXES - POLYCARBONATE





FEATURES

- Safely store bulk food products in the cooler, freezer or dry storage
- When received, transfer ingredients out of unsanitary cardboard boxes into food boxes

CLEAR



SMALL - 6.6LT SBL0090-C 46 X 30.5 X 9CM



SMALL - 18LT SBP0230 46 X 30.5 X 23CM



LARGE - 18.9LT SBS0090-C 46 X 66 X 9CM



LARGE - 33LT SBS0150-C 46 X 66 X 15CM



LARGE - 64.4LT SBL0150-C 46 X 66 X 30CM







LARGE - 83.3LT SBL0380-C 46 X 66 X 38CM

STORAGE BOX FLAT LIDS - POLYCARBONATE





CAMBRO

POLYPROPYLENE INSERT AND LIDS



CONTAINER NINTH SCN0100 100MM DEEP



LID NINTH - 1/9 FOR SCN0100 SLN0100 O SLN0101 O SLN0102



Maximize Freshness

Cross stacking allows sanitary drying

- **FEATURES** Easy on, easy off cover
- Extends food shelf life by 2 days
- Prevents spills

CLEAR



SCS4002-C



8LT SCS4007-C

4LT

SCS4004-C



18LT SCS4015-C





6LT SCS4006-C



12LT SCS4010-C



22LT SCS4020-C

PRO CONTAINER - SEAL LIDS



2 & 4LT SQUARES SCL4001-C



6 & 8LT SQUARES SCL4002-C



12, 18 & 22LT SQUARES SCL4003-C

CAMBRO



BASICS PLUS SHELVING - STARTER UNITS

BASICS SHELVING SPARE SHELVES

STORAGE AND HANDLING





Converts a standard 4 tier shelf into 5 tier or 6 tier etc by adding an additional shelf kit



VENTED SHELF

BSV0915 - 460 X 915MM BSV1070 - 460 X 1070MM BSV1220 - 460 X 1220MM

BSV0916 - 610 X 915MM BSV1071 - 610 X 1070MM BSV1221 - 610 X 1220MM

BASICS SHELVING CORNER CONNECTORS





SUPPORT LEGS

FOR BOTTOM TIER CORNER SHELF **XBO4022** - 460MM

XBO4023 - 610MM

Used on the bottom tier of a corner shelf to strengthen it and increase the weight bearing

- Made from extremely strong composite material
- Corrosion resistant
- Designed to snap/connect together for easy assembly
- Adjustable feet bolts allow for leveling
- Drop in shelf plates that can easily be removed for easy cleaning
- Camguard anti microbial agent embedded in shelf plates retards the growth of fungus, bacteria or mold
- Easily adjustable

BASICS 4 TIER VENTED SHELF

BVS0001 - 460 X 915 X 1830MM BVS0002 - 460 X 1070 X 1830MM BVS0003 - 460 X 1220 X 1830MM

BVS0004 - 610 X 915 X 1830MM BVS0005 - 610 X 1070 X 1830MM BVS0006 - 610 X 1220 X 1830MM

BASICS PLUS ADD ON / CORNER UNITS



Add on units only come with one set of posts and are designed to clip onto an existing starter unit by sharing a common post on the starter unit

4 TIER VENTED

BAC9150 - 460 X 915 X 1830MM BAC1070 - 460 X 1070 X 1830MM

BAC1220 - 460 X 1220 X 1830MM

BAC0915 - 610 X 915 X 1830MM BAC1071 - 610 X 1070 X 1830MM BAC1221 - 610 X 1220 X 1830MM



DUNNAGE RACKS

FEATURES

- Made from single piece heavy duty polypropylene extremely strong and durable
- Can never rust or corride can be used from 38°C to + 90°C
- Raise goods 30.5CM safely off floor
- Can clip together with Camlinks



SLANT TOP INGREDIENT BIN

FEATURES

- Lid slides open for easy access
- Fitted with non-marking castors.
- Lid can be opened while unit is under bench top or work table



102KG IBS1020 42 X 75 X 71CM WHITE

ACCESSORIES INCLUDED:

CAMBRO

CAMBRO

MOBILE TRAY TROLLEY - S/STEEL



GN 1/1 PAN MOBILE CARTS (KNOCK DOWN)

LIFETIME WARRANTY ON CORROSION AND RUST

FEATURES

- Made from the same composite material as Cambro basics shelving extremely strong
- Comes as a knockdown pack clips together for assembly
- Ultra quiet nylon castors that offer a superior glide

- Rails can take heat up to 200 C
- Castors clip in and can be easily replaced
- Weight bearing up to 45KG's per rail set
- 4X swivel castors with foot brakes

9 SHELVES







18 SHELVES

TALL 18 PAN

KPC0002







FLATPACKED



ACCOMODATES FULL GASTRONORM AND 600 X 400MM PANS

FEATURES

- S/Steel body
- Easy to clean and operate
- Accommodates GN1/1 pans and 600 X 400MM baking trays
- Easy to assemble
- 4 castors (2 lockable)
- Safe and practical

15 SHELVES MTT0015

SPECIFICATIONS

DIMENSIONS : 457 X 600 X 1810MM TRAY SIZE : 400 X 600MM OR GN1/1

GROSS WEIGHT : 29.5KG



MOBILE WORKING TABLE - S/STEEL



FEATURES

- S/Steel tubular frame
- 7-Tier S/Steel GN1/1 trolley
- Dismantled for easy transportation easy to assemble
- Lockable castors

7 TIER WTT0007

SPECIFICATIONS

DIMENSIONS : 385 X 550 X 900MM





TEA TROLLEYS

S/STEEL **PLASTIC**

FEATURES

Durable plasti c

Light weight

Includes 2 bins

- (Large) 330 x 240 x 560mm

(Small) 330 x 240 x 170mm

- Approx. 30kg load capacity per shelf

Soft in moti on

FEATURES

- S/Steel tubular frame
- 2, 3 or 5 shelf S/Steel trays
- Dismantled for easy transportation easy to assemble
- Suitable for carrying multi pots with plinth and drip trays
- 100MM diameter swivel castor wheels
- Supplied with spanner
- Fitted with brakes on 2 castors



2 SHELF TTS0002

910 X 850 X 540MM 3 SHELF TTS0003 910 X 850 X 540MM

FEATURES

- Electro-polished to give a bright finish and sterile qualities
- Dismantled and flat packed for easy transportation and assembly
- High quality S/Steel makes them ideal for most catering requirements
- TTS1002 & TTS1003 100MM easy glide, silent running, heavy duty castors mounted to solid steel threaded bush



- Fitted with four non-marking wheels
- Hygienic easy to clean and sterilize
- 50KG load capacity per shelf



HEAVY DUTY 2 SHELF - 20KG TTS1002 930 X 905 X 560MM



HEAVY DUTY 3 SHELF - 25KG TTS1003 930 X 905 X 560MM

3 SHELF

1030 x 510 x 960MM

TTP0001

DISH CLEARING TROLLEY



S/STEEL WITH 4 TOTE BOXES DCT1002 870 X 545 X 930MM

DTH0001 OPTIONAL EXTRA



PLATFORM PUSH TROLLEY



FEATURES

- S/Steel tubular handle and design
- Platform bearing weight: 300KG
- 4" Castors

COLLAPSABLE PPT1000

900 X 600 X 900MM

CROCKERY RACKS

FLOOR STANDING - MOBILE



FEATURES

- Frames are powder coated mild steel
- Racks are covered in polyester plastic
- Supplied dismantled for easy transportation
- Includes spanner for easy assembly
- Max plate size 280MM

830MM

CRM0830 - 830 X 600 X 1700MM

152 LARGE PLATES AND 152 SMALL PLATES + 2 CUP SHELVES - 400 PIECES

CRM1130 - 1130 X 600 X 1700MM

212 LARGE PLATES AND 212 SMALL PLATES + 2 CUP SHELVES - 600 PIECES

1130MM


CRM2130 - 1130 X 600 X 950MM

106 LARGE PLATES AND 212 SMALL PLATES + CUP SHELF - 300 PIECES

WALL MOUNTED

FEATURES

- Frames are powder coated mild steel
- Racks are covered in polyester plastic
- Supplied dismantled for easy transportation



2 SHELF

CRW0806 - 802MM

38 LARGE PLATES + CUP SHELF

Max plate size - 280MM

CRW1105 - 1105MM

53 LARGE PLATES + CUP SHELF

Includes spanner for easy assembly

3 SHELF

CRW2806 - 802MM

76 LARGE PLATES + CUP SHELF

CRW2105 - 1105MM

106 LARGE PLATES + CUP SHELF

S/STEEL WALL SHELVING

FEATURES

- All S/Steel construction
- Available in single or double shelf format

- Standard widths 600MM, 900MM and 1200MM
- Adjustable height



SINGLE

SSW0600 - 600 X 300MM **SSW0900** - 900 X 300MM SSW1200 - 1200 X 300MM

DOUBLE

SSW2600 - 600 X 300MM **SSW2900** - 900 X 300MM **SSW2200** - 1200 X 300MM



POT RACKS - S/STEEL

FEATURES

- S/Steel tubular frame
- Dismantled for easy transportation Easy to assemble
- Supplied with spanner
- 50KG load capacity per shelf



SINGLE WALL MOUNTED

PRS0900

900 X 400 X 400MM



DOUBLE WALL MOUNTED

PRD0900 900 X 400 X 760MM



FLOOR STANDING

PRF1200

1200 X 600 X 1450MM

WORK TABLES - S/STEEL - 2 -TIER

FEATURES

- Table top is S/Steel making it easy to clean and is hygienic
- Shelves are made from mild steel that is chrome plated and coated with a lacquer finish
- Easy to assemble no tools required

- Shelf heights can be adjusted to suit your application
- Sturdy construction makes them durable and versatile
- Grid style shelves allow increased air circulation
- Dismantled for easy transportation



PLAIN TOP WTS0002

1300 X 690 X 870MM



SPLASHBACK WTS1002 1300 X 690 X 870MM

FEATURES

- 2 finishes available chrome plated or zinc plated with epoxy
- Chrome plated shelving units are ideal for dry storage only
- Zinc plated with epoxy coated shelving units are ideal for wet and cold environments

(EXCLUDES ACCESSORIES)

Easy to assemble - no tools required

SHELVING UNITS

- Shelf heights can be adjusted to suit your application
- Sturdy construction makes them durable and versatile
- Grid style shelves allow increased air circulation prolonging the life of the product



SUC1510 - 1510 X 455 X 1830MM

OTHER ORDER CODES

CHROMED SHELF WITH CLIPS

SUS0905 - 905MM SUS1200 - 1200MM SUS1510 - 1510MM

ZINC/EPOXY - 4 SHELF

SUZ0905 - 905 X 455 X 1830MM **SUZ1200** - 1200 X 455 X 1830MM **SUZ1510** - 1510 X 455 X 1830MM

OTHER ORDER CODES

ZINC/EPOXY SHELF WITH CLIPS

SUZ1905 - 905MM - WITH CLIPS **SUZ2200** - 1200MM - WITH CLIPS **SUZ2510** - 1510MM - WITH CLIPS

Note

- Chromed shelving unit is suitable for dry storage only and not suitable
- Zinc plated epoxy coated shelving units are suitable for wet and cold environments



CHROME PLATED












WIRE LOCKER

FEATURES

- Ideal for use in shopping centres, factory and restaurant change rooms, etc.
- Four compartment unit ideal for handbags & shoes
- Double compartment ideal for hanging clothes
- Tube section construction is both robust and visually appealing
- Strong bullet type hinges fitted to doors
- 3MM diameter wire mesh is thicker and stronger than competitor units
- Overall size 335(W) X 330(D) X 1900(H)
- Overall weight 12KG



4 DOOR LGW0004

SPECIFICATIONS

- Mild steel tube section construction with welded mesh
- Available in four compartment (model LGW0004) or double compartment (model LGW0002)
- Epoxy powder coated finish
- Secure 3MM diameter wire, mesh with 47MM aperture
- Square mesh pattern
- Padlockable doors



For illustration purpose only

MEAT TRAYS - PLASTIC



FEATURES

- Internal dimensions 440 X 310 X 168MM
- Stack load 180KG on base tray
- . Food safe
- Easy to clean and sanitize
- The perfect storage solution
- Colour coded to easily identify contents in keeping with HACCP requirements
- Capacity 22LT











FEATURES

TRAYS - PLASTIC

- Stack load 180KG on base tray
- Food safe virgin material
- Easy to clean and sanitize
- The perfect storage solution
- Capacity 37LT

MEAT TRAY - MEDIUM

MTM0001

Internal dimensions - 590 X 340 X 200MM

FEATURES

- Stack load 720KG on base tray
- Food safe virgin material
- Easy to clean and sanitize
- The perfect storage solution
- Capacity 60LT

MEAT TRAY - LARGE

Internal dimensions - 728 X 327 X 235MM

FEATURES

- Food safe virgin material
- Easy to clean and sanitize
- Capacity 58LT
- External drainage system
- Stacks and nests

FISH CRATE - LARGE

FCL000

Internal dimensions - 638 X 386 X 227MM

FEATURES

- Stack load 160KG on base tray
- Capacity 35LT
- Food safe virgin material

STORAGE CONTAINER LARGE WITH LID SCL0002

600 X 400 X 195MM

Internal dimensions - 550 X 350 X 185MM





CRATES

PLASTIC

FEATURES

- They are fully stackable glass crates (holds 30 glasses)
- Perfect crates for transporting glasses to and from functions

GLASS CRATE LARGE BLUE

GCL0030 30 GLASSES 475 X 400 X 205MM



- Stack load 150KG on base tray
- The perfect storage solution food safe virgin material
- Easy to clean and sanitize
- Ideal for washing down vegetables on receiving
- Capacity 33LT

FREEZER CRATE - VENTED

FCV0001

600 X 400 X 188MM Internal dimensions - 550 X 347 X 160MM

MULTIPURPOSE PLASTIC TRAY AND STORAGE CONTAINER



STORAGE CONTAINER - LARGE 52LT SCJ0001

545 X 345 X 280MM



FEATURES

- Food safe - virgin material



MULTIPURPOSE PLASTIC TRAY MPT0001

605 X 400 X 75MM



INGREDIENT BINS

FEATURES

- Diameter 435MM
- Height 454MM
- Ideal for storing ingredients
- Stack perfectly for easy storage
- Food safe virgin material





FEATURES

Food safe - virgin material

85LT - HEAVY DUTY WHITE IBP0085

450 X 630MM

Note

Lid included



FOOD DELIVERY BAGS

Global...

FEATURES

- In black 600D* material all double stitched for durability
- Easy clean fabric
- Top pocket clear PVC slip pouch Inside lined with foilene for heat retention
- Temperature holds for up to half an hour
- Fits most delivery bike boxes
- Two carry handles designed to balance out the weight when its being carried

FOOD DELIVERY BAG

FDB0001

465 X 200 X 320MM

*The denier of the fabric. A denier is how thick each individual strand of material weighs (actually the gram weight per 9000 meters).

The higher the density the stronger and thicker the fabric



FEATURES

- 600D Polyester material outer
- Laminated foil with Aerothene inner
- Plastic cord piping
- Polyprop 25MM binding tape
- Polyprop 38MM webbing tape
- Zip chain size 10 polyester plastic
- Zip slider size 10 metal
- Polyester cotton thread

6 PIZZA BOX FDB0006

375 X 320 X 325MM

GASTRONORM FOOD PANS - S/STEEL

FEATURES

- 0.8MM S/Steel inserts
- Heavy duty
- American style
- Rounded edges

- Anti-Jam system
- Reinforced corners
- For light duty use 0.6MM Lids are interchangeable with 0.6MM





GUARANTEED NOT TO JAM WITH ANTI-JAMMING DESIGN

FEATURES

- 0.6MM S/Steel inserts
- American style
- Rounded edges Anti-Jam system
- Light dutyFor heavy duty use 0.8MM
- Lids are interchangeable with 0.8MM



GUARANTEED NOT TO JAM WITH ANTI -JAMMING DESIGN

VALUE

STORAGE AND HANDLING

GASTRONORM FOOD PANS - S/STEEL



FULL INF2020 - 20MM INF2055 - 55MM

INF2065 - 65MM INF2100 - 100MM INF2150 - 150MM

LID INF2001



FULL PERFORATED

INF3055 - 55MM INF3065 - 65MM INF3100 - 100MM



FULL

INF9020 - 20MM INF9055 - 55MM INF9065 - 65MM

INF9100 - 100MM INF9150 - 150MM

PERFORATED INF9165 - 65MM

LID INF9001



HALF

INH9065 - 65MM **INH9100** - 100MM INH9150 - 150MM

PERFORATED INH2165 - 65MM

LID INH9001



HALF

INH2065 - 65MM INH2100 - 100MM INH2150 - 150MM

LID INH2001



THIRD

INT2100 - 100MM INT2150 - 150MM INT2065 - 65MM

LID INT2001



THIRD

INT9065 - 65MM INT9100 - 100MM INT9150 - 150MM

THIRD LID INT9001



QUARTER

INQ9065 - 65MM INQ9100 - 100MM INQ9150 - 150MM

LID INQ9001



QUARTER

INQ2065 - 65MM INQ2100 - 100MM INQ2150 - 150MM

LID INQ2001



SIXTH

INS2065 - 65MM INS2100 - 100MM INS2150 - 150MM

LID INS2001



SIXTH

INS9065 - 65MM INS9100 - 100MM INS9150 - 150MM

LID INS9001



NINTH INN9100 100MM

LID INN9001



NINTH INN2100 100MM LID INN2001











GASTRONORM FOOD PANS - S/STEEL

WITH HANDLES



HALF INH3165 - 65MM INH3100 - 100MM

HALF LID
INH0010
FULL

INF1001 100MM

FULL LID





DRAIN SHELVES S/STEEL

FEATURES

- Made of 201 S/Steel and 0.8MM thickness
- Improved product safety through reduced handling
- Liquids drain directly into the food pan below for easy disposal
- Ideal for prepped produce, storing seafood on ice and defrosting meats
- Elevates food above pan bottom: For draining or maintaining foods that should not sit in liquids or juices



DRAIN SHELF DSS0001 FULL



DRAIN SHELF DSS0002 HALF



Utilities & Smalls


All our smalls and utilities have the sole function of dramatically enhancing the foodservice process in your business.

From ladles to whisks, knives to scoops and can openers to pots, our comprehensive range will ensure you have the complete kitchen solution. Be sure to take a look at our exclusive range of Infiniti cookware and Grunter knives.

Section Index

| | | | 5/10/ | lb) | | | |
|----------------------------|---------|---------------------------|-----------|-------|-----------------------------|-----------|-------|
| Aluminium Pots & Pans | 240 - 2 | 43, Graters | | 236 | Plastic Dispensers | | 230 |
| | 245 - 2 | 247 Grill Brushes | | 227 | Portion Server | | 234 |
| Ashtrays | | 272 Grunter Knives | | | Potato Masher & Ricer | | 231 |
| Baking Sheets | | 50 Hand Peelers & Slic | ing Set | | Roasting pans | 247 - | - 248 |
| Baking Trays | | 49 Hand Utensils | | | Rolling Pins | | 283 |
| Bar Equipment | | 271 Handsaw | 1 | | Round Funnels | | 233 |
| Basting Brushes | | 88 Ice Buckets & Stanc | ls 271 - | 272 | S/Steel Pots & Pans | 237 – | 240, |
| Basting Spoons | 2 | 23 Ice-Cream Scoops | | 232 | | 246 - | - 247 |
| Bill Spike | | 32 Icing Spatulas/Palle | t Knives | | Salad Dryers | | 232 |
| Board Brush | 2 | 89 Icing Turntable | | | Scales | 302 - | 304 |
| Bread Trays | 290 - 2 | 291 Kitchen Timers | - | 296 | Scoops | | 234 |
| Butcher Block & Stand | 2 | 65 Knife Roll Bags | 254, | | Scrapers | | 228 |
| Butcher Hooks & Skewers | 2 | 64 Knife Sharpeners | | 260 | Service Bell | | 232 |
| Cake Divider | 2 | 89 Knife Sterilising Cab | inet | 260 | Serving Utensils | 221 - | - 223 |
| Cake Servers | 2 | 28 Ladles | | 235 | Shakers | | 230 |
| Can Openers | | 231 Larding Needle | | 265 | Shears | | 266 |
| Caterace Knives | 2 | 259 Lattice Cutter & Spil | ke Roller | 292 | Sieves | | 288 |
| Cheese Cutters | 2 | 62 Magnetic Knife hold | lers | 261 | Silicon Moulds | 291 - | - 292 |
| Chef's Torch | | .82 Mats | | 280 | Silicon Spatulas | | 235 |
| Chip Bagging Scoop | 2 | 26 Measuring Cups & S | Spoons | 289 | Skimmers | | 227 |
| Chip Baskets | 2 | 26 Measuring Jugs | | 288 | Slicers | | 262 |
| Citrus Juicer | 2 | 88 Meat Mallets | | 265 | Spreaders | | 261 |
| Citrus Squeezer | 2 | 231 Message Pick | | 229 | Spring Form & Cake Tins | 289 - | - 290 |
| Colanders | | 33 Mixing & Measuring | Bowls | 287 | Steak & Kidney Dishes | | 248 |
| Condiment Holders & Server | 2 | 29 Moulds | | 294 | Store 'n Pour | | 270 |
| Cone Holder | 2 | 32 Note Holders | | 232 | Strainers | | 233 |
| Cooking Utensils | | 224 Nozzles | | | Table Number stands & Rese | rve Signs | |
| Cooling Tray | | 89 Oil Filter Bags & Sta | ind | | Teflon Sheets | | 250 |
| Cream Guns & Chargers | | 96 Oil Testers | | 297 | Thermometers | 297 | - 301 |
| Croissant Cutter | | 83 Olive & Cherry Pitte | | 228 | Toast Rack | | 229 |
| Cut Resistant Glove | 2 | 261 Omelette & Egg Rin | gs | 231 | Tongs | 224 - | - 225 |
| Cutter Sets | 2 | 84 Oven Mitts | | | Trays | 273 - | - 278 |
| Cutting Boards | 2 | 50 Oyster Knives | 1 | 261 | Turners & Lifters | | 228 |
| Dish 'n Tote | 2 | 35 Pans | 243 - | | Tweezers | ~ | 225 |
| Dough Cutters & Scrapers | 282 - 2 | 83 Pap Stirrers & Rice | Spoon | 235 | Utensil Holders & Cutlery 1 | Trays | 235 |
| Egg Poachers | 2 | 247 Pasta Basket | | | Victorinox Knives | 251 - | |
| Forged Knives | | 257 Piping Bags & Rack | | 286 | Whisks | 293 - | |
| Garlic Press | 2 | 231 Pizza Utilities | 280 - | - 281 | Wooden Spoons | | 235 |
| | | | | | | | |







SERVING UTENSILS














MEAT FORK S/STEEL MFS0031 355MM





SERVING UTENSILS









SERVING UTENSILS







FEATURES

Made with acetal plastic for unbelievable strength and flexibility

Dishwasher safe



FEATURES

- Break resistant polycarbonate
- Withstands temperatures of up to 100°C

- Serving spoons have a notch to rest on the edge of a non-slip food pan
 Dishwasher safe

SERVING SPOON PERFORATED SSP3330 330MM





BASTING SPOONS



BASTING SPOON SOLID PVC HANDLE BSS1330 330MM BASTING SPOON PERFORATED BSP0330 - 330MM BSP0400 - 400MM




BASTING SPOON SOLID BSS0330 - 330MM BSS0400 - 400MM





COOKING UTENSILS





TONGS - HEAVY DUTY

FEATURES

- These tongs are extra heavy duty and long lasting for commercial use.
- Designed specifically for fish, meat, burgers, etc.



ASSORTED TONGS



COLOURED UTILITY TONGS

FEATURES

- Very hygienic. Available in assorted colours, which is ideal for eliminating the cross contamination of foods.
- Can also be used in conjunction with our coloured knives and cutting boards.
- In line with HACCP requirements.



TCU0300 - 300MM 🔘 TCU1300 - 300MM TCU2300 - 300MM TCU3300 - 300MM TCU4300 - 300MM TCU5300 - 300MM

TWEEZERS - S/STEEL











UTILITIES AND SMALLS UTILITIES AND SMALLS

CHIP BASKETS





SQUARE





SQUARE



FISH/ANVIL

BASKET (FOR FFA3200)

FFB3200



ROUND

CBR0127 - 127 X 102MM CBR0165 - 165 X 102MM CBR0203 - 203 X 102MM CBR0254 - 254 X 102MM CBR0305 - 305 X 102MM

CBR1305 - 305 X 152MM



PASTA BASKET

FEATURES

Ideal to prepare portions of pasta and vegetables





CHIP BAGGING SCOOP

S/STEEL CBS0001 190 X 200MM

CATERACE

SKIMMERS



OIL FILTER BAGS AND STAND

FEATURES

(NEW)

- Prolong the life of your oil by filtering twice a day, and at the end of every shift add 10% new oil.
- This is enough to rejuvenate the oil.
- This method realizes high annual savings in oil costs.



SDS0300

300MM

OIL RESIDUAL



STAND CONICAL OFS0001 - 470MM **BAGS**

OFB0001 - (10 PACKS OF 50) **BAGS HEAVY DUTY OFB0002** - (10 PACKS OF 50)



MULTI PURPOSE GRIPPER

PAN GRIPPER PGS0195 195MM - STEEL

GRILL BRUSHES



L SHAPED ABK0001 63 X 18 X 10CM









SCRAPERS



HAMBURGER TURNERS











PERFORATED HTP0200 200MM - PVC

EGG LIFTER AND TURNERS



CAKE SERVERS

OLIVE AND CHERRY PITTER



CONDIMENT HOLDERS



CONDIMENT STAND CSS0004

OIL/VINEGAR/SALT/PEPPER

REPLACEMENT CSS1004

SALT/PEPPER (12PK) CSS2004 OIL/VINEGAR







OIL AND VINEGAR BOTTLE SET OVB0002 2 X 200ML

CONDIMENT SERVER

SERVER

FEATURES

- Save money with three accurate portion control settings
- Easy fingertip control assures dispensing of premeasured amounts, therefore eliminating waste
- Adjustable collar for accurate portion control
- Pumps directly from No. 10 tin

COMPLETE JAR AND PUMP CPS0003

OTHER ORDER CODES CPS0001 - PUMP ONLY S/STEEL

CPS0002 - JAR ONLY - 2LT

TOAST RACK



6 SLICES TRS0006

SPECIFICATIONS

: 140 X 75 X 125MM SIZE WEIGHT : 142G

TABLE NUMBER STANDS



PLASTIC TNS0010 - 1 - 10

TNS0020 - 11 - 20 TNS0030 - 21 - 30



S/STEEL

TNS0100 - 100MM TNS0200 - 200MM TNS0300 - 300MM TNS0450 - 450MM

MESSAGE PICK



S/STEEL MPS0004 PACK OF 4



RESERVED TABLE SIGNS







S/STEEL RTS0001



PLASTIC DISPENSERS 6 PACK

PDR1250 - 250ML **PDR1500** - 500ML **PDY1250** - 250ML **PDY1500** - 500ML PDC1250 - 250ML O PDC1500 - 500ML O PDC1000 - 1LT FIFO SQUEEZE BOTTLE FSB0001 475ML



LONG SALT SHAKER S/STEEL

SSS1001

WITH HANDLE

SHAKERS



SALT SHAKER S/STEEL SSS0001 WITH HANDLE



POLYCARBONATE CHEESE SHAKER PCS0135 300ML - CLEAR (12)

CAMBRO

65 X 90MM WITH HANDLE

300ML

SALT SHAKER ALUMINIUM SSA0001



SUGAR DISPENSER GLASS SDG0001

CAN OPENERS TABLE MOUNTED

FEATURES - COB0001

- Designed for AIO catering cans. Simple to use and geared for minimum effort
- Advanced blade technology avoids metal fragments and sharp edges
- Opens cans of all shapes and sizes: round, square, oblong, oval and even dented cans, opener is self adjusting for can height





CAN OPENERS - HAND HELD



HEAVY DUTY COZ0001



ZANGEN COZ0002



POTATO MASHER AND RICER

POTATO MASHER PMS0600

125 X 140 X 635MM S/STEEL



POTATO RICER PRI0001 100 X 100 X 100MM INDUSTRIAL



GARLIC PRESS



HEAVY DUTY GPA0001



CITRUS SQUEEZER HCS0001



EGG RINGS





ROUND ERR0095 95MM



SQUARE ERS0095 95 X 95MM

95MM



OMELETTE RING OML0190 190MM






CONE HOLDER

ICE-CREAM SCOOPS

FEATURES

- Use as a merchandiser Increase sales
- Can hold 22 24 cones per tube





GELATI - 6 TUBE CHG0006 220 X 910MM

BILL SPIKE

180MM S/STEEL

BSS0180

FEATURES

Great for portion control

NOTE

Scoop size indicate the size based on the number of scoops needed to fill 3.8LT (1 Gallon). Bigger Number = Smaller Scoop



DISHER

ICD0012 - NO. 12 (95ML) ICD0014 - NO. 14 (90ML) ICD0016 - NO. 16 (80ML) ICD0020 - NO. 20 (55ML)

ICD0024 - NO. 24 (50ML)



SCOOP

ICS0016 - NO. 16 (80ML) ICS0020 - NO. 20 (55ML)



SERVICE



SERVICE BELL SBS2001 STEEL



NOTE HOLDER ZAPPA NHZ0450 - 450MM NHZ1000 - 1000MM



SALAD DRYERS - PLASTIC HEAVY DUTY

FEATURES

- Greenmatic vegetable dryer is in accordance with CE norm
- Made with aluminium and S/Steel parts



12LT SDP0012

SPECIFICATIONS CAPACITY

CIRCUMFERENCE HEIGHT WEIGHT

: 12LT

: 330MM

: 430MM

: 2.8KG



- Gears are shock-resistant and wear-resistant thermoplastic resin Solid and durable



25LT SDP0025

SPECIFICATIONS

CAPACITY : 25LT : 430MM CIRCUMFERENCE : 520MM HEIGHT WEIGHT : 4KG



ROUND FUNNELS - S/STEEL



ROUND FRS0180 180MM



ROUND WITH REMOVABLE STRAINER

FRS0120 - 120MM FRS0200 - 200MM

STRAINERS



CHINOIS STC0240 STRAINER - 240MM

Note Ideal for sauces



CONICAL

CSS0180 - 180MM S/STEEL CSS0240 - 240MM S/STEEL

Ideal for pasta and vegetables



CHINA CAP

STC1205 - 205MM STC1300 - 300MM

Note

Ideal for vegetables



REINFORCED

STM1260 - 260MM **STM1300** - 300MM **STM1350** - 350MM

Note

All purpose heavy duty strainers



SINGLE MESH

STM0260 - 260MM

DOUBLE MESH

STM2200 - 200MM STM2230 - 230MM STM2260 - 260MM

Note

All purpose strainers





COLANDERS



S/STEEL

CLS0260 - 260MM CLS0280 - 280MM CLS0340 - 340MM CLS0380 - 380MM



ALUMINIUM HEAVY DUTY CLA0400 - 400MM

S/STEEL EXTRA HEAVY DUTY CLS1400 - 400MM







SCOOPS

ALUMINIUM

SCA0135 - 80 X 30 X 130MM **SCA0160** - 110 X 53 X 160MM SCA0250 - 150 X 40 X 250MM SCA0265 - 160 X 50 X 265MM **SCA0310** - 200 X 60 X 305MM SCA0350 - 260 X 80 X 380MM SCA0400 - 280 X 165 X 400MM SCA0430 - 320 X 100 X 430MM





PLASTIC - WHITE SCP0001 40 X 150 X 360MM





PLASTIC - ABS MATERIAL **PSA0175** - 17.5CM PSA0225 - 22.5CM

PORTION SERVERS - SOLID

Used for pies, portion control, pizza toppings, etc.

FEATURES

- Very hygienic. Available in assorted colours, which is ideal for eliminating the cross contamination of foods.
- Can also be used in conjunction with our coloured knives and cutting boards.
- In line with HACCP requirements.











CATERACE

LADLES - SOLID

SILICONE STIRRING SPOONS & SPATULAS



LDS0011 - 15ML LDS0001 - 30ML LDS0002 - 59ML LDS0004 - 118ML LDS0006 - 177ML **LDS0008** - 236ML

SILICONE SSS0030 300MM Use up to 204°C SSS0038 380MM

SILICONE SPATULA SIS0001 Use up to 200°C PLASTIC HANDLE **SPATULA** SIS0030 300MM



WOODEN SPOONS

HEAVY DUTY

WSP0300 - 300MM WSP0400 - 400MM WSP0450 - 450MM WSP0500 - 500MM WSP0600 - 600MM

WSP0800 - 800MM WSP1000 - 1000MM

PAP STIRRERS



S/STEEL **PSS0600** - 600MM PSS1200 - 1200MM **PLASTIC** PSP1500 1500MM

RICE SPOON S/STEEL RSC0001 24CM

DISH 'N TOTE



GREY DTH0001 500 X 400 X 130MM



UTENSIL HOLDERS



4 PLASTIC INSERTS UHS0004



3 PLASTIC INSERTS UHS0003

CUTLERY TRAYS - GREY



3 DIVISION CTH0003 500 X 300MM



4 DIVISION CTH0004 500 X 300MM



GRATERS

S/Steel body. 6 sides for multi grating of cheese, onions and vegetables





HEAVY DUTY 4 SIDED **GRS2006**



(NEW)

6 SIDED - S/STEEL GRS1006



HAND GRATERS



GREEN (FINE) HGV0002



RED (ROUGH)



HGV0001





FINE HGR0003 390 X 45 X 15MM **MEDIUM** HGR0002

VICTORINOX

OVEN MITTS

FEATURES

Oven mitts can safely be used for temperatures of up to 232°C



PYRO OMP0380 380MM PAIR



Oven mitts can safely be used for temperatures of up to 250°C



LEATHER - RED OML0400

Oven mitts can safely be used for temperatures of up to 232°C



PYRO OMP0600 600MM PAIR

FEATURES

Oven mitts can safely be used for temperatures of up to 176°C



SILICONE COATED **SILVER** OMT0330 330MM PAIR

SILICONE OVEN MITT

FEATURES

- Oven mitt can safely be used for temperatures of up to 280°C
- Dishwasher safe
- Waterproof, even in boiling water
- Slip resistant, fits either hand



SILICONE OMS0001 320MM EACH

CASSEROLE POT LOW CASSEROLE POT STOCK POT **FEATURES** FEATURES FEATURES Wide heating surface allows the Thick base for good slow simmer Wide bottom are for cooking of meats and vegetables in Ideal for stocks, soups, pastas, bulk maximum heat conduction Ideal for slow cooking stews, limited amounts of liquid vegetables and sea food Ideal for long slow cooking which Smaller diameter and taller height of sauces, soups, casseroles allows the liquid to add juices flavour pot preserves liquid longer and forces and roasts while reducing Also used as a hot bath in conjunction the liquid to bubble up through the the content with tapered sauce pans for melting ingredients, maximizing flavour transfer Two loop handles for easier butters, heating sauces or for pouring and movement blanching vegetables FRYING PAN **SAUTE PAN** SAUCE PAN FEATURES FEATURES Curved side walls for easy Wide bottom area for maximum heat Hybrid sauce pan and frying pan stirring food out of the pan Ideal for frying, scrambling, Saute, brown, poach, create a stir fry Ideal for sauteing, searing, deglazing, and build a sauce Curved sides allow for thorough and poaching and stir frying Straight high sides help contain food Sloped sides prevent steam efficient whisking of ingredients from forming in the pan and expose all sides to heat



S/STEEL COOKWARE

When using Infiniti cookware, you can be sure that you're using cookware of the highest professional quality with a 5 year guarantee on selected ranges. If your budget allows always use S/Steel.

FEATURES

- 18/10 S/Steel in 2MM thickness, satin finished
- Anatomical heat resistant and S/Steel handles
- Lids recessed for perfect fit

- Drip proof edge
- For use on any heat source
- Thermodiffusing sandwich base: s/steel / aluminium
- Best quality S/Steel for commercial and industrial use. Long lasting and









POTS - S/STEEL



PANS - S/STEEL

5 YEAR

CASSEROLE

PSC0006 - 6LT - 240 X 140MM PSC0010 - 10LT - 280 X 180MM PSC0012 - 12LT - 300 X 180MM PSC0016 - 16LT - 320 X 190MM PSC0020 - 20LT - 350 X 210MM PSC0030 - 30LT - 400 X 250MM PSC0060 - 60LT - 500 X 310MM









PSC4004 - 4LT - 240 X 95MM PSC4008 - 8LT - 300 X 120MM **PSC4019** - 19.5LT - 400 X 155MM



















LOW CASSEROLE

POC0089 - 8.9LT W/LID PRC0089 - 8.9LT W/LID PGC0089 - 8.9LT W/LID







FEATURES

- Equipped with two easy pouring spouts
- S/Steel handle for easy handling and heat resistance
- Inside and outside satin finish

- Triple thermo-diffusive sandwich base
- Made of 18/10 S/Steel









S/STEEL PANS - INDUCTION

FEATURES

- Frying pans made of 18/10 S/Steel
- The special Impact welding system of the sandwich bottom (S/Steel-Alu) offers maximum robustness and resistance with professional use
- Highest performance on all kinds of stoves, either gas, vitroceramic, electric or induction
- The Excalibur non-stick coating is applied on this range





PANS

WHAT FUSION OFFERS OVER CONVENTIONAL NON-STICKS?

- It is totally free of any PTFE and PFOA
- Because it is ceramic, Fusion can be taken to extreme temperatures



FRYING PAN 'CERAMIC COATED' S/STEEL

It is waterborne (many conventional non-sticks use contaminating

It cures at a lower temperature, using less energy and saving money

PCF1024 - 240MM PCF1028 - 280MM PCF1032 - 320MM











FEATURES

Grill of cast aluminium with durable non-stick coating PFOA free and S/Steel handle



GRILL PAN 'BLACK SERIES' CAST ALUM INDUCTION

PCG0028 280 X 280MM











NON-STICK CAST ALUMINIUM BLACK SERIES RANGE

New 'Black Series" range offers top-notch performance while offering a maximum of energy and time saving on gas, electricity, vitro ceramic and induction.

FEATURES

- Very resistant to distortion
- High quality



- Durable non-stick coating
- Recommended for ovens

FRYING PAN 'BLACK SERIES' CAST ALUM INDUCTION

PCF0024 - 240MM PCF0028 - 280MM PCF0030 - 300MM









ALUMINIUM COOKWARE



USE AND CARE OF ALUMINIUM

- Cool before washing or soaking to prevent warping and accidental burns in
- Wash after each use and dry immediately to preserve appearance.
- Always add salt to the boiling liquid and stir until dissolved. Undissolved salt should not remain on aluminium surface as this may cause pitting.
- Do not allow acidic or salty food to remain in aluminium for long periods of time as this may also cause pitting and discolouration.
- Minerals in water and foods may stain aluminium. Automatic dish washing may increase the staining when the high heat in the drying cycle combines with the minerals and chemicals in water. Hand washing is therefore recommended to preserve the attractive finish of aluminium cook ware.
- To remove burnt food fill the pan with water to cover and simmer over low heat until particles loosen, occasionally scraping burnt particles with a wooden spoon. After simmering, scour, wash normally, rinse in hot water and dry immediately.
- Stains and discolouration can be removed by boiling a solution of 2 to 3 tablespoons of cream of tartar, lemon juice or vinegar to each litre of water for 5 - 10 minutes. then lightly scour with a soap filled scouring pad.
- Cooking acidic food such as tomatoes or rhubarb will remove the stains naturally without affecting the cooked food product.
- To remove stains from an aluminium exterior use a a non abrasive cleaner.
- Use wood, plastic or smooth edged metal utensils. Sharp edged tools such as knives and beaters may scratch the aluminium.







POTS - ALUMINIUM

When using Infiniti cookware, you can be sure that you're using cookware of the highest professional quality.

FEATURES

- 99.5% extra heavy pure aluminium, satin finished
- Heat resistant, comfortable handles
- Lids recessed for perfect fit extra heavy duty base
- Extra heavy duty base

- For use on any heat source
- Can be used on an open flame
- S/Steel handles



CASSEROLE

PAC0008 - 8LT - 250 X 150MM PAC0012 - 12LT - 300 X 180MM PAC0020 - 20LT - 350 X 210MM PAC0030 - 30LT - 400 X 250MM PAC0060 - 60LT - 500 X 310MM PAC0105 - 105LT - 600 X 370MM









STOCK

PAS0025 - 25LT - 320 X 320MM PAS0034 - 34LT - 350 X 350MM **PAS0050** - 50LT - 400 X 400MM







PANS - ALUMINIUM



FRY

PAF0024 - 240MM PAF0032 - 320MM PAF0040 - 400MM

FEATURES

- Manufactured from the very best quality aluminium which allows fast and even heat distribution
- Not for oven use
- Easy to clean
- Multi layer non-stick coating









PAF1324 - 240MM PAF1424 - 240MM



PANS - ALUMINIUM



PANS - BLACK IRON





IRON OMELETTE

PBO1180 - 180MM

PBO1240 - 240MM

PANS

FEATURES

- Made from aluminium for maximum strength and durability
- Professional-quality, heavy-gauge aluminuim provides fast, even heating and superior cooking performance while limiting hot spots
- S/Steel handle
- QuanTanium® is an internally reinforced multi-coat non-stick coating system







USE AND CARE OF BLUE STEEL

When used for the first time, the blue steel pan should be washed with hot water and liquid soap, rinsed and dried properly. Heat the pan and once it is hot, put a little oil or fat together with onions, bread and vegetable peels into it for a few minutes. Throw these ingredients away and wash the pan in hot water and dry. If you do not use it immediately, lightly oil the cooking surface and store it away.

FEATURES

- Medium duty blue steel between 1 and 1.5MM thick
- For less powerful heat sources
- Quick heating time
- Extra strong handles



PANS

FEATURES

- This Lyonnaise profile pan made from 2MM (14 gauge) blue steel plate gives very good heat distribution. Great for searing, frying, stir-frying and sautéing
- Lyon-shaped with high sides and curved skirt to easily flip and turn the food
- Perfect heat conduction

- Strip steel handle is firmly riveted
- Non-stick surface can be obtained when seasoned and cured correctly the more you use and appropriately maintain it, the slicker the surface will become
- For all heat sources (induction only with moderate temperatures)



BLUE STEEL FRY HEAVY DUTY

PBF3360 360MM



FEATURES

- Perfect for open flame
- Non stick coating



BLACK STEEL FRYING

PBF2200 - 200MM

PBF2220 - 220MM

PBF2240 - 240MM

PBF2300 - 300MM **PBF2320** - 320MM

POTS - ALUMINIUM CASSEROLE (VALUE)



PAC1006 - 6LT - 240 X 140MM PAC1008 - 8LT - 250 X 150MM PAC1012 - 12LT - 300 X 180MM PAC1020 - 20LT - 350 X 210MM

PAC1030 - 30LT - 400 X 250MM





POTS - S/STEEL



CASSEROLE (VALUE)

PSC3019 - 2.4LT - 160 X 120MM PSC3044 - 4.4LT - 200 X 140MM PSC3006 - 6LT - 220 X 155MM PSC3010 - 10LT - 280 X 155MM PSC3012 - 12LT - 260 X 225MM PSC3016 - 16LT - 280 X 250MM PSC3020 - 20LT - 320 X 260MM PSC3030 - 30LT - 360 X 300MM

FEATURES

- For stocks and soups
- Quality S/Steel for commercial and industrial use. Long lasting and durable



STOCK (VALUE)
PSS3016

14LT - 260 X 260MM

PANS - ALUMINIUM

This range of cookware is made from light weight 4mm aluminium, and is ideally suited to semi-industrial use. It is perfect for use in applications such as fast food outlets, sports clubs, small canteens, flea markets, etc.



SAUTE

PAS0003 - 3LT - 250 X 70MM **PAS0005** - 5LT - 300 X 66MM **PAS0008** - 8LT - 350 X 70MM

PANS



CONICAL SAUCE PAN S/STEEL

CPS0180 - 1.15LT - 180MM **CPS0220** - 1.45LT - 220MM **CPS0240** - 2.8LT - 240MM



FRY (VALUE) S/STEEL

PSF3020 - 200 X 40MM PSF3024 - 240 X 50MM PSF3032 - 320 X 50MM



FRY (VALUE) ALUMINIUM

PAF2024 - 240MM PAF2032 - 320MM PAF2036 - 360MM

Gl@bal...

EGG POACHER



FEATURES

- Easy to clean
- Dishwasher safe



ALUMINIUM 4 CUP EPA0004 REPLACEMENT CUP

REPLACEMENT CU EPA1004





ROASTING PAN

FEATURES

- Made from aluminium for maximum strength and durability
- Professional-quality, heavy-gauge aluminuim provides fast, even heating and superior cooking performance while limiting hot spots
- S/Steel handles
- QuanTanium® is an internally reinforced multi-coat non-stick coating



ALUMINIUM NON STICK RPA0450

450 X 320MM







UTILITIES AND SMALLS UTILITIES AND SMALLS

ROASTING PANS













RSA0001 - 210 X 300 X 140MM - SMALL **RSA0002** - 240 X 360 X 180MM - LARGE



RECTANGULAR S/STEEL

RSR0001

390 x 290 x 160mm

STEAK AND KIDNEY DISHES - S/STEEL



SK1

SKS0001 - 235 X 180 X 35MM

SK2

SKS0002 - 295 X 210 X 40MM

SKS0003 - 355 X 250 X 50MM

SK4 - SHALLOW

SKS0004 - 395 X 275 X 55MM

SK4 - DEEP

SKS1004 - 395 X 275 X 75MM

SK5 - DEEP

SKS0005 - 490 X 365 X 65MM SK5 - SHALLOW

SKS1005 - 490 X 365 X 35MM

SK6

SKS0006 - 590 X 390 X 45MM

BAKING TRAYS



ALUMINIUM

BTA0001 - 650 X 530 X 10MM BTA0002 - 600 X 400 X 12MM BTA0006 - 520 X 420 X 19MM BTA0007 - 529 X 420 X 38MM BTA0008 - 650 X 530 X 40MM

BTA0011 - 600 X 400 X 20MM **BTA0014** - 600 X 400 X 40MM



ENAMELLED - BLACK

BTE0010 - 535 X 325 X 10MM BTE0020 - 535 X 325 X 20MM BTE0040 - 535 X 325 X 40MM BTE0065 - 535 X 325 X 65MM

Standard gastronorm sizes

ALUSTEEL



SMALL MUFFIN

BTA0033 35 CUP 600 X 400MM



REGULAR MUFFIN

BTA0032 24 CUP 600 X 400MM



LARGE MUFFIN

BTA0031 15 CUP 600 X 400MM



JUMBO MUFFIN

BTA0030 15 CUP 600 X 400MM



ALUSTEEL BISCUIT

BTA0020

600 X 400 X 20MM



QUICHE PANS



NON STICK QPN0280 - 285MM

QPN0300 - 320MM







BAKING SHEETS - NON-STICK

TEFLON SHEETS

FEATURES

- Can withstand temperatures of -40°C to +300°C
- Can be reused 2000 times
- Thick and durable



EXOPAT

BMN0530 - 520 X 315MM **BMN0600** - 585 X 385MM (TO FIT 600 X 400MM BAKING TRAY)



FEATURES

- Can be reused 600 - 1000 times

Can withstand temperatures of -40°C to +260°C

TEFLON SHEET TSR0400 - 400 X 600MM TSR0450 - 450 X 750MM TSR0580 - 580 X 750MM



CUTTING BOARDS - PE

FEATURES

- · Very hygienic. Available in assorted colours, which is ideal for eliminating the cross contamination of foods
- · Can also be used in conjunction with our coloured knives and cutting boards
- In line with HACCP requirements



CBP0380 - 380 X 240 X 12MM **CBP0440** - 440 X 290 X 12MM \circ CBP0500 - 500 X 380 X 13MM 0 CBP0600 - 600 X 450 X 12MM CBP0610 - 610 X 610 X 40MM **CBP1255** - 405 X 255 X 10MM CBP1500 - 500 X 380 X 13MM **CBP2255** - 405 X 255 X 10MM CBP2500 - 500 X 380 X 13MM CBP3500 - 500 X 380 X 13MM **CBP3255** - 405 X 255 X 10MM CBP4255 - 405 X 255 X 10MM **CBP4500** - 500 X 380 X 13MM CBP5255 - 405 X 255 X 10MM \bigcirc **CBP5500** - 500 X 380 X 13MM STAND - CHROME CBS0006



Purple Allergen Control cutting boards are now available to complement our full range of HACCP coloured cutting boards. Use purple cutting boards to protect your customers against food allergies in the most effective manner.

CBP7255 - 255 X 400 X 10MM **CBP7500** - 500 X 380 X 13MM



BUTCHER - FLUTED KNV2250 250MM



SKINNING KNV2150 150MM



BONING - NARROW KNV4180 180MM



SLICING KNV6300 300MM



CHEESE AND BUTTER
CKV0002
240MM



BUTCHER

KNV1200 - 200MM **KNV1300** - 310MM **KNV1250** - 50MM

KNIVES



CARVING/COOKS

KNV3150 - 150MM KNV3152 - 220MM KNV5200 - 200MM



BONING - NARROW KNV4150 150MM



SALMON - SERRATED KNV7300 300MM







UTILITIES AND SMALLS UTILITIES AND SMALLS

KNIVES

FORGED KNIVES



PARING - PLAIN KNV9080 - 80MM

Note

Available in these colours (on request):







STEAK KNIFE KNV8110

110MM

Note

Available in these colours (on request):





STEAK FORK KNF8110 190MM



CHEESE KNIFE KNV9210 210MM







SHAPING CURVED KNV9055 160MM



PARING - SERRATED

KNV9180 - 80MM

KNV9110 - 100MM



Available in these colours (on request):







POINTED STEAK KNIFE

KNV7110 110MM



Available in these colours (on request):









BREAD KNV8200 200MM



CARVING UTILITY

KNV0150 - 150MM

KNV0180 - 180MM



CARVING FORK

CFV0002 270MM





250MM



CARVING COOKS

KFV6200 - 200MM

KFV6250 - 250MM



PARING KFV8100 100MM



PARING/STEAK KFV8120

120MM



CARVING

KFV6150 - 150MM

KFV2200 - 200MM



BONING

150MM

KFV4150



PARING - CURVED KFV8070 80MM



SLICING - FLUTED KFV6260

260MM



BREAD KFV9200 230MM



CARVING FORK KFV1001 280MM







KNIFE ROLL BAGS

FEATURES

- Fully adjustable velcro knife holder to accomodate any combination of knives



SMALL ROLL BAG ONLY KSV0001

SPECIFICATIONS

MATERIAL : POLYESTER LENGTH - CLOSED : 48CM LENGTH - OPENED : 56CM HEIGHT - OPENED : 48CM



LARGE ROLL BAG ONLY KSV0002

SPECIFICATIONS

MATERIAL : POLYESTER LENGTH - CLOSED : 48CM LENGTH - OPENED : 82CM HEIGHT - OPENED



Knives not included

KNIVE SETS



CLASSIC KVS0015 3 PIECE PRISM PARING SET SET CONSISTS OF

Tomato and sausage knife, paring knife plain and paring knife serrated



PARING KNIVES VPK0001 SET OF 3

SET CONSISTS OF

Tomato & sausage knife, paring knife plain and paring knife serrated



ZEST PARING VZP0001 SET OF 3

SET CONSISTS OF

Tomato and sausage knife, potato peeler and paring knife plain

KNIVES

WHAT MAKES A GOOD KNIFE?

- Most important is how well its blade will take and hold an edge Sharpness
- A good knife will stand up to generations of daily use without undue wear or deterioration Durability
- Materials and construction details of the handle should minimise crevices that offer hospitality to bacteria Hygiene

WHY COLOUR CODE YOUR KITCHEN?

Prevent cross contamination between different areas in the kitchen or different food types

Note

Available in these colours:











BONING NARROW KNG4200

200MM





BONING NARROW KNG4150

150MM



KNG1200 - 200MM

KNG1620 - 200MM O KNG1320 - 200MM KNG1420 - 200MM KNG1720 - 200MM KNG1250 - 250MM KNG1520 - 200MM KNG1300 - 300MM

KNG1220 - 200MM



COOKS

KNG5200 - 200MM KNG7250 - 250MM KNG5250 - 250MM KNG4250 - 250MM KNG8250 - 250MM KNG6250 - 250MM

KNG3250 - 250MM KNG5300 - 300MM KNG9250 - 250MM

BONING BROAD

KNG6150 - 150MM KNG3150 - 150MM KNG5150 - 150MM KNG9150 - 150MM KNG8150 - 150MM KNG7150 - 150MM KNG1150 - 150MM



0

 \bigcirc





KNIVES

FORGED KNIVES





SALMON/HAM SLICER - PLAIN

KNG6300

300MM

SANTUKA KNG0011 180MM



SHAPING - CURVED KNG9050 50MM

KNP8200





KNP9075







KFG0002

200MM

COOKS

PARING

KFG9115

115MM

KFG3150

150MM

KFG5250 - 250MM





KFG1250 - 250MM



KFG1150 - 150MM

KFG1200 - 200MM







CARVING FORK KFG0001 310MM










KNIVE SETS - FORGED





12 PIECE

KSG0012

SET CONSISTS OF KFG0001, KFG1150, KFG1200, KFG1250, KFG3150, KFG5150, KFG5200, KFG5250, KFG8200, KFG9090, KFG9115, KFG0002



6 PIECE

KNG0006

SET CONSISTS OF KNG1200, KNG3150, KNG6300, KNG8200, KNG5200, KNG9100

KNIFE BAGS



ROLL BAG ONLY

KST0002

FOR 12 PIECE

Note

Excludes knives

ROLL BAG ONLY KST0001

FOR 6 PIECE

Note

Excludes knives

GREAT SAVINGS - BUY IN BULK



PARING KNIFE COLOUR KNG0002 100MM BOX SET 60 PIECE



PARING KNIFE BLACK KNG0001 100MM BOX SET 20 PIECE



BUTCHER KNC1250 245MM



COOKS KNC5250 245MM



NARROW BONING KNC4150 150MM



PARING KNC9100 100MM



SKINNING KNC2150 150MM



BONING KNC3150 150MM



SERRATED BREAD KNC8200 200MM



BAKERS SERRATED KNB9070 70MM







KNIFE STERILISING CABINET



FEATURES

- Holds up to 30 knives
- Fitted with a 2 hour timer
- The low 'e' glass viewing window protects the operator from potentially hazardous light emitted by the sterilizing lamp
- Magnetic door latch
- Lockable unit
- The unit can either be wall mounted or freestanding
- The sterilizing lamp switches off automatically when the door is opened
- Low power output of only 15W, only effective is lamp is changed every 8000 hours (1-2) years

30 KNIVES

KSC1001

SPECIFICATIONS

Voltage : 230V

Dimensions : 634H X 185D X 527W MM

Weight : 14KG Power : 25W



KNIFE SHARPENERS



STEEL EGGINGTON

SSE0350

350MM



ELECTRIC CHEF'S CHOICE

EKS0120



ELECTRIC EKS0001

STEEL GRUNTER

SSM0300 - 300MM

SSM0350 - 350MM



HAND HELD LANSKY KSH0001



SHARPENING STONE SSK0001

WATER BASE 50 X 150 X 25MM SSK0002

HAND HELD ACCUSHARP

KSH0002

OIL BASE 50 X 150 X 25MM





MAGNETIC KNIFE HOLDERS



MKH0450 - 450MM MKH0600 - 600MM





KNIFE

FEATURES:

- Handle removable for easy cleaning



CHOPPING KNIFE TWO HANDLE CKT0210 255MM



CUT RESISTANT GLOVE CRG1000 CHAIN MAIL

GLOVE



OYSTER KNIVES



STRAIGHT BLADE KNO0002 155MM









BUTTER PADS WOODEN
BPW0001
290MM





CHEESE CUTTERS







ALUMINIUM EGG SLICER AND WEDGER





EGG SLICER ESA0010 10 WIRE

HAND HELD SLICERS



FEATURES

- S/Steel and polymer composite
- Cuts easily and perfectly all fruits and vegetables, even the softest ones (tomatoes, pears, pineapples, etc)
- Micro-serration of the blade enables the thinnest cut of fruit / vegetable with skin and preserves their flesh composition

KOBRA SHK0001

Ideal to slice and prepare vegetables for salad and garnish. Slice perfect potatoes for chips. s/steel for best quality and longer lifespan. Supplied with 1 X straight cut blade, 1 X crinkle cut blade and 1 X double horizontal blade (straight/serrated) and 1 X double julienne blade (4MM & 10MM).



MANDOLINE SLICER S/STEEL

MASO001 WITH PUSHER

Note

Spare blades available on request



PEELERS













POTATO PPV0002 BLACK



TOMATO & KIWI PPV0004 SERRATED EDGE







POTATO JULIENNE CUTTER PPV0005



VICTORINOX



JULIENNE SLICING SET



FINE SLICER HAND FSH0001



JULIENNE SLICING JSS0003 X 3 INCLUDES 1 X STRAIGHT BLADE 2 X JULIENNE BLADES





HAND UTENSILS NON-SLIP

Ergonomically designed non - slip, easy grip handles





178 X 230 X 20MM 30MM DIAMETER

POTATO PEELER

RUBBER HANDLE



POTATO PEELER RUBBER HANDLE TRIANGLE

BUTTER CURLER

S/STEEL - BLACK

BCS0001

23 X 210 X 33MM

PPH0004 163 X 52 X 20MM



MELON BALLER SINGLE MBS0028

133 X 35 X 20MM 30MM DIAMETER



LEMON ZESTER S/STEEL LZS0001

160 X 30 X 20MM

BALLER AND CANAL KNIFE

STRAIGHT

175 X 30 X 20MM

PPH0003



MELON BALLER DOUBLE MBD1026 26MM / 22MM



CANAL KNIFE S/STEEL CKS0001 170MM




CARVING SET

CARVING SET TRIANGLE CST0003 3 PIECE

SET CONSISTS OF

- Melon baller single 10MM
- Double melon baller 22MM and 30MM
- Decorating tool.

SKEWERS - S/STEEL



MEAT SPIKE/ SOSATIE STICK MSS0001

KEBAB SKEWER OVAL

KSS1300 300MM (PACK OF 12)

KEBAB SKEWER FLAT

KSS0300 300MM (PACK OF 12)



BUTCHER HOOKS

S/STEEL HOOKS

SHS2100 - 4"/100MM (PACK OF 12) SHS2150 - 6"/150MM (PACK OF 12) SHS2200 - 8"/200MM (PACK OF 12)

STEEL SWIVEL HOOKS

SHS2250 - 10"/250MM

STEEL S HOOKS - GALVANISED

SHS0100 - 4"/100MM (PACK OF 12) **SHS0150** - 6"/150MM (PACK OF 12) SHS0200 - 8"/200MM (PACK OF 12)

STEEL SWIVEL HOOKS **GALVANISED**

SHS0250 - 10"/250MM (PACK OF 12)

STEEL BILTONG HOOKS GALVANISED

SHB0001 - PACK OF 1000

LARDING NEEDLE



ROLL BEEF NEEDLE RBN0300 300MM (LENGTH OF NEEDLE)



HAND MEAT MALLETS



WOODEN HANDLE MMH0001 300MM



ALUMINIUM MMH0002 250MM

BUTCHER BLOCK AND STAND

FEATURES

- Tough epoxy powder coated finish
- Robust construction with heavy duty levelling feet
- Easy to assemble

- New flat packed
- Includes knife holder



BUTCHER BLOCK AND STAND PE BBP0610

610 X 610MM

SPECIFICATIONS

CUTTING SURFACE : 610 X 610MM **DIMENSIONS**

: 616 X 616 X 940MM : 200 X 910 X 620MM FLAT PACK WEIGHT

OTHER ORDER CODES CUTTING BOARD PE

CBP0610

610 X 610 X 40MM

BUTCHER BLOCK STAND ONLY





SHEARS



PORK SHEARS PSG0002 280MM



POULTRY SHEARS PSG0001 265MM



MULTIPURPOSE SHEARS MSG0001 300MM - BLACK







MULTIPURPOSE SHEARS MSV0001 200MM - RED



VICTORINOX



HAND SAW



PLASTIC HANDLE HSP0550 550MM

BLADES ONLY HSP1002 550MM

BAR OPTICS



WALL MOUNTED BOS0004 4 BOTTLES



Guaranted that each measure is exactly 25ML

PLASTIC ECLIPSE BOP0025 25ML



PLASTIC SPEED POURERS PSP0001 (PACK OF 10) ASSORTED COLOURS



SPEED POURERS METAL SPM1001 **METAL TAPERED** SPM1002

COCKTAIL AND BOSTON SHAKERS - S/STEEL



COCKTAIL SHAKER CSS0700 700ML



BOSTON SHAKER BSS0828 828ML

BAR MUDDLER

The distinct pyramid-shaped burls are designed to achieve optimum results when muddling.





MUDDLER PLASTIC MUD0210 240MM





COCKTAIL STRAINERS







BOTTLE OPENER AND BOTTLE CAP CATCHER

TOT DRAINER - S/STEEL

TOT MEASURES - S/STEEL

TOT DRAINER TDS0001 200 X 160 X 35MM









BOTTLE OPENER WALL MOUNTED BOW0001 47 X 100 X 30MM



BOTTLE TOP CATCHER WALL MOUNTED PLASTIC BOW0002

145 X 36 X 310MM

WAITERS FRIENDS









ECONO PLASTIC WFI2001

TMS0003

25/50ML







CHROME

WFI1001



BOTTLE OPENERS



BLACK BBS0001



S/STEEL BBS0002





WINE OPENERS



300 X 450MM



WING TYPE WINE OPENER - CHROME WTO0001

BAR AND SERVICE MATS - BLACK





BAR CADDIES





CONDIMENT HOLDER S/STEEL BCD2006





BAR CADDY CONDIMENT HOLDER



BLACK BCD0001

Note

Excludes condiments

GLASS RIMMER



COMBINATION 3 TIER - BLACK GRC0003

STORE 'N POURS



COMPLETE
SNP0001 - 1LT
SNP0002 - 2LT
SNP2001 - 1LT
SNP2002 - 2LT
SNP3001 - 1LT
SNP3002 - 2LT
SNP4001 - 1LT
SNP4002 - 2LT
SNP5001 - 1LT
SNP5001 - 1LT


BAR SPOONS - S/STEEL



ICE BUCKET STAND - TABLE MOUNTED



ICE BUCKET STANDS FLOOR STANDING









ICE BUCKETS

Perfect for mini bottles of wine or mineral water and ideal for room service and mini bars.



ALUMINIUM IBA0003 1.3LT - MINI 160 X 125MM



DOUBLE WALLED WITH LID - S/STEEL IBD0001



KNOB WITH S/STEEL IBS0010 1.2 LT - MINI



WINE COOLER DOUBLE WALLED S/STEEL WCC0001 1.9LT - 12 X 20CM



WINE ALUMINIUM IBA0001 8LT - 195 X 216MM





VALUE S/STEEL IBS0008 4LT - 215 X 205MM



PLASTIC WITH LID IBP1012 - 1.2LT IBP1020 - 2LT







CHAMPAGNE S/STEEL IBS0003 8LT - 225 X 255MM



BUCKET AND LID S/STELL BKS0020 - 20LT BKS0015 - 15LT BKS0012 - 12LT

ASHTRAYS



ROUND S/STEEL SASOOO1 SMALL



WIND PROOF S/STEEL SAS1001 115MM X 70MM



CLUB ROUND - GLASS AS0030-41 102MM

CAMTREAD NON-SLIP FIBERGLASS TRAYS





FEATURES

- Camtread trays rubber liner prevents slipping and sliding of glass and dinnerware
- Heavy duty construction with metal reinforcement rods eliminates warping
- Rubber liner is permanently bonded to the tray
- Stain and odour resistant
- Dishwasher safe



ROUND

CFT0355 - 35.5CM - BLACK CFT0405 - 40.5CM - BLACK



OVAL

CFT0685 - 56 X 68.5CM - BLACK **CFT0735** - 60 X 73.5CM - BLACK



RECTANGULAR CFT5150 38 X 51.5CM



CAMTRAYS

FEATURES

- Extremely durable fiberglass constructionShock and impact resistant
- Scratch and stain resistant
- Excellent for heavy duty use
- 5 year pro rated warranty
- Personalisation printing



MARKET TRAY FIBERGLASS BLACK MFT0250 22.5 X 64.9 X 2.5CM



POLYPROPYLENE FAST FOODTRAY RED PFT0410 30 X 41CM



TUFF TRAYS

Tuff Trays offer more in style, design and colour to suit your every need. Resilient to the demanding needs of institutions, restaurants, pubs and clinics

FEATURES

- Made in South Africa
- Heavy duty, will not warp
- Chip resistant and unbreakable
- Dishwasher safe (excluding non-slip trays)

- Defies food acids and staining
- Colour of trays will never fade
- Different colours available for different customer requirements
- Genuine TUFF TRAYS If it doesn't say TUFF it isn't



RECTANGULAR NO. 4

TTR2104 TTR2204

SPECIFICATIONS

DIMENSIONS : 215 X 350MM



RECTANGULAR DISPLAY TRAY NO. 5

TTR2105 TTR2205

SPECIFICATIONS

DIMENSIONS : 450 X 310MM



RECTANGULAR NO. 6

TTR2306 TTR2406

RECTANGULAR NO. 6 - NON-SLIP

TTR3306

TTR3406

SPECIFICATIONS

DIMENSIONS : 280 X 400mm



Note

Also available on request in these colours:







TUFF TRAYS



RECTANGULAR NO. 12

TTR2212 TTR2312 TTR2412 Ŏ

RECTANGULAR NO. 12 NON-SLIP

TTR3212 TTR3312 TTR3412

SPECIFICATIONS

DIMENSIONS : 355 X 435MM







RECTANGULAR NO. 13

TTR3013 TTR3113

SPECIFICATIONS

DIMENSIONS : 325 X 530MM

TUFF TRAYS

TUFF TRAYS



RECTANGULAR NO. 14 TTR2114 TTR2214



SPECIFICATIONS DIMENSIONS

RECTANGULAR NO. 14 NON-SLIP

FOOD TRAY

TTR3613

3 COMPARTMENTS

SPECIFICATIONS

DIMENSIONS : 345 X 264 X 33MM



ROUND - 320MM

TTR2132 TTR2232 TTR2332 TTR2432



ROUND - 320MM - NON-SLIP

TTR1132 TTR1232 TTR1332

TTR1432 Ŏ

DIMENSIONS



CAFETERIA TRAY - WHITE

TTR3713

3 COMPARTMENTS

SPECIFICATIONS

DIMENSIONS : 345 X 205 X 20MM



SPECIFICATIONS

: 320MM

: 380 X 525MM



RECTANGULAR UTILITY - WHITE

TTR2415

SPECIFICATIONS

DIMENSIONS : 300 X 150MM

Note

Any of these trays can also be branded with a corporate logo or brand Minimum quantity required for printing: 300



ROUND - 400MM TTR2140

TTR2240 TTR2440



ROUND - 400MM - NON-SLIP

TTR2340 TTR1140 TTR1240



SPECIFICATIONS

DIMENSIONS

: 400MM



RECTANGULAR NO. 18

TTR2318 TTR2418

RECTANGULAR NO. 18 - NON-SLIP

TTR3318

SPECIFICATIONS

DIMENSIONS : 430 X 585MM



SERVICE TRAYS



RECTANGULAR UTILITY BLACK

TRN0380 380 X 510MM

ROUND UTILITY BLACK

TRN0356 - 356MM TRN0040 - 400MM





ROUND TRAY



ROUND - S/STEEL 330MM




Gl@bal...

INNOVATIVE MATS

FEATURES

- Interlocking rubber tiles
- Ideal for bars and kitchens
- Open holes allow drainage of spilt liquids

- Reduces the risk of slipping on wet/greasy surfaces
- Effective anti-fatigue properties
- Easy to install, move, clean and replace



FATIGUE STEP


SS010006 - 0.9M X 0.9M X 14MM **SS010001** - 0.9M X 0.9M X 19MM

Versatile interlocking rubber floor tiles

INNOVATIVE MATS

FEATURES

- Hygienic anti-microbial properties
- 100% nitrile excellent resistance to grease, oils, fats and detergents
- Raised cross-grip surface for effective slip-resistance
- Open holes allow spilt liquids to drain efficiently



KMAT KM010001

Bevelled edges all round

1.4 X 0.85M

Best-selling 'safety floor' kitchen mat

Open drainage holes for spilt liquids Made from hardwearing NBR rubber

Cushioned surface for comfort / reduced breakage

Easily cleaned in a commercial washing machine

FEATURES

- An economical anti-fatigue mat for the workplace
- Raised circular surface for superior slip resistance
- Conforms to Slip Resistance Test EN 13552 Category 10
- Moulded bevelled edges reduce trip hazards

RAMPMAT RP010001

1.5M X 0.9M X 10MM

An economical anti-fatigue mat

FEATURES

- Flexible PVC tile for bar shelves
- Hygienic PVC does not support the growth of bacteria
- Holes provide efficient drainage and allow air to circulate

Simply interlink to cover desired area

- Easily cleaned in a commercial dishwasher

FLEXI-DECK FD010001

30 X 30CM (PACK OF 9)

Hygienic storage surface for glasses

FEATURES

- Ideal non-slip liner for bars, shelves and trays
- Easy to cut and trim to shape

- Machine washable
- Manufactured from foam PVC



GRIPSAFE **GS010001** - 0.6 X 10M GS010002 - 0.6 X 1.2M

Gives surfaces enhanced grip

INNOVATIVE MATS

FEATURES

- Superior 'brushing and wiping' with 'rapid dry' properties even out performs cotton
- Flexible, ultra-fine fibres provide deep cleaning action on passing footwear



- Luxuriously soft pile that looks smart and will not lint
- Environmentally-friendly does not require chemical pre-treatment or washing detergents

MICRO-FIBRE

MF010001 - 0.9 X 0.6M **MF010002** - 0.9 X 1.5M

Economical anti-fatique mats

FEATURES

- Orthomat® is regarded as one of the leading names in anti-fatigue matting
- Specifically designed to reduce the onset of fatigue caused by prolonged standing



- Durable, yet very comfortable matting
- Manufactured from 100% closed cell PVC foam, providing the right balance of underfoot cushioning and support, while encouraging healthy circulation

ORTHOMAT - BLACK

0.45 X 0.9M







Durable and comfortable Orthomat®

PIZZA PANS



PERFORATED ALUMINIUM ROUND

PPR1200 - 200MM PPR1250 - 250MM PPR1300 - 300MM PPR1400 - 355MM



ALUMINIUM ROUND

PPR0200 - 200MM PPR0250 - 250MM PPR0300 - 300MM

PIZZA SCREENS



ALUMINIUM ROUND

PSA1180 - 280MM PSA1195 - 300MM PSA1210 - 330MM PSA0430 - 430MM



PIZZA CUTTERS AND LIFTERS







PRO LIFTER ROUND PCT2003 260MM



PRO LIFTER PCT2002 200 X 505MM



CUTTER HEAVY DUTY W/HANDLE PCT1001 130MM





PIZZA SCOOP AND SHOVELS



SHOVEL WOODEN SQUARE HEAD PSS1600 1300MM 345 X 345MM







UTILITIES AND SMALLS UTILITIES AND SMALLS

PLASTIC DOUGH SCRAPERS

ROLLING PINS





SCRAPER PSR0216 216 X 128MM



SCRAPER PSR0121 121 X 81MM



SCRAPER PSR2110 110 X 80MM

SCRAPER

198 X 148MM

PSR0198



SCRAPER PSR0148 148 X 99MM



DOUGH CUTTERS



PLASTIC HANDLE

DCS0002 - 135 X 135MM DCS0003 - 120 X 120MM

PLASTIC HANDLE - FLEXIBLE

DCS0004 120 X 150MM





WOOD HANDLE DCS0001 - 150 X 115MM DCS0005 - 150 X 190MM

CHEFS GAS TORCHES

The essential tool for any pastry chef. For creme brulée, browning, etc.



MICRO CTG0001



PROFESSIONAL CTG0002



DOUGH CUTTERS







2 WAY

DCC2035

35MM

CROISSANT CUTTER







CUTTER SETS - S/STEEL



PLAIN RCP0010 - 10 PIECE RCP0020 - 20 PIECE FLUTED RCF0010 10 PIECE



MOUSSE RINGS ROUND MRR0001 3 PIECE



MOUSSE RINGS SQUARE MRS0001 3 PIECE

EXPANDABLE DOUGH CUTTER WHEELS



PLAIN
DCW1007
7 WHEEL
FLUTED
DCW2007
7 WHEEL



NOZZLE SETS



PI ASTIC

NSA0012 - 12 PIECE - ASSORTED NSP0006 - 6 PIECE - PLAIN NSP1006 - 6 PIECE - STAR



STAR - METAL NSM1010 10 PIECE



PLAIN - METAL NSM0010 10 PIECE



PLAIN - S/STEEL NSS0012 12 PIECE

NOZZLES - INDIVIDUAL



INDIVIDUAL STAR - METAL

| NIM1002 - 2MM | NIM1011 - 11MM |
|----------------|-----------------------|
| NIM1003 - 3MM | NIM1012 - 12MM |
| NIM1004 - 4MM | NIM1013 - 13MM |
| NIM1005 - 5MM | NIM1014 - 14MM |
| NIM1006 - 6MM | NIM1015 - 15MM |
| NIM1007 - 7MM | NIM1016 - 16MM |
| NIM1008 - 8MM | NIM1017 - 17MM |
| NIM1009 - 9MM | NIM1018 - 18MM |
| NIM1010 - 10MM | |



INDIVIDUAL PLAIN - METAL

| INDIVIDUAL PLAIN - IVICIAL | |
|----------------------------|----------------|
| NIM2002 - 2MM | NIM2012 - 12MM |
| NIM2003 - 3MM | NIM2013 - 13MM |
| NIM2004 - 4MM | NIM2014 - 14MM |
| NIM2005 - 5MM | NIM2015 - 15MM |
| NIM2006 - 6MM | NIM2016 - 16MM |
| NIM2007 - 7MM | NIM2017 - 17MM |
| NIM2008 - 8MM | NIM2018 - 18MM |
| NIM2009 - 9MM | NIM2020 - 20MN |
| NIM2010 - 10MM | NIM2022 - 22MM |
| NIM2011 - 11MM | NIM2024 - 24MM |
| | |



STAR - S/STEEL NSS1012 12 PIECE



CREAM HORN - S/STEEL CHS0001







NOZZLE SETS - POLYCARBONATE

PIPING BAGS

MIXING BOWLS



ASSORTED PLAIN NSP0012 12 PIECE

ASSORTED NSP0024 24 PIECE



POLYURETHANE

PBP0040 - 400MM **PBP0045** - 450MM **PBP0050** - 500MM



PIPING BAGS

FEATURES

- Clear safe food grade plastic
- Sterile interior
- Non-slip exterior easy to hold
- Can hold hot or cold fillings
- Can be dispensed from the box
- World wide patent double seal technology

- Anti bursting functionality
- Compatible with all piping bag nozzles
- Ovenable up to 110°C
- Microwavable
- Freezable up to -30°C



PIPING BAG

PBT0500 - 500MM NO. 5 PBT0550 - 550MM NO. 6 PBT0600 - 600MM NO. 7 PBT0650 - 650MM NO. 8

PBT0250 - 250MM NO. 0 **PBT0280** - 280MM NO. 1 **PBT0340** - 340MM NO. 2

PBT0400 - 400MM NO. 3 **PBT0460** - 460MM NO. 4



DISPOSABLE DPB0001 ROLL OF 72



PIPING BAG RACK



WALL RACK PBT0001510 X 445MM

For storing bags and nozzles when not in use






TAPERED

MBT0001 - MB 1 - 265 X 80MM (2.4LT) MBT0002 - MB 2 - 285 X 100MM (4LT) MBT0003 - MB 3 - 310 X 120MM (5.5LT) MBT0004 - MB 4 - 380 X 130MM (8LT) MBT0005 - MB 5 - 450 X 130MM (13LT) MBT0006 - MB 6 - 480 X 175MM (17LT)

MBT1002 - MB 2 (MINI) - 180 X 65MM (800ML)




| BOWL | SIZE A | SIZE B | SIZE C |
|---------|--------|--------|--------|
| MBT0001 | 265MM | 150MM | 80MM |
| MBT0002 | 285MM | 170MM | 100MM |
| MBT0003 | 310MM | 200MM | 120MM |
| MBT0004 | 380MM | 225MM | 130MM |
| MBT0005 | 450MM | 250MM | 130MM |
| MBT0006 | 480MM | 250MM | 175MM |
| MBT1002 | 180MM | 90MM | 65MM |





MBS0400 - 400MM (12.3LT)



| BOWL | SIZE A | SIZE |
|---------|--------|-------|
| MBS0220 | 220MM | 95MM |
| MBS0240 | 240MM | 110MM |
| MBS0290 | 290MM | 130MM |
| MBS0340 | 340MM | 150MM |
| MBS0400 | 400MM | 170MM |
| | | |





MBS0001 - 800ML MBS0002 - 1200ML MBS0003 - 2500ML



MEASURING JUGS

BOARD BRUSH

MEASURING CUP AND SPOON SET

Embossed and printable measures



PLASTIC MJP0001 - 1LT MJP0002 - 2LT MJP0005 - 5LT



S/STEEL MJS0500 - 500ML MJS0001 - 1LT MJS0002 - 2LT







RIM SIEVE

SSS3001 - 300MM SSS3002 - 350MM SSS3003 - 400MM SSS3004 - 450MM



MANUAL S/STEEL CJM0001

BASTING BRUSHES













250ML 125ML

80ML 60ML

MEASURING CUPS - S/STEEL MCS0004 4 PIECE



2.5ML 1.25ML

MEASURING SPOONS MSS0004 4 PIECE (PACK OF 12)

COOLING TRAY

ICING STAND TURNTABLES

FEATURES

- Can be used in an Anvil Grande Forni Oven









SPRING FORM TINS

CAKE DIVIDERS - PLASTIC



ROUND SFT2024 - 240MM SFT2026 - 260MM SFT2028 - 280MM



265MM CDP0010 - 10 PIECES **CDP0012** - 12 PIECES

CDP0014 – 14 PIECES **CDP0016** - 16 PIECES





SPRING FORM TINS CAKE TINS



NON-STICK SFT3024 - 240MM SFT3026 - 260MM SFT3028 - 280MM



ROUND S/STEEL CRR0200 - 200 X 58MM CRR0250 - 250 X 58MM CRR0300 - 300 X 58MM

SPONGE TIN



STR0200 200 X 70MM



BREAD TRAYS - ALUSTEEL







BREAD TRAYS



FIVE TRAY - ALUSTEEL 584 X 284 X 115MM 270 X 100 X 115MM - PER BREAD PAN



THREE TRAY - ALUSTEEL BTA0050 354 X 284 X 115MM



FIVE TRAY BREAD PAN LID MILD STEEL BTA0501 589 X 289MM

Note Lid for BTA0500



SILICONE MOULDS



ROUND PLAIN EDGE MSR0260 255 X 40MM



ROUND FLUTED EDGE MSR0280



MUFFIN 6 CUPS MSM0006 70 X 40MM



MUFFIN 5 CUP MSM0005 80 X 40MM

255 X 32MM



SQUARE MSS0240

240 X 240 X 44MM







SILICONE MOULDS

FEATURES

- · Formaflex silicone moulds featured with creative and nice shapes, easy to mould sweet or salty monoportions.
- Resistance between -40° up to +280°C



FORMAFLEX 6 PORTION GUGLHUPF MSG0006 300 x 175MM



RECTANGULAR MSR0240 275MM



GUGELHUPF MSG0220 240MM



MUFFIN 12 CUPS MSM0012 70 X 30MM



LATTICE CUTTER WHEEL AND SPIKE ROLLER



LATTICE CUTTER WHEEL LCW0150 130 X 210MM



SPIKE ROLLER PLASTIC SRP0001 120 X 210MM



ICING SPATULAS / PALLET KNIVES

Ideal for splitting sponge and large bakes













WHISKS - S/STEEL



FRENCH
WHF0300 - 300MM
WHF0350 - 350MM
WHF0400 - 400MM
WHF0450 - 450MM
WHF0500 - 500MM
WHF0550 - 550MM



PIANO WHP0250 - 250MM WHP0300 - 300MM WHP0350 - 350MM WHP0400 - 400MM





WHISK AND MOULDS

Less work, faster results! Three times the aeration with one rotation!

The inner flexible core moves as you whisk, whipping the mixture continuously. The wires also have the right amount of flexibility to maximize air incorporation, whilst standing up to thicker batters effortlessly. All wires are hygienically sealed.



RAPID SPEED WHISK 300MM



CARAMEL (DARIOL) MOULD ALUMINIUM CMA0070 70 X 45MM



QUEEN CAKE MOULDS QCM0080 80 X 30MM





The ISI Total Value Advantage offers you...

- A reliable and safe food whipping system with the highest quality standards
- · World-class manufacturing and total quality management that is ISO9001:2000 certified
- Innovative, unique and patented products



- Whips up to 5 X the ingredients added
- Guaranteed desired results and superior quality

Chemical and preservative free

Lower cost per serving!

ISI CHARGER ADVANTAGES

- Cream chargers contains 8g of N2O (Nitrous Oxide); use one charger per pint size bottle, two chargers per quart size bottle
- Leak proof
- No expiration date
- Each charger is electronically weighed to guarantee correct volume
- Made of 100% recyclable steel coated with water soluble lacquer
- Special solvent-free cleaning method before filling ensures pure, clean N2O

CREAM CHARGERS CBL0001

BOX OF 10

WHIPS

FEATURES

- Double walled S/Steel vacuum bottle with maximum insulating performance
- Metal head with protective silicone grip
- Dishwasher safe
- Suited for both cold and hot preparations



- Fixed, S/Steel dispensing valve in head
- Red head gasket with excellent resistance to high and low temperatures
- Coloured decorator nozzles with metal threads; lever with coloured clip
- Chrome charger holder and dust cover
- For best results use ISI Cream Bombs



THERMO WHIP PLUS CGI2500 500ML



FEATURES

- For hot and cold preparations
- S/Steel bottle and head
- Two different sizes to suit any kitchen: 0.5LT, 1LT
- Three different decorator tips with S/Steel threading included
- Ergonomic charger holder with non-slip silicone grip
- Heat-resistant silicone seal with easy-removal pull tab for quick and hygienic cleaning
- Head with non-slip, heat resistant silicone grip for hot preparations
 - Dishwasher-safe
 - NSF-certified
- Helps meet HACCP requirements





GOURMET WHIP CGI4001 - 1LT CGI4500 - 500ML



UTILITIES AND SMALLS UTILITIES AND SMALLS

WHIPS

Easy to hold trigger for fine dispensing, offer your customers whipped cream which is fluffy, appetising and free of preservatives and stabilisers, natural whipped cream in a flash, low capital outlay, yield - twice the amount of whipped cream as compared with conventional whipping, stays fresh in the fridge

For a guaranteed 100% yield use ISI



CREAM PROFI WHIP PLUS CGI0500 - 500ML CGI0001 - 1LT



CREAM CHARGERS CBL0001

SODA SIPHON



SODA SIPHON ISI SSC0001 1LT - CLASSIC







KITCHEN TIMERS

Electronic timer has 4 separate timer functions enabling multiple use simultaneously



ELECTRONIC KTE0001



DIGITAL MANUAL 60 MINUTES DTM0060

OIL TESTERS

FEATURES

- Measures the quality of the frying oil in % PC (polar compounds) and determines the thermal-oxidative utilization
- In plastic bag with 2 X testers
- With instructions for use



OIL TESTER KIT OTK0002 2 PACK FOR TRIAL

FEATURES

- Measures the quality of the frying oil in % PC (polar compounds) and determines the thermal-oxidative utilization
- With instructions for use
- Packed in box of 10



OIL TESTER KIT OTK0010 PACK OF 10

FEATURES

- Polar compounds resolution: 0.5% PC/accuracy: ±2% PC
- Temperature: + 50 +200°C / resolution: 1°C /precision: ±1°C
- Great for HACCP check points



The percentage of polar compounds is immediately visible on the digital display, enabling a rapid evaluation of the thermal oxidation of the frying oil. This will determine if the oil needs to be changed. Frying oil deteriorates during prolonged use over 180°C, and causes the appearance of carcinogenic derivatives

ELECTRONIC OTE0001

THERMOMETERS

FEATURES

- -50 +530°C
- Distance ratio 12/1
- Double scale °C / °F
- Display resolution: 0.1° Accuracy: ±2% or ±2°C
- Fixed emissivity: 0.95



- - Functions: DA TA HOLD Backlight
 - With pouch Hanging box Instructions for use

 - Laser pointer for precise surface temperature measuring
 - Ideal for: oven temperatures, fridge temperatures, delivery/receiving of goods temperatures, food display temperature

INFRARED LASER THI0001

-50°C to +530°C

FEATURES

- -50 +300°C / -58 +572°F
- Display resolution: 0.1° / 1%
- Accuracy: ± 2° / ±2%
- Distance ratio: 2/1
- Fixed emissivity: 0.95
- MAX-MIN function
- Without laser pointer



- Instructions for use
- Pocket size for ease of use
- Perfect for measuring surface temperatures
- Ideal for: oven temperatures, fridge temperatures, delivery/receiving of goods temperatures, food display temperature
- Great for HACCP check points

MINI INFRARED THI0002

-50°C to +300°C

THERMOMETERS

FEATURES

- -50 +200°C
- Display resolution: 0.1°
- Accuracy: ±1°C (-20 +150°C) otherwise ±2°C or ±3°C
- MAX/MIN function
- S/Steel piercing probe: 125MM ø3.5MM



- In blister packaging with instructions for use
- Perfect chefs thermometer
- Easy quick check for core temperature +65°c
- Slim design, easy to carry around
- Digital display for ease of use

ELECTRONIC WATER RESISTANT THERMOLAB

THE0120

120mm (-50°C to +200°C) THERMOMETER

FEATURES

- -50 +200°C
- Display resolution: 0.1°C
- MAX/MIN function
- Accuracy: ±1°C (-20+120°C) otherwise ±2°C
- Strong S/Steel piercing probe: 125MM ø5MM



- In blister packaging with instructions for use
- Water resistant
- Ideal for large cuts of meat in buffet settings
- Frozen meats

DIGITAL T-BAR STRONG PROBE THERMOMETER

THE0003

-50°C + 200°C

FEATURES

- -50 +70°C
- Display resolution: 0.1°
- Accuracy: ± 1°C / ±2°F
- Functions: MAX/MIN IN/OUT



FEATURES

- +80 +200 °C
- Division: 1°C



- With instructions for use
- In blister packaging
- Programmable alarm that will only stop ringing if it is turned off
- Magnet -Cable: 100CM

DIGITAL FRIDGE/FREEZER

THE0005

-50°C to 70°C

FRIDGE / FREEZER THERMOMETER

- With grey polyamide alimentary protection sleeve
- Length: 430MM

CANDY - PLASTIC SLEEVE WITHOUT MERCURY INTERNAL SCALE GLASS THERMOMETER THE0007

FEATURES

- +50 +100°C
- Ø 45MM + Coloured zones
- Calibratable by screw
- S/Steel probe: 125MM with a diameter ø4MM



In blister packaging.

THERMOMETERS

- With instructions for use.
- Remember to disinfect probe after every use



FEATURES

- 0 +120°C
- Ø 33MM
- S/Steel probe 140MM

Use for core temperatures of roasts, joints of meatIn blister packaging



ROASTING STEEL STEM COOKING THERMOMETER THR0140

THRUI40

140MM 0°C to 120°C

FEATURES

- Deep frying thermometer
- 0 +300°C
- Display resolution: 0.1°



DEEP FRYING THF0130

130MM (0°C to 300°C)
USE IN POTS, DEEP FAT FRYERS

- S/Steel probe: 150MM with clip
- In blister packaging.





POCKET DIAL THP0130

130MM (0°C to 120°C) KEEP IN POCKET TO TEST TEMPERATURES

298

THERMOMETERS

FEATURES

- -50 +200°C
- Display resolution: 0.1°
- Accuracy: ±0.5°C (-20 +150°C) otherwise ±2°C
- Functions: MAX/MIN + DATA HOLD + Magnet
- S/Steel piercing probe: 120MM Ø3.5MM



DIGITAL + TIMER COOKING THERMOMETER

Recalibratable by screw at the back

Recalibrateable by user

In blister packaging with instructions for use

THE0006

FEATURES

+50 +300°C / 10°C

S/Steel Ø 50MM

In blister packaging

- Cable: 100cm

-50°C to 200°C RECALIBRATABLE

FEATURES

- -30 +30°C
- With clip
- In blister packaging



S/STEEL THERMOMETER FRIDGE / FREEZER THF0001



OVEN THERMOMETER THO0001 (+50°C TO +300°C) ON STAND



FEATURES

- -20 +100°C
- Display resolution: 0.1° - Accuracy: ± 0,5°C
- Water proof



- With instructions for use
- In blister packaging.
- S/Steel probe: 120MM with a diameter ø2.5MM
- Includes precision certificate



HACCP DIGITAL THERMOMETER THD0120

-50°C to 200°C

THERMOMETERS

FEATURES

- -50 +300°C
- Display resolution: 0.1°
- Accuracy: ± 1°C / ±2°F
- Functions: MAX/MIN DATA HOLD



- With instructions for use in blister packaging
- S/Steel probe: 115MM with a diameter ø3.5MM
- Includes precision certificate



HACCP DIGITAL THERMOMETER WITH ROTARY PROBE

THD0115

-50°C to 300°C

FEATURES

- 0 +300°C
- Display resolution: 1°
- Accuracy: ±1°C (0+150°C) otherwise ±3°C
- ±2°F (+32+302°F) otherwise ±5°F
- Functions: 23H-59M-59S Timer Alarm Clock Magnet
- S/Steel probe: 150MM Ø4MM
- S/Steel cable: 100CM
- With instructions for use



- Ideal for measuring core temperature on roasts, lasagnes and baked goods
- Timer and alarm
- Alarm will sound when core temperature is reached
- Timer can be set for desired cooking time
- Water resistant
- Probe is oven safe
- Great for HACCP check on core temperature
- Remember to disinfect probe after every use

DIGITAL FOLDING SCREEN OVEN THERMOMETER THE0004

(0°C to 300°C)



SCALES

PORTION SCALE ELECTRONIC PSE2005 5KG X 1G **INCREMENTS**



PORTION SCALE MECHANICAL (WITH BOWL) **PSM0005** - 4KG **PSM0015** - 15KG

CAMRY®

FEATURES

- Essential to accurately weigh and price your produce
- Platform size: 300 X 280MM
- Splash proof





FEATURES

- A must for every kitchen or bakery
- Platform size: 295 X 215MM









- Customer and operator displays
- Extremely low power consumption (3W AC / 0.1W DC)
- High contrast LCD display
- From 0KG 6KG (2G increments); from 6KG 15KG (5G increments)

RETAIL SCALE ELECTRONIC

RSE6020

6/15 KG (2/5G) DELUXE

ORDER CODES

RECHARBEABLE BATTERY FOR DS673 (PSE0006/15/30)

XRSE1030

- Splash proof
- PSE2006 waterproof (fully submergable)

PORTION SCALE ELECTRONIC

PSE0006 - 3/6KG (1/2G) **PSE0015** - 6/15KG (2/5G) PSE0030 - 15/30KG (5/10G)

RECHARBEABLE BATTERY FOR DS673 (PSE0006/15/30)

XRSE1030

PORTION SCALE ELECTRONIC

PSE2006

3/6KG (1/2g) S/STEEL

Note

Battery not included

SCALES

FEATURES

- Complete dual display
- Integrated cassette to main chassis of scale
- Robust construction

- Network ready (ethernet) Camera output for CCTV
- Fully customisable label printing





DIGITAL PRINTING SCALE WITH DUAL POLE DISPLAY-SM320-P

RSE3015

15KG/5G

DIGITAL PRINTING SCALE IS A "BCE EXCLUSIVE" PRODUCT FOR ALL BUTCHERY, BAKERY, DELI FRUIT & VEG DEPARTMENT PRINTING REQUIREMENTS

FEATURES

- Essential to accurately weigh and price your produce
- Platform size: 300 X 280MM
- Customer and operator displays

- Extremely low power consumption (3W AC / 0.1W DC)
- High contrast LCD display
- From 0KG 6KG (2G increments); from 6KG 15KG (5G increments)





6/15KG (2/5G)

OTHER ORDER CODES

RECHARBEABLE BATTERY FOR DS673 (PSE0006/15/30)

XRSE1030





SCALES

FEATURES

- Ideal for goods receiving and stock checks
- Robust and designed for heavy use
- Platform size: 380 X 380MM (PSE1060)
- Platform size: 360 X 480MM (PSE1150 and PSE1300)
 Selectable automatic shut off time
- Intelligent power control
- Rechargeable battery for 40 hours (option)
- KG/lb Conversion
- Advanced weighing technology
- PSE1060 60KG = 20G increments
- PSE1150 150KG = 50G increments
- PSE1300 300KG = 100G increments





PLATFORM SCALE ELECTRONIC PSE1060

OTHER ORDER CODES

PLATFORM SCALE ELECTRONIC

PSE1150 - 150KG **PSE1300** - 300KG

RECHARGEABLE BATTERY FOR PSE1060/PSE1150/PSE1300

XPSE0009

FEATURES

- Essential for any busy butchery to accurately weigh carcasses
- S/Steel fold down weighing plate
- Galvanised hooks
- Suitable for carcass up to 300KG
- Weight in 100G increments
- Strong and durable
- Robust construction
- Includes digital control
- Large LED display
- High internal resolution 1/3000



PLATFORM / CARCASS SCALE ELECTRONIC PSM3300

300KG

Note

Free installation in South Africa Stand sold separately





CHEFEQUIP RANGE

FEATURES

JACKETS

- . It is not just a Chef's jacket, it is a tool of trade and we take great care to perfect our uniform jackets at a genuinely good price
- · ChefEquip garments are based on the traditions of chef's uniforms and retain all the features that guarantee comfort and style
- · Our fabrics and trims have been extensively tested and proven to maintain appearance and structure after prolonged wear and commercial laundry

TROUSERS

- Traditional jean cut or baggy fit, offer comfort and style to enhance the total look

BENEFITS OF THE CHEFEQUIP BAGGY

- Elasticated waist designed not to bite into the skin after long hours in the kitchen
- Designed and cut for maximum ease of movement and comfort
- Two deep side pockets and one rear pocket
- Multifit and unisex
- Baggy fit allows for improved air circulation around the lower body and legs
- Commercial laundry tested and approved
- High quality manufacturing for long life wear

ELASTIC WAIST BAND FOR COMFORT AND FLEXIBILITY OF SIZE. ADDITIONAL SIZES MADE TO ORDER.

We are committed to creating an innovative and advanced line of products specifically designed to allow you to maintain an impeccable image in your workplace. The ChefEquip range is about modern innovative design as well as comfort, made from a fabric blend of polyester/ cotton, giving more durability with less weight.

CONVERSION TABLES FOR CHEF JACKETS AND TROUSERS

| | ALFTIA SIZL | ۸۵ | | 3 | | IVI | | L | | _ \L | | ZAL | | JAL | | |
|---------------------|----------------------|-------|-----|-------|-----|-------|------|---------|------|---------|------|---------|-------|---------|----|--|
| LADIES CHEF JACKETS | IMPERIAL SIZE (inch) | 28 | 30 | 32 | 34 | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | |
| | METRIC SIZE (cm) | 71/76 | | 81/86 | | 91/97 | | 102/107 | | 112/117 | | 122/127 | | 132/137 | | |
| | | | | | | | | | | | | | | | | |
| | _ | HIP | | | | | | | | | | | | | | |
| | ALPHA SIZE | XS | | S | | М | | L | | XL | | 2XL | | 3XL | | |
| LADIES PANTS | IMPERIAL SIZE (inch) | 32 | 34 | 36 | 38 | 40 | 42 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | |
| | METRIC SIZE (cm) | 81/ | /86 | 91. | /97 | 102 | /107 | 112 | /117 | 122 | /127 | 132 | 1/137 | 142/147 | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | CH | IEST | | | | | | | | | |
| | ALPHA SIZE | XS | | S | | М | | L | | XL | | 2XL | | 3XL | | |

| ENS CHEF JACKETS | ALPHA SIZE | X | | |
|------------------|----------------------|-----|--|--|
| | IMPERIAL SIZE (inch) | 28 | | |
| | METRIC SIZE (cm) | 71/ | | |

CHEF TROUSERS AND BAGGIE PANTS

| WAIST | | | | | | | | | | | | | |
|----------------------|-----|-----|-------|----|-------|----|---------|----|---------|----|---------|-----|---|
| ALPHA SIZE | Х | S | S | | N | М | | L | | XL | | 2XL | |
| IMPERIAL SIZE (inch) | 26 | 28 | 30 | 32 | 34 | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 5 |
| METRIC SIZE (cm) | 71/ | /76 | 81/86 | | 91/97 | | 102/107 | | 112/117 | | 122/127 | | |

36 38

40

42

44





48 50

52

BASIC CHEF JACKETS - LADIES - LONG SLEEVE

Elegantly shaped to enhance the female form, yet styled in a manner to instill pride and confidence, while working in a hot busy kitchen. The fabric is a durable soft poly cotton will, to guarantee ease of movement and comfort. Double breasted button closure, turn-back slit cuffs, tapered waist line and thermometer sleeve pocket.



WHITE UNI6010 - X SMALL UNI6011 - SMALL UNI6012 - MEDIUM UNI6013 - LARGE UNI6014 - X LARGE UNI6015 - XX LARGE UNI6016 - XXX LARGE

EXECUTIVE CHEF JACKETS - MEN - LONG SLEEVE

Tailored executive jacket with vertical full black piping, providing a flattering line to broaden the chest and slim the waist. Piping on french cuffs and collar. Welt chest pocket and sleeve thermometer pocket finish the sophisticated style. Also available in short sleeve for the executive chef who prefers less arm coverage.



WHITE

UNI2020 - X SMALL UNI2021 - SMALL UNI2022 - MEDIUM UNI2023 - LARGE UNI2024 - X LARGE UNI2025 - XX LARGE UNI2026 - XXX LARGE

CONTRAST CHEF JACKETS - LONG SLEEVE

Simple elegance and functional comfort jacket. Double breasted poly-cotton jacket with black contrast on the collar and turn-back cuffs. Chest pocket, thermometer pocket and black removable studs



WHITE

UNI5020 - X SMALL UNI5021 - SMALL UNI5022 - MEDIUM UNI5023 - LARGE UNI5024 - X LARGE UNI5025 - XX LARGE UNI5026 - XXX LARGE

BASIC CHEF JACKETS - SHORT SLEEVE

Double breasted jacket in soft durable poly cotton, eight pearl buttons, turn-back cuffs (long sleeves only) with thermometer pocket on left sleeve



WHITE

UNI1020 - X SMALL UNI1021 - SMALL UNI1022 - MEDIUM UNI1023 - LARGE UNI1024 - X LARGE UNI1025 - XX LARGE UNI1026 - XXX LARGE



BLACK UNI7020 - X SMALL UNI7021 - SMALL UNI7022 - MEDIUM **UNI7023** - LARGE **UNI7024** - X LARGE UNI7025 - XX LARGE UNI7026 - XXX LARGE

BASIC CHEF JACKETS - LONG SLEEVE





WHITE

UNIO010 - X SMALL UNIO011 - SMALL UNI0012 - MEDIUM UNI0013 - LARGE UNIO014 - X LARGE UNIO015 - XX LARGE UNIO016 - XXX LARGE





BLACK

UNI7010 - X SMALL UNI7011 - SMALL UNI7012 - MEDIUM **UNI7013** - LARGE **UNI7014** - X LARGE UNI7015 - XX LARGE UNI7016 - XXX LARGE



LAUNDRY COATS - SHORT SLEEVE



WHITE

UNIO020 - X SMALL UNIO021 - SMALL UNI0022 - MEDIUM UNI0023 - LARGE UNI0024 - X LARGE UNI0025 - XX LARGE UNI0026 - XXX LARGE

UTILITY COATS - SHORT SLEEVE



WHITE

UNI0040 - X SMALL UNIO041 - SMALL UNI0042 - MEDIUM UNIO043 - LARGE UNIO044 - X LARGE UNIO045 - XX LARGE UNI0046 - XXX LARGE

JACKETS - BASIC LONG SLEEVE





DENIM

UNI9010 - X SMALL UNI9011 - SMALL UNI9012 - MEDIUM UNI9013 - LARGE UNI9014 - X LARGE UNI9015 - XX LARGE UNI9016 - XXX LARGE

CHEF TROUSERS - LADIES

Classic comfort and style in these easy to wear baggy pants. Elastic waist band with drawcord, back pockets with flaps, side pockets and back patch pocket, boot-leg. Poly cotton for comfort and durability.

Traditional blue and white check chef trousers with zip. Yarn dyed poly cotton trousers. Side pockets and one back pocket. Back elastic waist band.



Blue Check



BLUE CHECK

UNI1030 - X SMALL UNI1031 - SMALL UNI1032 - MEDIUM UNI1033 - LARGE UNI1034 - X LARGE

UNI1035 - XX LARGE UNI1036 - XXX LARGE

BLACK - ZIP


UNI3060 - X SMALL UNI3061 - SMALL UNI3062 - MEDIUM UNI3063 - LARGE UNI3064 - X LARGE

UNI3065 - XX LARGE UNI3066 - XXX LARGE

CHEF TROUSERS - BAGGIES

Classic comfort and style in these easy to wear baggy trousers. Elastic waist band, side pockets and back patch pocket. Poly cotton for comfort and durability.







Black/White Check



Black

BLACK/WHITE CHECK

UNI3030 - X SMALL UNI3031 - SMALL UNI3032 - MEDIUM UNI3033 - LARGE UNI3034 - X LARGE UNI3035 - XX LARGE UNI3036 - XXX LARGE

BLACK UNI3040 - X SMALL UNI3041 - SMALL UNI3042 - MEDIUM UNI3043 - LARGE UNI3044 - X LARGE UNI3045 - XX LARGE UNI3046 - XXX LARGE





CHEF TROUSERS - CARGO


Poly cotton cargo trousers with 5cm pliable elastic band for comfort. Double stitching reinforced seams, and bar tacked throughout. Mock fly and spacious thigh styling. Two side leg cargo pockets with velcro flap closure and two back pockets. These pants offer functionality and comfort, providing the professional chef with the styling required in a busy kitchen.



BLACK


UNI2030 - X SMALL UNI2031 - SMALL UNI2032 - MEDIUM UNI2033 - LARGE UNI2034 - X LARGE UNI2035 - XX LARGE UNI2036 - XXX LARGE

BAGGY TROUSERS - DRAW CORD - LADIES



WHITE UNI6030 - X SMALL UNI6031 - SMALL UNI6032 - MEDIUM UNI6033 - LARGE UNI6034 - X LARGE UNI6035 - XX LARGE UNI6036 - XXX LARGE

BAGGIES - DRAW CORD



BLACK

UNI7040 - X SMALL UNI7041 - SMALL UNI7042 - MEDIUM **UNI7043** - LARGE UNI7044 - X LARGE UNI7045 - XX LARGE UNI7046 - XXX LARGE

BIB APRONS - STRIPED

BLOOD AND FAT APRON



FULL BIB - BLUE

UNI4017 - BUTCHERS APRON UNI4024 - BUTCHERS APRON - VALUE

BLACK

UNI4038 - PIN STRIPE UNI4039 - CHALK STRIPE

BIB APRON

POLY COTTON WITH TWO DIVISIONS POCKET







WHITE PVC UNI4040 90 X 120CM




TUXEDO APRONS

Poly cotton with two divisions pocket

BLACK UNI4031



DENIM UNI9004







FULL BIB APRONS

with curved pockets


Poly cotton bib aprons

BLACK UNI4018 WHITE UNI4019



DENIM UNI9003

BISTRO APRONS





Poly cotton with two divisions pocket

BLACK UNI4022 WHITE UNI4023



DENIM UNI9002

BAR APRONS





BLACK UNI4020 WHITE UNI4021



DENIM UNI9001

HOUSEKEEPING UNIFORM 3PC - LADIES

Poly cotton short sleeve ladyies three-piece navy blue with white collar, sleevepin-ups, v-front apron framed overall. Consists of overall, apron and head piece.



NAVY AND WHITE

UNI5030 - X SMALL UNI5031 - SMALL UNI5032 - MEDIUM UNI5033 - LARGE UNI5034 - X LARGE UNI5035 - XX LARGE UNI5036 - XXX LARGE



ACCESSORIES



CHEFS HAT UNI5016 POLY COTTON



SKULL CAP UNI5013 BLACK TIE AT BACK



WHITE BEANIE UNI5014 WHITE POLY COTTON



BLACK BEANIE UNI5015 **BLACK** POLY COTTON



EZI BREATHE HAT UNI5018 WHITE WITH VELCRO



EZI BREATHE HAT UNI5019 BLACK WITH INTERNAL SWEAT BAND AND ELASTIC BACK



TRIANGLE NECK TIE UNI5010 WHITE







DISPOSABLES

FEATURES

- Ideal for delis, industrial kitchens and serving areas for hygienic purposes
- Used in the handling of food to prevent contamination of food
- · Easily disposable allowing employees to use new aprons, gloves and mop caps, daily or with every application



SHOE COVERS UDS0001 BLUE PACK OF 100



SLEEVE PROTECTOR UDS1001 PACK OF 100



CHEF HAT UDC0002 PACK OF 50



MOP CAPS PACK OF 100 UDC2001 UDC0001 UDC1001 UDC3001 UDC4001



DISPOSABLES

GLOVES



DELI GLOVES UDG0001 PACK OF 100



DELI GLOVES - BLUE UDG0002 PACK OF 100



INDUSTRIAL HEAVY DUTY
GLOVES
UDG1001



NITRILE POWDER FREE GLOVES UDN0001 MEDIUM - BLUE

PACK OF 100



LATEX GLOVES UDL0001

POWDER FREE PACK OF 100



APRON UDA0001 PACK OF 100 10 MICRONS



DISPOSABLE VINYL GLOVES


UDV0001 POWDER FREE PACK OF 100



CHEFWARE

TABLE CLOTHS - WHITE


Our ChefEquip table linen is made from the finest 65% polyester/35% cotton blend fabrication. Our fabric is durable and has been extensively tested and proven to maintain quality and shape after extensive laundry services. We guarantee high quality manufacturing.





1350 X 2300MM


UNT1500



900 X 900MM UNT0900 1350 X 1350MM UNT1350 1500 X 1500MM UNT5150

NAPKINS - WHITE






350 X 350MM UNN0350 PACK OF 24











CHAFING DISHES



EURI



ROUND ROLL TOP CRE0001

DIMENSIONS

: 515 X 497 X 468MM : 6.5LT









RECTANGULAR ROLL TOP

CDE0008

DIMENSIONS : 667 X 488 X 452MM CAPACITY









Hydraulic motion

IBIS



ROUND ROLL TOP CRI0002

DIMENSIONS : 515 X 518 X 470MM

CAPACITY











: 6.5LT





STACKABLE UP

TO 5 CHAFERS

CDI0008

CAPACITY







Dripless

RECTANGULAR ROLL TOP

DIMENSIONS : 667 X 485 X 452MM

: 8LT

Note

STACKABLE UP TO 5 CHAFERS

Euri and ibis heating elements - refer to page 342



EURI/IBIS ACCESSORIES



INSERT ROUND 1 DIV

IRP0388

IFP1065

PORCELAIN

PORCELAIN

DIMENSIONS : 388 X 66MM CAPACITY : 5LT



INSERT ROUND 2 DIV

IRP1388

PORCELAIN

DIMENSIONS : 388 X 66MM CAPACITY : 4LT

IRP1328

PORCELAIN

DIMENSIONS : 328 X 70MM CAPACITY : 3.5LT



INSERT FULL

INSERT HALF IHP0065

PORCELAIN

DIMENSIONS : 267 X 329 X 63MM CAPACITY

: 4LT



INSERT THIRD

IPT0065

PORCELAIN

DIMENSIONS : 178 X 329 X 63MM

CAPACITY : 2LT



INSERT ROUND

IRS0350 S/STEEL

DIMENSIONS : 383 X 66MM CAPACITY : 6.5LT



INSERT ROUND HALF

IRS1387

S/STEEL

DIMENSIONS : 385 X 68MM

CAPACITY : 2.7LT



ELECTRIC HEATER PLATE CDE0003

DIGITAL CONTROLLER AND TEMP SENSOR

DIMENSIONS : 235 X 200 X 37MM

POWER

: 230V - 50Hz - 470W

Compatible with oblong and round Roll top chaffing dishes

CHAFER STACKING TROLLEY

FEATURES

Stacks 5 chafers on each side in total 10 chafers



IBIS CST1001

DIMENSIONS

: 980 X 695 X 1546MM

Note

Chafers not included





STACKABLE UP TO 5 CHAFERS



STC1000 STACKING TROLLEY PVC COVER IBIS

Note

Chafers not included



INDUCTION CHAFING DISHES

SMART W



ROUND WITH GLASS LID

CIR2065

DIMENSIONS : 440 X 490 X 195MM CAPACITY : 6.5LT





STAND ROUND







motion open close

Hydraulic 100.000

SERVING SPOON HOLDER CIS0001

Note

Spoon not included



SQUARE WITH GLASS LID

DIMENSIONS : 350 X 440 X 140MM

CIS1055

CIS1002

Note

Burner included

DIMENSIONS : 410 X 440 X 180MM CAPACITY : 5.5LT









Hydraulic 100.000 motion open close



STAND SQUARE

CIS1003 DIMENSIONS

Note Burner included



SERVING SPOON HOLDER CIS0001

Note

Spoon not included









INDUCTION CHAFING DISHES

SMART /SMART W ACCESSORIES

SMART W



RECTANGULAR WITH GLASS LID

DIMENSIONS : 581 X 435 X 210MM CAPACITY : 8LT





Hydraulic 100.000

motion open close



SERVING SPOON HOLDER CIS0001

Note

Spoon not included



STAND RECTANGULAR

CIS1004

DIMENSIONS : 565 X 440 X 140MM

Note

Burners included

SMART





ROUND WITH GLASS LID

CIR0065

DIMENSIONS : 435 X 505 X 202MM CAPACITY : 6.5LT



CIS0002

Note Burner included



STAND ROUND





Hydraulic



SERVING SPOON HOLDER CIR0001











SQUARE WITH GLASS LID


DIMENSIONS : 410 X 295 X 150MM

DIMENSIONS : 453 X 407 X 195MM CAPACITY



: 5.5LT





: 415 X 353 X 150MM DIMENSIONS



Burner included





SERVING SPOON **HOLDER** CIS1001



INSERT ROUND

IRP0388

PORCELAIN

DIMENSIONS : 388 X 66MM CAPACITY : 5LT



INSERT ROUND 2 DIV

IRP1388

PORCELAIN

DIMENSIONS : 388 X 66MM CAPACITY : 4LT



INSERT ROUND - 3 DIV

IRP2388

PORCELAIN

DIMENSIONS : 388MM CAPACITY : 3LT



INSERT GN2/3

IPO0005

PORCELAIN

DIMENSIONS : 329 X 355 X 63MM CAPACITY : 3LT



INSERT GN2/3 - 2 DIV

ITP1000

PORCELAIN

DIMENSIONS : 329 X 355 X 63MM CAPACITY : 3LT



INSERT ROUND

IRS0350 S/STEEL

DIMENSIONS : 383 X 66MM

CAPACITY



INSERT ROUND 1/2 LARGE

IRS1387

S/STEEL

DIMENSIONS : 385 X 68MM CAPACITY : 2.7LT



FOOD PAN INSERT

FPI0001

S/STEEL : GN2/3


DIMENSIONS : 335 X 325 X 65MM CAPACITY : 5.5LT



DRAINAGE GRID ROUND

DGR0310

DIMENSIONS : 310MM



DRAINAGE GRID ROUND 1/2 DGR0155

S/STEEL



DRAINAGE GRID GN2/3 DGR0001

S/STEEL



FUEL HOLDER CUP FHC0001 S/STEEL







INDUCTION HOB AND STANDS





HOB TOUCH PANEL

IHT0001

(1.0KW, BUILT-IN)

POWER : Output power 1000W as max

FREQUENCY : 50Hz

DIMENSIONS : 355 x 355 x 72MM



ANTI SKID SILICONE PAD

ASP0001

FRONT

SIZE : 265MM Diameter

MATERIAL : Silicone

COATING : Front: Silky coating BACK : Non-slip coating

: Matt embossed

soft finishing BACK : Glossy finish



STAND SQUARE

IHS1001 S/STEEL

DIMENSIONS : 417 X 459 X 85MM

STAND RECTANGULAR

IHS1002

S/STEEL

DIMENSIONS : 458 X 576 X 84MM



MINI INDUCTION

CST0001

SIZE

: 360 X 360 X 174MM WEIGHT : 3.95KG



CHAFER SPRING HEATER

CSH0001

VOLTAGE : 220V - 230V - 400W



326

REMOTE CONTROL

IHT0002





SMART W

SOUP URN WITH GLASS LID

SSU0010

DIMENSIONS : 474 X 434 X 303MM CAPACITY : 10LT

Ø

100.000 Induction open close compatible

Hydraulic







ROUND STAND

SRS0002

DIMENSIONS : 300 X 420 X 140MM

Note

Including burner

MINI SAUCE/CHAFING DISH



MINI ODIN

CDM0002

DIMENSIONS : 235 X 235 X 310MM CAPACITY : 800ML

Note

Porcelain tray included



MINI CDM0001

DIMENSIONS : 270 X 270 X 310MM

CAPACITY : 800ML

Note

Porcelain tray included



INSERT ROUND MINI PORCELAIN IRM0208

DIMENSIONS : 208MM CAPACITY : 800ML



CHAFER SPRING HEATER

CSH0001

: 220V - 230V - 400W









INDUCTION CHAFING DISHES

T-COLLECTION

SQUARE WITH GLASS LID

CIS3055

MATERIAL : S/STEEL : 395 X 429.5 X 176.5MM

SIZE CAPACITY: 5.5LT WEIGHT: 7.5KG



SQUARE STAND

CIS1005

MATERIAL : S/STEEL : 465 X 372 X

WEIGHT : 3.92KG

Note

CIS1006 MATERIAL

WEIGHT

Note

SIZE

Magnetic burner included

ROUND STAND

Magnetic burner included

: S/STEEL

: 500 X 456 X 244MM



ROUND WITH

GLASS LID

CIR3065

MATERIAL : S/STEEL

SIZE : 420 X 484.5 X 155.5MM CAPACITY : 6LT

WEIGHT : 7.6KG









MAGNETIC INDUCTION LID MID1000 FOR (IWR0001)



INDUCTION WARMER IWR0001





ARTISAN COLLECTION

INDUCTION CHAFING DISHES





SQUARE CHAFER CIS4045

WITH WOODEN HANDLE

MATERIAL : ALUMUNIUM BODY : 460 X 280 X 206MM

CAPACITY : 4.5LT





ROUND CHAFER CIR4045

WITH WOODEN HANDLE

MATERIAL : ALUMUNIUM BODY SIZE : 449 X 330 X 209MM

CAPACITY : 4.5LT



INSERT SQUARE PAN

ISS0003

MATERIAL : S/STEEL

SIZE : 340 X 66 X 65MM CAPACITY: 4.5LT




INSERT ROUND PAN

IRS0002

MATERIAL : S/STEEL SIZE : 328 X 66MM

CAPACITY : 4.5LT







COLD DISPLAYS



SWATCH CDU0001 S/STEEL POLYCARBONATE, COVER 608 X 433 X 284MM



HI-LINE CDU0002 S/STEEL POLYCARBONATE, COVER 596 X 416 X 285MM

Note

2 ice packs included



T-COLLECTION (GN1/1) CDT0004 530 X 325 X 160MM



2 ice packs included



COLD DISPLAY ACCESSORIES



DOME COVER POLYCARBONATE DCP0002 575 X 354 X 217MM



DISPLAY TRAY RECTANGULAR GN1/1 CDT0001 S/STEEL - 526 X 325 X 16MM



PORCELAIN TRAY DISPLAY GN1/1 CDT0025 500 X 306 X 33MM



PORCELAIN TRAY DISPLAY GN1/2 CDT1025 252 X 306 X 33MM



330

ICE PACK CDI1001 250 X 200 X 30MM





DOMINO



JUICE DISPENSER DJD0035 CAPACITY : 3.7LT

DIMENSIONS : 250 X 330 X 434MM



MILK DISPENSER DMD0005

CAPACITY : 5LT

DIMENSIONS : 250 X 324 X 458MM



CEREAL DISPENSER SINGLE DCD0037 CAPACITY : 3.7LT

DIMENSIONS : 250 X 264 X 621MM







MODULAR BUFFET SYSTEM ACCESSORIES

DOMINO



DISH STAND ROUND DDS0250 250 X 250 X 103MM



DISH STAND ROUND DDS0350



EXTENDIBLE LEGS DEL0004 4 PIECE SET



INSERT ROUND

350 X 350 X 103MM

IRP0328 PORCELAIN DIMENSIONS : 328 X 70MM

: 3.5LT



WOODEN TRAY ROUND DWT0350 350MM



INSERT ROUND - 2 DIV

IRP1388 PORCELAIN

DIMENSIONS : 388 X 66MM CAPACITY



MARBLE TRAY ROUND DMT0350 350MM



MODULAR BUFFET SYSTEM ACCESSORIES





176 X 350 X 657MM

Note

Bulb not included



FOOD TAG - TWIN ARM FTT0150

S/STEEL 157MM





SERVING FORK

DSF0260

SERVING SPOON
DSS0260

280MM







RECTANGULAR COMPLETE MODULAR

DOMINO



COLD DISPLAY W/O DOME COVER

DCD2002 615 X 350 X 103MM

Note

2 ice packs included



BREAD BASKET COMPLETE

DBB0001 615 X 355 X 297MM



BREAD BASKET

BREAD CUTTING BOARD ON STAND

DBB0004

DBC0001 615 X 350 X 116MM

490 x 305 x 100MM



DOME COVER POLYCARBONATE DCP0002



COLD DISPLAY AND COVER

DCD1001 615 X 355 X 297MM

Note

2 ice packs included



ICE PACK CDI1001 255 X 200MM



DISH STAND GN1/1 RECTANGULAR

DDS1010 S/STEEL

615 X 350 X 101MM



WOODEN TRAY GN 1/1 RECTANGULAR DWT0550

527 X 321 X 28MM



BREAD CUTTING BOARD RECTANGULAR

DBC0002

526 X 325 X 28MM



TRAY DISPLAY GN1/1 POLYCARBONATE

CDT0025

500 X 306 X 33MM



TRAY DISPLAY GN1/2 POLYCARBONATE

CDT1025

252 X 306 X 33MM



DISPLAY TRAY GN1/1 RECTANGULAR

CDT0001 S/STEEL

526 X 325 X 16MM



MARBLE TRAY GN1/1 RECTANGULAR DMT0550

525 X 325 X 22MM

DISPENSERS



ODIN

JUICE DISPENSER 3.7LT

JD00037

DIMENSIONS : 325 X 200 X 460MM



JUICE DISPENSER 7LT

JD00007

DIMENSIONS : 325 X 195 X 560MM



MILK DISPENSER WITH ICE CORE 5LT

MD00005

DIMENSIONS : 325 X 200 X 430MM



EURI

JUICE DISPENSER 7LT

JDE0007

DIMENSIONS : 285 X 285 X 590MM

OTHER ORDER CODES **DRIP TRAY** XJD00003





COFFEE URN 12LT

CUE0012

DIMENSIONS : 315 X 315 X 575MM

OTHER ORDER CODES **DRIP TRAY** XJD00003



WOODEN BASE



MILK DISPENSER 5LT

MDR0005

DIMENSIONS : 335 X 192 X 460MM



JUICE DISPENSER 3.8LT

JDR0038

DIMENSIONS : 344 X 223 X 490MM







TEA URN

SAMOVAR

Automatic switch off element

Fund that it is a second of the following second of the following

FEATURES

- Samovar electric tea urn
- 5LT capacity
- 1.3LT tea pot included
- 18/10 S/Steel mirror polished



TEA URN ELECTRIC STU0005

: 220V VOLTAGE

OTHER MODELS ARE AVAILABLE 3LT to 15LT capacity S/Steel or gold finish



S/STEEL COFFEE POTS



VACUUM THERMO JUG

JVT0400 - 400ML **JVT0700** - 700ML JVT1000 - 1000ML JVT1500 - 1500ML











CEREAL DISPENSERS



SINGLE CDS0037

S/STEEL

POLYCARBONATE CYLINDER DIMENSIONS : 265 X 200 X 595MM

CAPACITY : 3.7LT



DOUBLE CDD0074

S/STEEL

POLYCARBONATE CYLINDER

DIMENSIONS : 215 X 310 X 595MM CAPACITY : 7.4LT



TRIPLE CDT0011

S/STEEL

POLYCARBONATE CYLINDER

DIMENSIONS : 265 X 265 X 595MM CAPACITY

: 11LT



FRUIT DISPENSER



S/STEEL

DIMENSIONS : 328 X 565MM









FRUIT, PASTRY AND CAKE STANDS

BUFFETWARE & SERVINGWARE

T-COLLECTION

: 590 X 325 X 403MM

: 4.09KG



FRUIT STAND 1 - TIER FTS0001



DIMENSIONS: D325 X H200MM



PASTRY STAND 3 - TIER



STEEL RISER

WOOD TRAY



STACKABLE

GRAY ASH WDT0040

DIMENSIONS : 530 X 325 X 40MM

WEIGHT : 1.00KG



FRUIT STAND 3 - TIER FTS0003 DIMENSIONS: D375 X H530MM



PTS0003 DIMENSIONS: D438 X H495MM



TEA CAKE STAND 3 - TIER TCS0027





27CM plates not included



SWIVEL

SWIVEL HIGH TEA STAND TST0003

SIZE : 368 x 202 x 428MM WEIGHT: 2.17KG



TREASURE STAND SET

338

- S/Steel spiral stands with solid wood base with back marble laminate
- 3 changeable heights for multiple display options
- 36 shooter glasses (excluded)



TREASURE STAND SET COMPLETE TSS0001

- BASE STAND : 400 X 400 X 55MM
- SPIRAL STAND X 12 18CM
- SPIRAL STAND X 12 24CM
- SPIRAL STAND X 12 30CM

Note

Glasses not included

SHOOTER GLASS 48 UNITS

CAPACITY

: 44ML





LUCITE TRAY

ICE WHITE TLT0530

DIMENSIONS : 530 X 325 X 75MM : 3.16KG WEIGHT

HEATING LAMP STAND



GOOSENECK 2-LIGHT VINTAGE

HLT0760

RATING : 110V, 250W/230V, 375W (max)

DIMENSIONS : 304 X 474 X 761MM WEIGHT : 7.45KG

VINTAGE THREE STEP RISER GN1/1

TSR0003

BRONZE

DIMENSIONS







SQUARE 7LT JDS0007

DIMENSIONS : 286 X W392 X 399MM WEIGHT : 5.55KG





CONDIMENT SET PUNCH BOWL





4 JARS + SPOONS +TRAY CSS4000

: 360 X 110 X 107MM DIMENSIONS

: 1.47KG



20LT PBS0020 446 X 276MM

14LT PBS0014 375 X 247MM

ROOM SERVICE TROLLEY AND HOT FOOD WARMER



0

ROOM SERVICE TROLLEY ROYAL

MELAMINE COATED POLYWOOD, COATED FOLDABLE LEGS TIP-UP AND STACKABLE STRUCTURE DIMENSIONS : 1200 X 980 X 750MM



DIMENSIONS

VOLTAGE TEMPERATURE : MAX 70°C



HOT FOOD WARMER THERMO CONTROLLED

HFW0001

: 390 X 370 X 495MM : 230V

ROLL TOP CHAFING DISHES



FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish
- Unit comes complete with stainless steel 65mm insert, water pan and holder for Global Chafing Fuel
- Clutch system prevents unexpected lid closure

- Ventilation holes reduce condensation
- Detachable cover for easy handling and cleaning
- Two way heating, fuel or heating element
- Water return water channel on the lid directs condensation into the

CLASSIC



ROUND CRI0330 - 330MM CRI0380 - 380MM **CHAFING DISH ELEMENT - ROUND** CDB0004



RECTANGULAR CHAFING DISH ELEMENT - RECTANGULAR

Note

Use the Infiniti 'round' electric heating element which can easily be fitted to each chafer as an alternative to Global Chafing Fuel

CONTEMPORARY



ROUND CRI1330 - 330MM CRI1380 - 380MM **CHAFING DISH ELEMENT - ROUND** CDB0004



RECTANGULAR CHAFING DISH ELEMENT - RECTANGULAR CDB0003

Note

Use the Infiniti 'rectangular' electric heating element which can easily be fitted to each chafer as an alternative to Global Chafing Fuel

INSERTS FOR CHAFERS - ROUND



HALF IIR1380 190 X 65MM - S/STEEL



IIR0330 - 330 x 65MM - S/STEEL IIR0380 - 380 x 65MM - S/STEEL



Gastronorm porcelain and S/Steel inserts fit Infiniti chafers perfectly





ELECTRIC HEATING ELEMENTS

FEATURES

- Infiniti heating elements are available for the round and rectangular chafing dishes as well as the soup tureens



ROUND ELEMENT CDB0004 550W



RECTANGULAR ELEMENT CDB0003 600W



Available with 'Contemporary' modern leg design in stainless steel finish

or 'Classic' timeless leg design with chrome plated finish

Two way heating, fuel or heating element

Soup tureen can be filled in the kitchen, then taken to the buffet



SOUP TUREENS

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish
- Unit comes complete with stainless steel insert, water pan and holder for Global Chafing Fuel
- Sleek and elegantly designed stainless steel handles



CLASSIC 10LT STI1010



CONTEMPORARY 10LT STI0010

Note

Use the Infiniti electric heating element which can easily be fitted to each soup tureen as an alternative to Global Chafing Fuel

COFFEE URNS

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish
- Unit comes complete with stainless steel insert, water pan and holder for Global Chafing Fuel



CLASSIC 6LT CUI1006

- Completely detachable faucet
- Available with 'Contemporary' modern leg design in stainless steel finish or 'Classic' timeless leg design with chrome plated finish
- Two way heating, fuel or heating element
- Features all stainless faucet, which is NSF listed and lead cadmium free



CONTEMPORARY 6LT

Note

Coffee must first be brewed at a normal temperature of 92°C then poured into the coffee urn for buffet serving. To maintain serving temperature apply heat source immediately. For best results, preheat urn.

JUICE DISPENSERS

FEATURES

- 18/10 S/Steel
- Unit comes complete with cover, ice tube and transparent food grade container
- Ice tube filled with ice keeps beverage cold
- All stainless steel faucet which is NSF listed and Lead Cadmium free
- Good for outdoors where there is no electricity
- Cover protects juice from bees, flies and insects
- Available with 'Contemporary' modern leg design in stainless steel finish or 'Classic' timeless leg design
- Easy to clean residue pulp by unscrewing the faucet cap



CLASSIC 7LT JDI1007



CONTEMPORARY 7LT



Ice tube can be refilled with ice to keep juice chilled for the duration of a buffet breakfast





CEREAL DISPENSER MILK PAIL

FEATURES

- Heavy gauge 18/10 S/Steel
- Polished mirror finish
- Good portion control, dispenses cereal to requirements
- Unit complete with lid, oblong base and food grade container



FEATURES

- Heavy gauge 18/10 stainless steel
- Polished mirror finish
- Resembles farm milk pail
- Can be used for hot or cold milk as the urn is insulated
- Refillable ice tube keeps milk chilled



Note

Ice tube can be refilled with ice to keep milk chilled for the duration of a buffet breakfast

INSERTS FOR CHAFING DISHES

FEATURES

- Porcelain inserts offer a more presentable alternative to the traditional S/Steel
- Food retains original colouring throughout the buffet serving
- High quality gastronorm porcelain inserts



INSERT GN1/1 PORCELAIN IFP1065



INSERT GN1/2 PORCELAIN IHP1065 65MM





INSERT ROUND PORCELAIN DIVIDED IRP2065 330MM - 2.2LT



INSERT GN1/3 PORCELAIN ITP1065

ITP1165

65MM

INSERT GN2/3 PORCELAIN



PUNCH BOWL

CONFECTIONARY FUNNEL

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish that is maintenance free



FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- For liquids, melted substances, etc. Supplied with 2 nozzles and stand
- Volume approx 1300ML



FUNNEL & STAND COMPLETE

ICE BUCKET AND TONGS

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish
- Double walled ice bucket keeps ice from melting over longer periods of time
- Ideal for room service



ICE TONGS ITI0160 160MM



ICE BUCKET DOUBLE WALL

ICE BUCKET STAND

ICE BUCKETS

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish
- Bevelled plinth design

FEATURES

- Heavy gauge 18/10 corrosion resistantS/Steel
- Polished mirror finish
- For use with IBI0048 and IBI0065



BUCKET ISI0196 198MM **STAND** ISI0220 220MM











VINEGAR AND OLIVE OIL SET

JAM/CONDIMENT STATION

BUFFETWARE & SERVINGWARE

STANDS

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish that is maintenance free



VINEGAR AND OLIVE OIL SET

Note

The items on this page are available on request only



FEATURES

CLASSIC IJS0003

Heavy gauge 18/10 corrosion resistant S/Steel

Polished mirror finish that is maintenance free

492 X 120 x 163MM CAPACITY 280ML

SNACK TRAY

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish that is maintenance free



3 PIECE ISN0001 177 X 190 X 58MM

DOME CLOCHES

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish that is maintenance free



IDC0158 - 158MM IDC0210 - 210MM IDC0252 - 252MM

Note

The items on this page are available on request only





FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish that is maintenance free



CAKE STAND 3 - TIER ICS0003
670MM (H)
258MM TRAY
385MM TRAY

512MM TRAY



CAKE STAND 2 - TIER ICS1002 211MM (H) 125MM TRAY 158MM TRAY

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish
- 3 Tier stands make for elegant display
- Removable trays



TEA STAND 'BRISTOL' 3 TIER

TSB0003 - 140MM TRAYS **TSB1003** - 230MM TRAYS



FEATURES

Polished mirror finish

CAKE STAND 'BRISTOL'

CSB0306 - 306MM TRAY CSB0355 - 355MM TRAY

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish that is maintenance free



JAM / HONEY STAND

Note Stand only

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel

Heavy gauge 18/10 corrosion resistant S/Steel

Polished mirror finish that is maintenance free



TABLE NO. STAND

ITS0060 - 60MM ITS0127 - 137MM ITS0190 - 190MM ITS0290 - 290MM ITS0460 - 460MM







HOLLOWARE

VIENNA

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish
- Bevelled plinth design



COFFEE POT CPV0500 - 500ML CPV0900 - 900ML



TEA POT TPV0600 - 600ML TPV0900 - 900ML



COVERED SERVER CSV0600 - 600ML CSV0900 - 900ML



CREAM JUG CJV0150 - 150ML CJV0230 - 230ML **WATER PITCHER** WPV1600 - 1600ML



SUGAR BOWL SBV0280 280ML



BRISTOL



CREAM JUG WITH LID CJB1230 230ML



TEA POT TPB2600 - 600ML TPB1200 - 1200ML



CREAM JUG CJB1150 150ML



SUGAR BOWL SBB0230 230ML

OVALINA



348

SUGAR BOWL SB00300



TRAYS RECTANGULAR



VIENNA

TRV0458 - 573 X 333MM TRV0558 - 686 X 425MM TRV0656 - 790 X 501MM



BUTTER BELL

HAPPY SPOON

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish that is maintenance free



BUTTER BELL WITH PORCELAIN HOLDER **IBB0090** - 90MM

OTHER ORDER CODES **PORCELAIN HOLDER** XIBB0090 - 90MM

FEATURES

- Heavy gauge 18/10 corrosion resistant S/Steel
- Polished mirror finish that is maintenance free



CURVED IHS0001

CROISSANT WARMER

GLOBES

FEATURES

- 18/10 S/Steel with high mirror finish
- Superb presentation for croissant and pastry
- Revolving container with dome cover
- Opens at 2 ends
- Heated by 3 to 6 tea-lights to keep warm



CROISSANT WARMER



FOR GENERAL LIGHTING **100W GLOBE SCREW IN** XPMK3008

FOR HEATING AND LIGHTING 250W GLOBE SCREW IN XPMK4025

CARVERY STATIONS

FEATURES

- Power: 220V
- 18/10 S/Steel
- Lamp bulb not included





- Easy lamp positioning with pivoting arms and thumb screw adjustments
- Dual and tri-lamp, removable base and reversible marble cutting board







349

INDUCTION CHAFING DISHES







SQUARE WITH GLASS LID

CDS4000

CAPACITY : 5.5LT COMPOSITION : S/STEEL **INSERT SIZE** : GN2/3 INSERT LID : GLASS PANEL

OTHER ORDER CODE **SQUARE STAND** CDS4001

Note

Stand sold separately

ROUND WITH GLASS LID

CDS4100

CAPACITY : S/STEEL COMPOSITION : 380MM INSERT INSERT SIZE LID : GLASS PANEL

OTHER ORDER CODE **ROUND STAND** CDS4101

Note

Stand sold separately

RECTANGULAR WITH GLASS LID

CDS4200

CAPACITY COMPOSITION : S/STEEL : GN1/1 INSERT **INSERT SIZE** : GLASS PANEL LID

OTHER ORDER CODE

RECTANGULAR STAND CDS4201

Note

Stand sold separately





ROLLTOP CHAFING DISHES

GLASS LID

Polished finish. Roll back lid. Comes standard with burner holders and waterpan. Accommodates electric elements as well. Opens to 180°. Viewing glass lid to prevent heat loss when wanting to view contents. For best results use only Global Chafing Fuel - refer to pg 352 for order codes and sizes.



RECTANGULAR CDS2001

CAPACITY

DIMENSIONS : 660 X 480 X 420MM INSERT SIZE : 495 X 295 X 65MM

OTHER ORDER CODES

RECTANGULAR ELEMENT CDB0003

Note

Element not included



ROUND CDS2002

CAPACITY : 6.8LT

: 520MM Diameter DIMENSIONS INSERT SIZE : 355 X 65MM

OTHER ORDER CODES

ROUND ELEMENT CDB0004

Note

Element not included

DELUXE

Durable quality for everyday use, suited for any buffet. Elegant, enhances the look of a buffet display. For best results use only Global Chafing Fuel - refer to pg 352 for order codes and sizes.



RECTANGULAR CDS0007

CAPACITY

DIMENSIONS : 630 X 360 X 400MM INSERT SIZE : 530 X 315MM



ROUND CDS0005

CAPACITY : 6.8LT

: 460MM Diameter DIMENSIONS

INSERT SIZE : 380MM

REGULAR

Polished finish. Roll back cover. Comes standard with burner holders. Opens to 180°. For best results use only Global Chafing Fuel - refer to pg 352 for order codes and sizes.



RECTANGULAR

CAPACITY

DIMENSIONS : 630 X 370 X 400MM

CDS1006 INSERT SIZE : 530 X 325MM



ROUND CDS1007

CAPACITY

DIMENSIONS : 460MM Diameter INSERT SIZE : 380MM







CHAFING DISHES

POLISHED S/STEEL

Comes standard with burner holders. Ideal for caterers. For best results use only Global Chafing Fuel refer to pg 352 for order codes and sizes.

Create an elegant buffet setting with the mirror polished chafer. Comes standard with burner holders. Ideal for buffets - outside caterers. Use only Global Chafing Fuel - refer to pg 352 for order codes and sizes.



RECTANGULAR CDS1000

CAPACITY DIMENSION

INSERT SIZE : 530 X 325MM



ROUND CDS1001 CAPACITY

: 3.7LT : 330MM Diameter DIMENSION

SOUP STATION

S/STEEL - ROUND

Create an elegant buffet setting with this mirror polished chafer. Comes standard with burner holders. Ideal for buffets - outside caterers. Use only Global Chafing Fuel - refer below for order codes and sizes.



GLASS LID CDS1004

CAPACITY : 3.7LT DIMENSIONS : 350MM Diameter



CDS1003 CAPACITY

9LT

: 9LT DIMENSIONS : 300MM Diameter

CHAFING FUEL BURNER

Global...

FEATURES

- Global Chafing Fuel is the ideal heat source for the Infiniti Chafers
- Burning for over 2 ½ HR, depending on environment
- Global Chafing Fuel will not discolour the chafers as it burns with a clean blue flame
- Longer lasting, cleaner burning
- Spill resistant



CHAFING FUEL METHANOL

CFA0001 24 X 200G



CHAFING FUEL METHANOL CFA0003 4 X 5LT

BURNER HOLDER

CDB0002

Note

For best results use only Global Chafing Fuel with Infiniti Chafers

JUICE DISPENSERS

CEREAL DISPENSERS





8LT CDS5001 8LT X 2 CDS5002

Global...

SERVING - WHITE PORCELAIN



FULL MPS9610530 53 X 32CM



HALF MPS9610320 32 X 26CM



THIRD MPS9610170 32 X 17CM



RECTANGULAR BAKER MPS9810270 27 X 20CM MPS9810400 40 X 26CM



ROUND BOWL MPS6932260 - 26CM MPS6932350 - 34CM MPS6932440 - 43CM



RECTANGULAR TRAYS



BLACK - SLATE MPS1911169 - 53 X 16CM MPS1911179 - 17 X 32CM MPS1911259 - 25 X 25CM







353

ABS STEP RISERS DISPLAY

FEATURES

- Step riser display
- Use in fridges or on a buffet
- Excellent display for all presentations



3 STEPS - BLACK SRA0003 600 X 750 X 95MM



ABS plastic is durable, easy to clean and will not warp or chip

Edges have air slots for increased air circulation in refrigerated cases

2 STEPS - BLACK SRA0002 600 X 750 X 95MM

ABS DISPLAYWARE



LID INH4007 320 X 260MM

320 X 260 X 60MM

SALADWARE - DELI DISH DDS0001



SBL0215 215 X 215MM

LID

SALADWARE - SALAD BOWL SBS0003 215 X 215 X 65MM



LID INF4006 525 X 325MM

SALADWARE - MARINADE DISH (2 DIVISION) MDS0002



LID INH4007 320 X 260MM

SALADWARE - DELI DISH (2 DIVISION) DDS0002 320 X 260 X 60MM



LID INF4006 525 X 325MM

525 X 325 X 60MM

SALADWARE - MARINADE DISH MDS0001



LID SBL0250 250 X 250MM

SALADWARE - SALAD BOWL SBS0004 250 X 250 X 65MM

Note Lids not suitable for heating food in appliances

354





BTA3109 520 X 358 X 180MM

ABS BUBBLE TRAYS AND DOMES





Not suitable for heating food in appliances

BUBBLE TRAY

BTA1027 - 440 X 270 X 25MM BTA1109 - 520 X 358 X 25MM **BTA1061** - 595 X 445 X 25MM BTV1003 - 460 X 310 X 15MM BTV1004 - 500 X 410 X 15MM

BUBBLE DOME

BTA2027 - 440 X 270 X 140MM **BTA2109** - 520 X 358 X 180MM BTA2061 - 595 X 445 X 230MM BTV2003 - 460 X 310 X 100MM BTV2004 - 500 X 410 X 100MM

CAKE STANDS AND COVERS



CAKE DISPLAY TRAY AND DOME CDC0320 325 X 140MM



CAKE STAND - PLASTIC CSP0300 300MM

TUFF TRAYS®



CAKE STAND - BLACK CSB0330

DIAMETER : 330MM HEIGHT : 120MM

CAKE DISPLAY COVER CDC0331 315 X 140MM (CLEAR)



CAKE STAND - S/STEEL CSS0330

330 X 180MM

OTHER ORDER CODE **CAKE DISPLAY COVER** CDC0330 300 X 140MM

MINI SAUCE DIPS

MINI SERVING PAILS



S/STEEL MSP0090 - 90MM MSP0070 - 70MM **COPPER** MCP0070 - 70MM




SCS2000 - CUP 1 - 42ML (12) SCS2001 - CUP 3 - 71ML (12) SCS2002 - CUP 4 - 114ML (12)

MINI SERVING BASKETS

FEATURES

Contemporary serving baskets ideal for serving sides or tapas in a different way



SOUARE

MBS0060 - 95 X 95 X 60MM MBS0061 - 100 X 90 X 60MM

RECTANGULAR

MBR0060 - 215 X 105 X 60MM MBR0035 - 215 X 105 X 35MM

ROUND

MBR0008 - 80 X 80MM



MINI SERVING POTS AND PANS

FEATURES

- Polished S/Steel and a riveted, brass handle make this range stylish and appearance is eye catching and classic
- Minimal in size, but maximal in results
- This mini series is not only endearing, the small pots and mini sauté pans are also especially practical and versatile
- The small pot with lid for example are ideal for serving soups or little casseroles
- The small sauté pans are a nice alternative for serving a mini dish or
- Moreover, these small pots and sauté pans give an extra touch to your buffet
- Practical: their heat conducting base allows them to be kept warm easily
- The mini series is perfect for serving individual portions of stews or sauces and it looks great on the serving pass





S/STEEL SAUCE PAN

MSS0070 - 70 X 45MM : NO LID MSS0090 - 90 X 60MM : NO LID







MINI STAINLESS STEEL PANS

FEATURES

- Sure to be a favourite, this mini S/Steel roasting pan goes straight from the oven to the table for practical and beautiful food presentations
- Dishwasher safe



ROASTING PAN

MSR0145

145MM

SQUARE ROASTING PAN

115MM

BALTI DISHES

FEATURES

- A beautiful mirror finish on these servers reflects nicely on whatever foods they contain
- The ideal addition to your kitchen dinnerware, this fantastic Balti dish is perfect for serving up all your favourite dishes
- In a choice of two sizes to suit your needs, this dish is made from a durable and hard wearing S/Steel which will keep it looking great after use Handles make transport easy
- Dishwasher safe



FLAT

BDF2014 - 140MM BDF2016 - 160MM

MINI COLANDERS



COLANDER MCS2010

100MM

FEATURES These S/Steel milk churns are available in two sizes for creative food



MINI MILK CHURNS

Perfect for serving milk or cream with tea and coffee, or custard with a

MILK CHURN MMC2005 - 148ML

MMC2000 - 740ML

356

SERVING PLATTERS



OVALS/STEEL SPO0350 - 350MM SP00410 - 410MM **SPO0500** - 500MM



PLASTIC DISPLAY CLIPS









BREAD BASKETS - WOVEN PLASTIC

No mildew

FEATURES

- Polypropelyne
- Dishwasher safe



DARK BROWN BBO1001 OVAL - 230 X 167MM BBR1001 ROUND - 220 X 200MM BB01002 OBLONG - 230 X 100 X 45MM



LIGHT BROWN BBO0001 OVAL - 230 X 167MM BBR0001 ROUND - 220 X 200MM BB00002 OBLONG - 230 X 100 X 45MM

BREAD BASKETS - RYE



RECTANGULAR

BBS0210

80 X 140 X 70MM

LONG BBL0300

340 X 140 X 70MM

ROUND BBR0210

230 X 70MM

CAKE AND DISPLAY STANDS



CLEAR PLASTIC - 3 TIER

CSP2003

DIAMETER : 340 X 285 X 190MM HEIGHT : 630MM



S/STEEL - 3 TIER

DSS0003

DIAMETER : 266 X 220 X 167MM HEIGHT : 310MM

PUNCH BOWL





S/STEEL DCS0300 300MM



PLASTIC DCP0300 - 300MM DCP0350 - 350MM

BASKET



S/STEEL

BSS0020 - 200 X 85MM BSS0022 - 220 X 95MM **BSS0024** - 240 X 105MM



S/STEEL PBS0340 340MM

SALAD BOWLS



WOOD

SBW0150 - 150MM

SBW0250 - 250MM **SBW0300** - 300MM

SBW0400 - 400MM







RUSTIC INSPIRATION WOOD RANGE

A range that delivers style and individuality

The New "Rustic Inspiration" wood range from Infiniti has an exciting table top personality that delivers style and individuality.

A contemporary collection of Kiaat wood boards, risers, baskets and stands, driven by the changing trends in food presentation, to create a unique buffet solution.

WHAT IS KIAAT

Kiaat is commonly found in Central and Southern Africa, and is well known in SA. It is also known as "Mukwa, umbila, loedhout" or Wild Teak. Kiaat, is a hardwood, appealing to the eye as it is a beautiful brown filtered with streaks of white and highlighted with flames of red and orange that enhances the colour of the product.

Kiaat is durable and food safe, has a spicy fragrance and is insect resistant. This wood has great stability and it keeps its shape very well.

Not to be submerged in or exposed to exessive amounts of water, clean with damp cloth only rinse and dry in warm area.

GLASS DOMES



BELL DOMES

BDG0340

DIAMETER : 340MM HEIGHT : 400MM BDG0290 DIAMETER : 290MM HEIGHT : 395MM

STRAIGHT CAKE DOME

SCD0350

DIAMETER : 350MM HEIGHT : 300MM

ROUND CAKE STANDS



Note

Due to the use of natural wood, the exact colour of the finished product cannot be guaranteed

DISPLAY STANDS AND BASKETS



DISPLAY BASKET WDB0305 300 X 200 X 70MM STEEL STAND WDS0305 305 X 205MM SLANTED



DISPLAY BASKET WDB0330 330 X 300 X 70MM

STEEL STAND

WDS0330 - 330 X 300MM SLANTED **WDS1330** - 330 X 300MM STRAIGHT



DISPLAY BASKET WDB0340 333 X 233 X 83MM STEEL STAND WDS0340 340 X 240MM SLANTED



DISPLAY BASKET
WDB0400
400 X 300 X 70MM
STEEL STAND
WDS0400 - 400 X 300MM SLANTED

WDS1400 - 400 X 300MM STRAIGHT



DISPLAY BASKET WDB0500 500 X 300 X 90MM STEEL STAND WDS0500 500 X 300M SLANTED



BENCH/PATISSERIE RISERS



RISER WBR0210 210 X 210 X 100MM



RISER WBR0250 250 X 250 X 140MM



RISER WBR0300 300 X 300 X 170MM



Note

Due to the use of natural wood, the exact colour of the finished product cannot be guaranteed



DISPLAY STANDS



WOOD RECT WDT0001 - 370 X 270 X 120MM **WDT0002** - 2470 X 270 X 175MM



ANGLE DISPLAY BASKETS WITH STAND - WOOD



SINGLE TIER WDB0001 330 X 350 X 70MM **DOUBLE TIER** WDB0002 330 X 350 X 100MM



RISERS



THREE TIER WTR0003 400 X 250 X 90MM

DIMENSIONS

LOWER TIER: 300 X 250 X 22MM MIDDLE TIER: 400 X 250 X 90MM UPPER TIER : 342 X 250 X 53MM



BREAD STAND



DIMENSIONS

LOWER TIER : 329 X 395 X 90MM MIDDLE TIER : 362 X 399 X 210MM UPPER TIER : 395 X 395 X 330MM



Note


Due to the use of natural wood, the exact colour of the finished product cannot be guaranteed

WOODEN SERVING BOARDS

Not to be submerged in or exposed to excessive amounts of water, clean with damp cloth only rinse and dry in warm area



BOARD WITH DIP BOWL - 70ML WSB1180 180 X 362 X 20MM WSB1255 225 X 362 X 20MM



WSB0180 - 180 X 360 X 20MM

WSB0255 - 255 X 360 X 20MM

PADDLE BOARDS



BAGUETTE BOARD WPB0545 545 X 180 X 12MM



WOOD BOARD WPB0380 380 X 300 X 18MM



PADDLE BOARD WPB0745 620 X 200 X 18MM



PADDLE BOARD WPB0325 325 X 220 X 16MM





Due to the use of natural wood, the exact colour of the finished product cannot be guaranteed





BUFFETWARE & SERVINGWARE

BOWLS

CAPSULE







SQUARE

CBS0010 - IVORY - 176 X 162 X 100MM CBS0012 - YELLOW - 176 X 162 X 100MM **CBS0011** - BLUE - 176 X 162 X 100MM CBS0013 - GREY - 176 X 162 X 100MM

RECTANGULAR IVORY

CBR0015 - 265 X 162 X 65MM **CBR0011** - 325 X 176 X 65MM

RECTANGULAR YELLOW

CBR0017 - 265 X 162 X 65MM CBR0013 - 325 X 176 X 65MM **RECTANGULAR BLUE** CBR0016 - 265 X 162 X 65MM

CBR0012 - 325 X 176 X 65MM **RECTANGULAR GREY**

CBR0018 - 265 X 162 X 65MM CBR0014 - 325 X 176 X 65MM

RECTANGULAR

CBR0002 - IVORY - 325 X 265 X 65MM CBR0004 - YELLOW - 325 X 265 X 65MM CBR0003 - BLUE - 325 X 265 X 65MM CBR0005 - GREY - 325 X 265 X 65MM

WHITE

364



ROCKY RBW0001 - 3.6LT RBW0002 - 7LT



ROCKY RBG0001 - 3.6LT RGB0002 - 7LT

GREY

WHITE

Efay_®



CANON SQUARE CBS0007 - 17CM

CBS0008 - 25CM **CBS0009** - 35CM



MEGA ROUND

MBR0002 - 25CM MBR0001 - 35CM MBR0003 - 50CM





BLACK DISPLAY STANDS



UNI NON SLIP UDS0002 - 110 X 110 X 50MM UDS0003 - 160 X 160 X 80MM **UDS0004** - 215 X 215 X 100MM




UNI NON SLIP

UDS0005 - 215 X 215 X 150MM UDS0006 - 215 X 215 X 200MM




ROUND PLATTERS



MARBELLA MDS0100 250 X 212 X 100MM



MARBELLA MDS0200 250 X 212 X 200MM



MARBELLA MDS0250 212 X 138 X 250MM

POLYCARBONATE DOME COVERS



SARAH

SDC0001 - 205MM **SDC0002** - 255MM **SDC0003** - 305MM



TAIJI BLUE TPR0004 - 255MM TPR0001 - 305MM



TAIJI BLACK **TPR0003** - 255MM **TPR0002** - 305MM

MELAMINE

ROUND PLATTER BOWLS - MELAMINE



SMOKE BLU 300MM



BLACK PBR0162 300MM

MELAMINE BOARD

CAKE TRAY



ROUND WHITE CTR2001 305MM



ROUND CARRARA MBR0007 280MM





BUFFETWARE & SERVINGWARE

INSERTS

RECTANGULAR TRAYS

BOARDS



BIRCH GN1/3 WBT0003 325 X 176 X 10MM GN1/4 WBT0005



OAK GN1/3 WBT0006 325 X 176 X 10MM **GN2/4** WBT1006 530 X 162 X 10MM



SHABBY GN1/3 WBT0002 325 X 176 X 10MM **GN1/4** WBT0004 265 X 162 X 10MM **GN2/4** WBT1004 530 X 162 X 10MM



RECTANGULAR PLATTERS - GRANITE



SLATE BLACK GN1/2 PGS0001 325 X 265 X 7MM GN1/3 PGS0002 325 X 176 X 7MM GN2/4 PGS0003 530 X 162 X 7MM



MELAMINE BOARDS



GOURMET - OLIVIA MGB0001 530 X 200 X 15MM



GOURMET - OAK MGB0002 530 X 200 X 15MM



366

ROUND - OAK MBR0004 280MM



Efay_®

SLIM PANS



GN1/6 INT2000 - 65MM - WHITE INT2069 - 65MM - BLACK



GN1/3 **INT9009** - 65MM - WHITE INT9008 - 65MM - BLACK



GN1/2 **INT9005** - 65MM - WHITE INT9004 - 65MM - BLACK



GN1/1 INT9002 - 65MM - WHITE INT9003 - 65MM - BLACK



GN1/3 **INT9006** - 20MM - WHITE INT9007 - 20MM - BLACK



GN2/4 **INT2067** - 20MM - WHITE INT2068 - 20MM - BLACK

MELAMINE

SILICONE

Oven safe

No fire



GN1/2 IMH1065 - 65MM - BLACK **IMH0065** - 65MM - RED IMH2065 - 65MM - WHITE



GN1/1 IMF1065 - 65MM - BLACK IMF0065 - 65MM - RED **IMF2065** - 65MM - WHITE

FEATURES

- Strong structure
- Great for roasting and baking
- Freeze safe



GN1/2 SIH0001 65MM - BLACK



GN1/1 SIF0001 65MM - BLACK

Food contact-safe Microwave-safe



Oven-safe



Freezer-safe

ONLY FOR SILICONE



Diswasher-safe



No fire



No knife scratch



367

SERVING STANDS

The Buffetware range offers flexibility, efficiency and elegant display.



LARGE ROUND BOWL STAND

PS-FR04C 292 X 180MM (1)

FITS WITH:

BOWL

NG6105-36 - 36CM (4) NGFAW6862-41 - 41CM (2)



SMALL SQUARE BOWL STAND

PS-FS02B

140 X 120MM (1) FITS WITH:

BOWL

NG6177-18 L18CM (6)



TRIPLE SQUARE PLATE STAND PS-FS03B[L]

3 X 172MM / 120/180/240 (1) FITS WITH:

BOWL NG6177-27 27CM (6)



TRIPLE PLATE ROUND STAND

PS-FR05B[L]

3 X 172MM / 120/180/240 (1) FITS WITH:

BOWL

NG6249-30 - 30CM (8) LAAK6120029 - 29CM (6)



LARGE SQUARE BOWL STAND

PS-FS01B

210 X 150MM (1) FITS WITH:

BOWL NG6177-27 27CM (6)



RECTANGULAR 3-STEP LARGE STAND

PS-FS07

40 X 35 X 22.5CM (1) FITS WITH:

BOWL

NG5466-37 37 X 20CM (3)



TALL MEDIUM ROUND BOWL STAND

PS-FR03B

252 X 180MM FITS WITH:

BOWL

NG6249-30 - 30CM (8) **LAAK6120029** - 29CM (6)





Tableware

From practical day to day solutions to the latest designs, textures and colours from world leading brands; our ranges of tableware cater from hospitals to five-star restaurants and everything in between.

Section Index

| | | | 100 |
|-----------------------|-----------|-----------------------|-----------|
| Churchill | 372 - 399 | Pintinox | 430 - 431 |
| Agano | 390 | Millenium | 430 |
| Bit On The Side | 393 - 394 | Palace | 430 |
| Emerge | 380 - 383 | Pintinox Accessories | 431 |
| Evolve | 395 | Ritz | 431 |
| Isla | 389 | Roma | 431 |
| Kintsugi | 388 | Sirio | 430 |
| Lotus | 396 | Sola | 432 |
| Nourish | 391 - 392 | Donau | 432 |
| Orbit | 397 - 399 | Lotus | 432 |
| Profile | 395 | Windsor | 432 |
| Raku | 384 - 386 | Fortis | 433 - 435 |
| Stonecast | 373 - 379 | Capri | 434 |
| Studio Prints - Stone | 387 | Eloff | 435 |
| X Squared | 396 | English | 434 |
| Dudson | 370 - 371 | Sorrento | 433 |
| Finca | 370 -371 | Steak Knife | 435 |
| Sandstone | 370 - 371 | Traditional | 433 – 434 |
| Luzerne | 400 - 411 | Glassware | 436 - 482 |
| Classic New Bone | 408 - 411 | Aqua | 471 – 473 |
| Drizzle | 402 | Aqua Polycarbonate | 474 |
| Dune | 401 | Bormioli Rocco | 436 - 453 |
| Knit | 405 | Lucaris | 454 - 456 |
| Olive | 406 - 407 | Ocean | 457 – 470 |
| Urban | 403 - 404 | Salt and Pepper Mills | 475 - 479 |
| Fortis | 412 - 428 | Peugot | 475 - 749 |
| Accent | 427 - 428 | Global | 479 |
| Fynbos | 413 – 414 | Placemats | 480 |
| Italia | 422 - 423 | MacFAB | 480 |
| Prima | 418 - 421 | Grunter | 435 |
| Prima Accessories | 424 - 426 | Steak Knives | 435 |
| Studio | 417 | Victorinox | 435 |
| Tempest | 415 – 416 | Steak Knives | 435 |
| | | | |





Renowned craft potters, the prestigious Dudson brand carries a rich heritage dating back to 1800. Recognised by chefs worldwide for their industrial toughness and authentic design.





FINCA

Finca is a multi-tonal print that mimics the worn textures of rustic interiors and architectural designs. Crafted and creative, Finca is finished in a semi-matte, hand dipped glaze, enhancing the character of the collection and leaving original 'makers marks' on the reverse of each piece.

LIMESTONE



NARROW RIM PLATE CC-MCFL-P7.1 - 17.8CM (12) CC-MCFL-P8.1 - 20.3CM (12) **CC-MCFL-P10.1** - 25.4CM (12) CC-MCFL-P11.1 - 28CM (12)



WALLED PLATE CC-MCFL-WP26.1 - 26CM (6)



ORGANIC COUPE BOWL **CC-MCFL-DC25.1** - 25CM - 80CL (12) **CC-MCFL-DC29.1** - 27.9CM - 135CL (12)



NARROW RIM SOUP BOWL CC-MCFL-NS8.1 - 21CM - 40CL (12)



ORGANIC RECTANGULAR PLATE CC-MCFL-DOB1.1 - 27 X 16CM (12)



SANDSTONE



NARROW RIM PLATE CC-MCFS-P7.1 - 17.8CM (12) CC-MCFS-P8.1 - 20.3CM (12) CC-MCFS-P10.1 - 25.4CM (12) CC-MCFS-P11.1 - 28CM (12)



WALLED PLATE CC-MCFS-WP26.1 - 26CM (6)



ORGANIC COUPE BOWL CC-MCFS-DC25.1 - 25CM - 80CL (12) **CC-MCFS-DC29.1** - 27.9CM - 135CL (12)



NARROW RIM SOUP BOWL CC-MCFS-NS8.1 - 21CM - 40CL (12)



ORGANIC RECTANGULAR PLATE CC-MCFS-DOB1.1 - 27 X 16CM (12)









CHURCHiLL

Churchills UK manufactured tableware is precisely engineered to perform to the demands of the hospitality environment established in 1795, blending centuries of experience with cutting edge technology and design innovation to produce one of the strongest ceramic bodies in the world.





STONECAST RAW

Stonecast Raw is a rustic and earthy collection inspired by natural materials and stripped back interior design. Finished in the semi-matte Vellum glaze, Raw features a hand-applied rustic edge band and durable semi-matte glaze that is engineered to withstand a busy hospitality environment.

BLACK

GREY



COUPE PLATE CC-SRBL-EVII.1 - 28.8CM (12) CC-SRBL-EVP8.1 - 21.7CM (12)



COUPE BOWL

CC-SRBL-EVB9.1 - 24.8CM - 113CL (12) CC-SRBL-EVB7.1 - 18.2CM - 42CL (12)



COUPE PLATE CC-SRGY-EV11.1 - 28.8CM (12) CC-SRGY-EVP8.1 - 21.7CM (12)



COUPE BOWL CC-SRGY-EVB9.1 - 24.8CM - 113CL (12) CC-SRGY-EVB7.1 - 18.2CM - 42CL (12)



COUPE PLATE

CC-SRBR-EV11.1 - 28.8CM (12) CC-SRBR-EVP8.1 - 21.7CM (12)



COUPE BOWL

CC-SRBR-EVB9.1 - 24.8CM - 113CL (12) CC-SRBR-EVB7.1 - 18.2CM - 42CL (12)









STONECAST RAW

TEAL



COUPE PLATE CC-SRBE-EVII.1 - 28.8CM (12) CC-SRBE-EVP8.1 - 21.7CM (12)



COUPE BOWL CC-SRBE-EVB9.1 - 24.8CM - 113CL (12) CC-SRBE-EVB7.1 - 18.2CM - 42CL (12)



TERRACOTTA



COUPE PLATE CC-SRTE-EV11.1 - 28.8CM (12) **CC-SRTE-EVP8.1** - 21.7CM (12)



COUPE BOWL CC-SRTE-EVB9.1 - 24.8CM - 113CL (12) CC-SRTE-EVB7.1 - 18.2CM - 42CL (12)





STONECAST

Churchill Super Vitrified Stonecast Range

Decorated individually by hand, creating unique pieces that add to the overall rustic charm.

Inspired by the way the seasons change, add warmth and rustic style to the tabletop with this versatile hand-painted design.

Hand-painted colour-wash is finished with a golden brown band and fine speckles designed to enhance food presentation.

Each piece is unique, finishes + tones may vary.



SAMPHIRE GREEN



COUPE PLATE
CC-SSGS-EVP6.1 - 16.5CM (12)
CC-SSGS-EVP8.1 - 21.7CM (12)
CC-SSGS-EV10.1 - 26CM (12)
CC-SSGS-EV11.1 - 28.8CM (12)



COUPE BOWL CC-SSGS-EVB7.1 - 18.2CM - 42CL (12) CC-SSGS-EVB9.1 - 24.8CM - 113CL (12)



CHEFS' OBLONG PLATE CC-SSGS-X011.1 - 29.8 X 15.3CM (12) CC-SSGS-X014.1 - 35.5 X 18.9CM (6)



CORNFLOWER BLUE



COUPE PLATE CC-SCFS-EVP6.1 - 16.5CM (12) **CC-SCFS-EV10.1** - 26CM (12)



TRIANGLE BOWL CC-SCFS-TRB6.1 - 15.3CM - 26CL (12)



COUPE BOWL CC-SCFS-EVB7.1 - 18.2CM - 42CL (12) CC-SCFS-EVB9.1 - 24.8CM - 113CL (12)



TRIANGLE PLATE CC-SCFS-TR10.1 - 26.5CM (12)



OVAL PLATE CC-SCFS-OP7.1 - 19.2CM (12)



OBLONG PLATE CC-SCFS-OP11.1 - 29.5 X 15CM (12)



STONECAST

STONECAST

SPICED ORANGE

PEPPERCORN GREY



OBLONG PLATE CC-SPGS-OP11.1 - 29.5 X 15CM (12) CC-SPGS-OP14.1 - 35 X 18.5CM (6)



SAUCE DISH CC-SPGS-SD3.1 - 4 X 8CM - 9CL (12) **ZEST BOWL** CC-SPGS-ZE12.1 - 6.5 X 12.1CM - 34CL (12)



OBLONG PLATE CC-SSOS-OP11.1 - 29.5 X 15CM (12) CC-SSOS-OP14.1 - 35 X 18.5CM (6)



CC-SSOS-SD3.1 - 4 X 8CM - 9CL (12) **ZEST BOWL** CC-SSOS-ZE12.1 - 6.5 X 12.1CM - 34CL (12)



TRIANGLE PLATE CC-SPGS-TR7.1 - 19.2CM (12) CC-SPGS-TR9.1 - 22.9CM (12) CC-SPGS-TR10.1 - 26.5CM (12)

CC-SPGS-TR12.1 - 31.1CM (6)



COUPE PLATE CC-SPGS-EVP6.1 - 16.5CM (12) CC-SPGS-EVP8.1 - 21.7CM (12) CC-SPGS-EV10.1 - 26CM (12)



TRIANGLE PLATE CC-SSOS-TR7.1 - 19.2CM (12) CC-SSOS-TR9.1 - 22.9CM (12) CC-SSOS-TR10.1 - 26.5 (12) CC-SSOS-TR12.1 - 31.1CM (12)



COUPE PLATE

SAUCE DISH

CC-SSOS-EVP6.1 - 16.5CM (12) **CC-SSOS-EVP8.1** - 21.7CM (12) CC-SSOS-EV10.1 - 26CM (12) CC-SSOS-EV11.1 - 28.8CM (12)



DEEP SQUARE PLATE CC-SPGS-DS10.1 - 26.8CM (6)



OVAL PLATE CC-SPGS-OP7.1 - 19.2CM (12)

CC-SPGS-EV11.1 - 28.8CM (12)



DEEP SQUARE PLATE CC-SSOS-DS10.1 - 26.8CM (6)



OVAL PLATE CC-SSOS-OP7.1 - 19.2CM (12)



COUPE BOWL

CC-SPGS-EVB7.1 - 18.2CM - 42CL (12) CC-SPGS-EVB9.1 - 24.8CM - 113CL (12) CC-SPGS-PLC2.1 - 31CM - 240CL (6)



TRIANGLE BOWL

CC-SPGS-TRB6.1 - 15.3CM - 26CL (12) CC -SPGS-TRB7.1 - 18.5CM - 37CL (12) CC-SPGS-TRB9.1 - 23.5CM - 60CL (12)



COUPE BOWL

CC-SSOS-EVB7.1 - 18.2CM - 42CL (12) CC-SSOS-EVB9.1 - 24.8CM - 113CL (12) CC-SSOS-PLC2.1 - 31CM - 240CL (6)



TRIANGLE BOWL

CC-SSOS-TRB6.1 - 15.3CM - 26CL (12) CC-SSOS-TRB7.1 - 18.5CM - 37CL (12) CC-SSOS-TRB9.1 - 23.5CM - 60CL (12)



BEVERAGE / TEAPOT CC-SPGS-SB15.1 - 42.6CL (4)



MILK JUG CC-SPGS-SJ4.1 - 11.4CL (4)



BEVERAGE / TEAPOT CC-SSOS-SB15.1 - 42.6CL (4)



MILK JUG CC-SSOS-SJ4.1 - 11.4CL (4)



SUGAR/SIDE DISH BOWL CC-SPGS-SSGR.1 - 6.2 X 9.8CM - 22.7CL (12)





SUGAR/SIDE DISH BOWL CC-SSOS-SSGR.1 - 6.2 X 9.8CM - 22.7CL (12)





CAPPUCCINO CUP CC-SPGS-CB20.1 - 22.7CL (12)



CC-SPGS-VM12.1 - 34CL (12)



CAPPUCCINO CUP CC-SSOS-CB20.1 - 22.7CL (12) **CAPPUCCINO SAUCER** CC-SSOS-CSS.1 - 15.6CM (12)



CC-SSOS-VM12.1 - 34CL (12)



CAPPUCCINO SAUCER CC-SPGS-CSS.1 - 15.6CM (12)



ESPRESSO CUP CC-SPGS-CEB9.1 - 10CL (12) **ESPRESSO SAUCER** CC-SPGS-ESS.1 - 11.8CM (12)



ESPRESSO CUP CC-SSOS-CEB9.1 - 10CL (12) **ESPRESSO SAUCER** CC-SSOS-ESS.1 - 11.8CM (12)





STONECAST

STONECAST

BARLEY WHITE

DUCK EGG BLUE



OBLONG PLATE

CC-SDES-OP11.1 - 29.5 X 15CM (12) **CC-SDES-OP14.1** - 35 X 18.5CM (12)



SAUCE DISH

CC-SDES-SD3.1 - 4 X 8CM - 9CL (12)

ZEST BOWL

CC-SDES-ZE12.1 - 6.5 X 12.1CM - 34CL (12)



OBLONG PLATE

CC-SWHS-OP11.1 - 29.5 X 15CM (12) CC-SWHS-OP14.1 - 35 X 18.5CM (6)



SAUCE DISH

CC-SWHS-SD3.1 - 4 X 8CM - 9CL (12)

ZEST BOWL

CC-SWHS-ZE12.1 - 6.5 X 12.1CM - 34CL (12)



TRIANGLE PLATE

CC-SDES-TR7.1 - 19.2CM (12) CC-SDES-TR9.1 - 22.9CM (12) CC-SDES-TR10.1 - 26.5CM (12) CC-SDES-TR12.1 - 31.1CM(6)



COUPE PLATE

CC-SDES-EVP6.1 - 16.5CM (12) CC-SDES-EVP8.1 - 21.7CM (12) CC-SDES-EV10.1 - 26CM (12) CC-SDES-EV11.1 - 28.8CM (12)



TRIANGLE PLATE

CC-SWHS-TR7.1 - 19.2CM (12) CC-SWHS-TR9.1 - 22.9CM (12) CC-SWHS-TR10.1 - 26.5CM (12) CC-SWHS-TR12.1 - 31.1CM (6)



COUPE PLATE

CC-SWHS-EVP6.1 - 16.5CM (12) CC-SWHS-EVP8.1 - 21.7CM (12) CC-SWHS-EV10.1 - 26CM (12) CC-SWHS-EV11.1 - 28.8CM (12)



DEEP SQUARE PLATE

CC-SDES-DS10.1 - 26.8CM (6)



OVAL PLATE

CC-SDES-OP7.1 - 19.2CM (12)



DEEP SQUARE PLATE

CC-SWHS-DS10.1 - 26.8CM (6)



OVAL PLATE

CC-SWHS-OP7.1 - 19.2CM (12)



COUPE BOWL

CC-SDES-EVB7.1 - 18.2CM - 42CL (12) CC-SDES-EVB9.1 - 24.8CM - 113CL (12) CC-SDES-PLC2.1 - 31CM - 240CL (6)



TRIANGLE BOWL

CC-SDES-TRB6.1 - 15.3CM - 26CL (12) **CC-SDES-TRB7.1** - 18.5CM - 37CL (12) **CC-SDES-TRB9.1** - 23.5CM - 60CL (12)



COUPE BOWL

CC-SWHS-EVB7.1 - 18.2CM - 42CL (12) CC-SWHS-EVB9.1 - 24.8CM - 113CL (12) CC-SWHS-PLC2.1 - 31CM - 240CL (6)



TRIANGLE BOWL

CC-SWHS-TRB6.1 - 15.3CM - 26CL (12) CC-SWHS-TRB7.1 - 18.5CM - 37CL (12) CC-SWHS-TRB9.1 - 23.5CM - 60CL (12)



BEVERAGE / TEAPOT

CC-SDES-SB15.1 - 42.6CL (4)



MILK JUG

CC-SDES-SJ4.1 - 11.4CL (4)



BEVERAGE / TEAPOT

CC-SWHS-SB15.1 - 42.6CL (4)



MILK JUG

CC-SWHS-SJ4.1 - 11.4CL (4)



SUGAR/SIDE DISH BOWL

CC-SDES-SSGR.1 - 6.2 X 9.8CM - 22.7CL (12)



MUG

CC-SDES-VM12.1 - 34CL (12)



SUGAR/SIDE DISH BOWL

CC-SWHS-SSGR.1 - 6.2 X 9.8CM - 22.7CL (12)



CC-SW

CC-SWHS-VM12.1 - 34CL (12)



CAPPUCCINO CUP CC-SDES-CB20.1 - 22.7CL (12)

SAUCER

CC-SDES-CSS.1 - 15.6CM (12)



ESPRESSO CUP CC-SDES-CEB9.1 - 10CL (12)

SAUCER

CC-SDES-ESS.1 - 11.8CM (12)



CAPPUCCINO CUP CC-SWHS-CB20.1 - 22.7CL (12)

SAUCER

CC-SWHS-CSS.1 - 15.6CM (12)



ESPRESSO CUP CC-SWHS-CEB9.1 - 10CL (12)

SAUCER

CC-SWHS-ESS.1 - 11.8CM (12)







EMERGE

NEW TABLEWARE

EMERGE

The appearance of studio pottery is created through glazed finishes and an exposed biscuit base in the earthy Churchill Emerge coloured body. Stylish tableware decorated in artisan style glazes, a blend of tradition and innovation. The perfect solution for Tapas and Asian style dishes.

OSLO BLUE



DIP POT CC-EMBL-EM2.1 3.9 X 6CM - 5.7CL (12)



CHIP MUG CC-EMBL-EM11.1 7.7 X 8.6CM - 31.2CL (12)



DEEP BOWL CC-EMBL-EM8.1 5.7 X 9CM - 25.5CL (12)



DEEP BOWL CC-EMBL-EM16.1 5.9 X 12CM - 45.4CL (12) CC-EMBL-EM40.1 7.5 X 15.8CM - 113.6CL (6)



UDON BOWL CC-EMBL-ER16.1 8 X 16CM - 70CL (6)



RAMEN BOWL CC-EMBL-EU20.1 8 X 20CM - 100CL (6)





OSLO BLUE



SHALLOW TRAY CC-EMBL-ET12.1 12 X 9 X 3.3CM - 15CL (6)



SHALLOW TRAY CC-EMBL-ET17.1 17.3 X 11.9 X 3.3CM - 25CL (6)



SHALLOW TRAY CC-EMBL-ET23.1 23.3 X 10 X 3.3CM (6)



RECTANGULAR PLATE CC-EMBL-EP22.1 22 X 15CM (6)



RECTANGULAR PLATE CC-EMBL-EP25.1 25.1 X 10CM (6)



RECTANGULAR PLATE CC-EMBL-EP30.1 30 X 14.7CM (6)















EMERGE

SEATTLE GREY

SEATTLE GREY



DIP POT CC-EMGY-EM2.1 3.9 X 6CM - 5.7CL (12)

DEEP BOWL

CC-EMGY-EM16.1

CC-EMGY-EM40.1

5.9 X 12CM - 45.4CL (12)

7.5 X 15.8CM - 113.6CL (6)



CHIP MUG CC-EMGY-EM11.1 7.7 X 8.6CM - 31.2CL (12)



DEEP BOWL CC-EMGY-EM8.1 5.7 X 9CM - 25.5CL (12)



UDON BOWL CC-EMGY-ER16.1 8 X 16CM - 70CL (6)



RAMEN BOWL CC-EMGY-EU20.1 8 X 20CM - 100CL (6)



SHALLOW TRAY CC-EMGY-ET12.1 12 X 9 X 3.3CM - 15CL (6)



SHALLOW TRAY CC-EMGY-ET17.1 17.3 X 11.9 X 3.3CM - 25CL (6)



SHALLOW TRAY CC-EMGY-ET23.1 23.3 X 10 X 3.3CM (6)



RECTANGULAR PLATE CC-EMGY-EP22.1 22 X 15CM (6)



RECTANGULAR PLATE CC-EMGY-EP25.1 25.1 X 10CM (6)



RECTANGULAR PLATE CC-EMGY-EP30.1 30 X 14.7CM (6)



DEEP DISH CC-EMGY-ED12.1 12 X 8.8 X 5CM 25CL (6)



DEEP DISH CC-EMGY-ED17.1 17.30 X 11.90 X 5CM 50CL (6)







RAKU

Inspired by the traditional glazing process known as Raku firing which creates expressive and exciting results, Raku showcases reactive texture through print. Raku inspired prints are achieved with Churchill's innovative print process. Each piece is unique as the reactive print acquires its beautiful colour through random, spontaneous effects. Emulating an artisan glaze finish, Studio Prints Raku has all of the durability and technical reassurance required for the hospitality environment.

TOPAZ BLUE



COUPE PLATE CC-RKTB-EVP6.1 - 16.5CM (12)

CC-RKTB-EVP8.1 - 21.7CM (12) CC-RKTB-EV10.1 - 26CM (12) **CC-RKTB-EV11.1** - 28.8CM (12)



ORGANIC ROUND BOWL CC-RKTB-OGB1.1 - 25.3CM - 110CL (12)



COUPE BOWL

CC-RKTB-EVB7.1 - 18.2CM - 43CL (12) **CC-RKTB-EVB9.1** - 24.8CM - 113CL (12)



ORGANIC ROUND PLATE CC-RKTB-OG8.1 - 21CM (12) CC-RKTB-OG10.1 - 26.4CM (12)



OVAL COUPE PLATE **CC-RKTB-OP12.1** - 31.7 X 25.5CM (12)



CHEFS TRIANGLE PLATE CC-RKTB-TC30.0 - 30 X 20CM (6) **CC-RKTB-TC35.1** - 35 X 19CM (6)



CHEFS OBLONG PLATE

CC-RKTB-X011.1 - 29.8 X 15.3CM (12) **CC-RKTB-X014.1** - 35.5 X 18.9CM (6)



ROUND DISH



CC-RKTB-ID6.1 - 16 X 14.5CM 25CL (12)





JADE GREEN



COUPE BOWL CC-RKJG-EVB7.1 - 18.2CM - 43CL (12)



COUPE BOWL CC-RKJG-EVB9.1 - 24.8CM - 113CL (12)



COUPE PLATE CC-RKJG-EVP6.1 - 16.5CM (12)



COUPE PLATE CC-RKJG-EVP8.1 - 21.7CM (12)



COUPE PLATE CC-RKJG-EV10.1 - 26CM (12)



COUPE PLATE CC-RKJG-EV11.1 - 28.8CM (12)







RAKU

STUDIO PRINTS - STONE

Stone, a range inspired by the traditional process of hand carving ceramics from natural stone. Emulating tones and textures of nature.

AGATE GREY

TABLEWARE

QUARTZ BLACK



COUPE PLATE CC-RKBQ-EVP6.1 - 16.5CM (12) CC-RKBQ-EVP8.1 - 21.7CM (12) CC-RKBQ-EV10.1 - 26CM (12) CC-RKBQ-EV11.1 - 28.8CM (12)



ORGANIC ROUND BOWL CC-RKBQ-OGB1.1 - 25.3CM - 110CL (12)



COUPE BOWL CC-RKBQ-EVB7.1 - 18.2CM - 43CL (12) CC-RKBQ-EVB9.1 - 24.8CM - 113CL (12)



ORGANIC ROUND PLATE CC-RKBQ-OG8.1 - 21CM (12)



OVAL COUPE PLATE CC-RKBQ-OP12.1 - 31.7 X 25.5CM (12)



ORGANIC ROUND PLATE CC-RKBQ-OG10.1 - 26.4CM (12)



CHEFS' OBLONG PLATE CC-RKBQ-X011.1 - 29.8 X 15.3CM (12) CC-RKBQ-X014.1 - 35.5 X 18.9CM (6)



CHEFS' TRIANGLE PLATE CC-RKBQ-TC30.1 - 30 X 20CM (6)



ROUND DISH CC-RKBQ-ID6.1 - 16 X 14.5CM 25CL (12)



CHEFS' TRIANGLE PLATE CC-RKBQ-TC35.1 - 35 X 19CM (6)



OBLONG CHEFS' PLATE CC-STAG-X011.1 - 30 X 15.3CM (12)



OBLONG CHEFS' PLATE CC-STAG-X014.1 - 35.5 X 19CM (6)



COUPE PLATE CC-STAG-EVP6.1 - 16.5CM (12) CC-STAG-EVP8.1 - 21.7CM (12) **CC-STAG-EV11.1** - 28.8CM (12)



COUPE BOWL CC-STAG-EVB9.1 - 24.8CM - 113CL (12)



ZIRCON BROWN

CHURCHILL



OBLONG CHEFS' PLATE CC-STZB-X011.1 - 30 X 15.3CM (12)



OBLONG CHEFS' PLATE CC-STZB-X014.1 - 35.5 X 19CM (6)



COUPE PLATE CC-STZB-EV10.1 - 26CM (12)



COUPE BOWL CC-STZB-EVB7.1 - 18.2CM - 43CL (12)









KINTSUGI

ISLA

The Kintsugi design is a modern interpretation of the Japanese art of repairing broken pottery. The intricate crackled design features a subtle, reactive texture that makes each piece unique.

AGATE GREY



COUPE BOWL CC-KTAG-EVB7.1 - 18.2CM - 42CL (12)



COUPE BOWL



CC-KTAG-EVB9.1 - 24.8CM - 113CL (12)



COUPE PLATE CC-KTAG-EVP8.1 - 21.7CM (12)



COUPE PLATE CC-KTAG-EV10.1 - 26CM (12)



COUPE PLATE CC-KTAG-EV11.1 - 28.8CM (12)



WALLED PLATE CC-KTAG-WP26.1 - 26CM (12)





Isla design is inspired by shapes and textures found along the seashore. The modern, yet gracefful Isla embossment is reminiscent of the coastline

WHITE



COUPE PLATE CC-WHIS-ID27.1 - 28.1CM - 90CL (12)









WIDE RIM BOWL **CC-WHIS-IWBM.1** - 24CM - 28CL (12)



OATMEAL BOWL **CC-WHIS-IPOB.1** - 17CM - 25CL (12)



TEA CUP CC-WHIS-IT8.1 - 22CL (12)



SAUCER **CC-WHIS-ISM.1** - 15CM (12)







AGANO

NOURISH SIDE-BOWLS

TABLEWARE

The linear pattern of Agano Studio Prints design draws the eye to the centre of the plate.

Agano is a versatile, abstract design that enhances the dining experience.

BLACK



COUPE PLATE CC-AGBL-EVP6.1 16.5CM (12) CC-AGBL-EV10.1 26CM (12)



COUPE BOWL CC-AGBL-EVB7.1 18.2CM - 42CL (12) CC-AGBL-EVB9.1 24.8CM - 113CL (12)



OVAL PLATE CC-AGBL-OV30.1 29.9 X 15CM (12)



OVAL PLATE CC-AGBL-OV35.1 34.7 X 17.3CM (6)



Nourish features a range of bowls and dip pots decorated in artisanal style glazes. Nourish is the perfect accompaniment to dishes from all around the world.

ANDORRA GREEN



DIP POT CC-RBGN-BSD4.1 5 X 8.5CM - 11CL (12)



CHIP MUG CC-RBGN-BSCM.1 8 X 10CM - 29CL(12)



SHALLOW BOWL CC-RBGN-BSB6.1 4.5 X 13CM - 20CL (12)



SNACK BOWL CC-RBGN-BS14.1 6.5 X 13CM - 40CL (12)



PETRA SAND



DIP POT CC-RBSA-BSD4.1 5 X 8.5CM - 11CL (12)



CHIP MUG CC-RBSA-BSCM.1 8 X 10CM - 29CL(12)



SHALLOW BOWL CC-RBSA-BSB6.1 4.5 X 13CM - 20CL (12)



SNACK BOWL CC-RBSA-BS14.1 6.5 X 13CM - 40CL (12)










NOURISH SIDE-BOWLS

BIT ON THE SIDE

OSLO BLUE





DIP POT CC-RBBL-BSD4.15 X 8.5CM - 11CL (12)



CHIP MUG CC-RBBL-BSCM.1 8 X 10CM - 29CL(12)



SHALLOW BOWL CC-RBBL-BSB6.1 4.5 X 13CM - 20CL (12)



SNACK BOWL CC-RBBL-BS14.1 6.5 X 13CM - 40CL (12)



SEATTLE GREY



DIP POT CC-RBGY-BSD4.15 X 8.5CM - 11CL (12)



CHIP MUG CC-RBGY-BSCM.1 8 X 10CM - 29CL (12)



SHALLOW BOWL CC-RBGY-BSB6.1 4.5 X 13CM - 20CL (12)



SNACK BOWL CC-RBGY-BS14.1 6.5 X 13CM - 40CL (12)





SAPPHIRE

With food presentation becoming ever more innovative and exciting,

Bit On The Side features fun additions to add value and versatility to side dishes



DIP DISH CC-BCBL-RPDD.1 11.3CM - 14CL (12)



DIP POT CC-BCBL-RPD4.17CM - 11CL (12) **CC-BCBL-RPD2.1**5.9CM - 6CL (12)



CHIP MUG CC-BCBL-RPCM.1 9.5CM - 28CL (12)



SNACK BOWL CC-BCBL-RP6.1 10.4CM - 17CL (12) CC-BCBL-RP10.1 12CM - 28CL (12)

CINNAMON



DIP DISH CC-BCBR-RPDD.1 11.3CM - 14CL (12)



DIP POT CC-BCBR-RPD4.1 7CM - 11CL (12) CC-BCBR-RPD2.1 5.9CM - 6CL (12)



CHIP MUG CC-BCBR-RPCM.1 9.5CM - 28CL (12)



SNACK BOWL CC-BCBR-RP6.110.4CM - 17CL (12) **CC-BCBR-RP10.1**12CM - 28CL (12)





BIT ON THE SIDE

PAPRIKA



DIPPER POT CC-BCPA-PL4.16.7 X 6.9CM - 11CL (12) **CC-BCPA-PL2.1**5.5 X 5.8CM - 6CL (12)



CHIP POT CC-BCPA-PL12.19 X 9.7CM - 34CL (12)



DIP DISH CC-BCPA-PL5.1 3.5 X 9.7CM - 14CL (12)

PEBBLE



DIPPER POT CC-BCPE-PL4.16.7 X 6.9CM - 11CL (12) **CC-BCPE-PL2.1**5.5 X 5.8CM - 6CL (12)



CHIP POT CC-BCPE-PL12.19 X 9.7CM - 34CL (12)



DIP DISH CC-BCPE-PL5.13.5 X 9.7CM - 14CL (12)



PROFILE

Profile has an enhanced face profile with a defined rim to showcase the food at its very best. Profile is 20% lighter than existing plates making them an easy to handle solution, with no compromise on performance.

Profile is Protected by ecoglaze, a high performance glaze that enhances product performance and durability.

WHITE



PLATE
CC-WH-VP65.1 - 16.5CM (12)
CC-WH-VP9.1 - 20CM (12)
CC-WH-VP9.1 - 23CM (12)
CC-WH-VP10.1 - 25CM (12)
CC-WH-VP58.1 - 27CM (12)
CC-WH-VP11.1 - 30CM (12)



RIMMED BOWL CC-WH-VRSB.1 - 25CM - 50CL (12)

PASTA BOWL

CC-WH-VPPB.1 - 30CM - 87CL (12)



BOWL CC-WH-VPOB.1 - 17CM - 25CL (12)



EVOLVE

Evolve is a versatile range of coupe shaped plates and bowls. Evolve's soft rimless coupe shaped profiles lend themselves perfectly to classic and contemporary food presentation. The Evolve range consists of varying sizes to suit all applications.

The durable glaze provides an ultra smooth surface, whilst prolonging the life of super vitrified products




COUPE PLATE CC-WH-EVP6.1 - 16CM (12)

CC-WH-EVP8.1 - 22CM (12) **CC-WH-EV10.1** - 26CM (12) **CC-WH-EV11.1** - 29CM (12)



COUPE BOWL

CC-WH-EVB7.1 - 18CM - 43CL (12) CC-WH-EVB9.1 - 25CM - 113CL (12)







X SQUARED

This versatile collection of contemporary squares and rectangles works well with all other Super Vitrified ranges. X Squared Offers unlimited opportunities for presentation. Designed to offer a flexible solution for room service, cold counter presentation and banqueting



COUPE PLATE

CC-WH-SP7.1 - 17CM (12) **CC-WH-SP9.1** - 22CM (12) CC-WH-SP11.1 - 25CM (12) **CC-WH-SP12.1** - 29CM (12)



BOWL

CC-WH-SQ7.1 - 17CM - 56CL (12) **CC-WH-SQ9.1** - 21CM - 94CL (12) CC-WH-SQ10.1 - 23CM - 128CL (12)



OBLONG PLATE CC-WH-OP11.1 - 29 X 15CM (12)

CC-WH-OP14.1 - 35 X 18CM (6)



LOTUS

Modelled on the lotus flower, this collection of seven accent pieces has an organic, innovative design. A flexible range of coupe shaped bowls and plates. The spacious food serving area lends itself perfectly to contemporary food presentation. The superior glaze finish provides an ultra smooth surface for presentation whilst prolonging the life of the product



TRIANGLE PLATE

CC-WH-TR7.1 - 19CM (12) CC-WH-TR9.1 - 23CM (12) CC-WH-TR10.1 - 26CM (12) CC-WH-TR12.1 - 31CM (6)



TRIANGLE BOWL

CC-WH-TRB6.1 - 15.3CM - 26CL (12) CC-WH-TRB7.1 - 18.5CM - 37CL (12) **CC-WH-TRB9.1** - 23.5CM - 60CL (12)



A striking and innovative range combining versatility with contemporary design. Orbit enhances food presentation to create impact. All pieces are stackable. This stylish collection delivers a fresh design concept without compromising durability and functionality.



OVAL BOWL

CC-WH-OB7.1 - 18CM - 30CL (12)



OVAL COUPE PLATE

CC-WH-OP9.1 - 23CM (12) CC-WH-OP58.1 - 27CM (12) CC-WH-OP12.1 - 31CM (12)



PIZZA PLATE

PIZZA PLATE CC-WH-PPP.1 - 34CM (6)



WHITE ACCESSORIES



TRIANGULAR SNACK PLATE

CC-WH-TSP.1 - 24CM (6) CC-WH-SSB.1 - 11CM - 28CL (24)



TRIANGULAR SNACK PLATE

CC-WH-TSP.1 - 24CM (6)

SAUCE DISH

CC-WH-SD3.1 - 4 X 8CM - 9CL (24)



TRIANGULAR SNACK PLATE

CC-WH-TSP.1 - 24CM (6)

LATTE CAFÉ MUG

CC-WH-CCLL.1 - 22CL (24)



SMALL SOUP BOWL

CC-WH-SSB.1 - 11CM - 28CL (24)



MEDITERRANEAN SALAD BOWL

CC-WH-SBS.1 - 48CL - 17CM (12) - SMALL CC-WH-SBM.1 - 21CM - 80CL (12) - MEDIUM



STACKING SOUP CUP

CC-WH-ASU.1 - 10.5CM - 28CL (24)



DIP DISH

CC-WH-BODP.1 - 5 X 5CM- 60CL (24)



SOUFFLE DISH

CC-WHCW-S12N.1 - 10CM - 34CL (12)





WHITE ACCESSORIES

WHITE ACCESSORIES



SQUARE PIE DISH CC-WHCW-SPDN.1 - 12 X 12CM - 45CL (12)



RAMEKIN CC-WHCW-LRKN.1 - 9CM - 19CL (24)



ESPRESSO CUP CC-WH-BEC2.1 - 7CL (24) **SMALL COUPE SAUCER** CC-WH-BS4.1 - 12CM (24)



CAFÉ MUG CC-WH-CCLL.1 - 22CL (24) CC-WH-ML10.1 - 28CL (12) CC-WH-MCL.1 - 34CL (12)



EGG CUP FOOTLESS CC-WH-EC.1 - 5CM (24)



ODYSSEY PEPPER CC-WHVY-OP.1 - 9CM (6) **ODYSSEY SALT** CC-WHVY-OS.1 - 9CM (6)



TEACUP CC-WH-VT8.1 - 23CL (12) **SAUCER** CC-WH-CSS.1 - 16CM (24)



ESPRESSO CUP CC-WH-CECL.1 - 7CL (24) **ESPRESSO SAUCER** CC-WH-ESS.1 - 12CM (24)



PROFILE SAUCE DISH CC-WH-SD2.1 - 6CL (24) **CC-WH-SD3.1** - 9CL (24)



PROFILE BUTTER PAD **CC-WH-BP.1** - 10CM (24)



UNHANDLED MINI JUG CC-WH-MJ2.1 - 6CL (24)



BEVERAGE POT WITH LID CC-WH-BT15.1 - 43CL (4) CC-WH-BT30.1 - 85CL (4)



PROFILE PEPPER CC-WH-SPE.1 - 9CM (12) PROFILE SALT **CC-WH-SSA.1** - 9CM (12)



CAFÉ AMERICANO CUP CC-WH-BCA8.1 - 23CL (24) CAFÉ LATTE CUP CC-WH-BC10.1 - 28CL (24) **LARGE COUPE SAUCER** CC-WH-BS6.1 - 16CM (24)



ULTIMO - JUG CC-WH-B25.1 - 7CL (12) CC-WH-BJ5.1 - 14CL (4)



MINI GRAVY BOAT CC-WH-MSB.1 - 11CM - 11.2CL (6)



SUGAR SACHET HOLDER **CC-WH-SH.1** - 11 X 7CM (6)



MAPLE TEACUP CC-WH-COL.1 - 20CL (24) **MAPLE SAUCER** CC-WH-TSOL.1 - 15CM (24)












DUNE

Luzerne, a Singaporean brand committed to quality for over 70 years. High-end, bone ash-free products are a testament to our environmentally friendly and culturally aware philosophy.

Luzerne



Inspired by the natural materials that form modern crockery, the tones provide a minimalist, complementary canvas for any menu, while the sturdy, modern shapes & tactile granular feel engage all the senses.

CLAY



WALLED PLATE LADE1801020-CL - 20CM (12) LADE1801023-CL - 23.5CM (12) LADE1801027-CL - 27CM (12)



DEEP COUPE PLATE LADE1602023-CL - 23CM (12) LADE1602026-CL - 26CM (12)

ASH



WALLED PLATE LADE1801020-AS - 20CM (12) LADE1801023-AS - 23.5CM (12) LADE1801027-AS - 27CM (12)



DEEP COUPE PLATE LADE1602023-AS - 23CM (12) **LADE1602026-AS** - 26CM (12)







DRIZZLE

Pad printed design adds dimension to smooth matte coupe shapes. Drizzle blends neutral, monochromatic shades with organic strokes that call to mind looking through a window at a an invigoratory fall of rain.

WHITE

GREY




ROUND PLATE LADZ2501016/HKA1690 - 16CM (12) LADZ2501028/HKA1690 - 28CM (12)



ROUND DEEP COUPE PLATE LADZ6102023/HKA16901 - 23CM - 90CL



ROUND V-BOWL LADZ6122010/HKA16901 - 10CM - 6CL (12)



ROUND PLATE LADZ2501021/HKA17900 - 21CM (12)



ROUND DEEP COUPE PLATE LADZ6102018/HKA17900 - 18CM - 45CL (12)





Black swirl showcases the finest dishes creating focus with mesmerizing central pattern.

BLACK SWIRL



ROUND COUPE PLATE
LAAK6110019/039021A - 19CM (24)
LAAK6110023/039021A - 23.5CM (12)
LAAK6110027/039021A - 27.5CM (12)
LAAK6110031/039021A - 31CM (12)



CHINESE SPOON LACW1802113/039021A - 13CM (10)



ROUND V-BOWL LAAK6122010/039021A - 10CM - 6CL (24) LAAK6122016/039021A - 15.5CM - 39CL (12) LAAK6122018/039021A - 18CM - 72CL (12)



ROUND BOWL LAAK6120014/039021A 14.5CM - 27CL (24) LAAK6120024/039021A 24CM - 132CL (12) LAAK6120029/039021A 29CM - 303CL (6)







URBAN

The contrast pattern of storm captivates your eye from first sight.

STORM



ROUND COUPE PLATE LAAK6110019/149010 - 19CM (24) LAAK6110023/149010 - 23.5CM (12) LAAK6110027/149010 - 27.5CM (12) LAAK6110031/149010 - 31CM (12)



ROUND BOWL LAAK6120014/149010 - 14.5CM - 27CL (24) **LAAK6120024/149010** - 24CM - 132CL (12)



ROUND V-BOWL LAAK6122010/149010 - 10CM - 6CL (24) LAAK6122016/149010 - 15.5CM - 39CL (12) LAAK6122018/149010 - 18CM - 72CL (12)



GREY WEB

A subtle pattern to showcase a variety of menus, Grey Web captures the essence of nature's most delicate patterns.



ROUND COUPE PLATE LAAK6110019/139037 - 19CM (24) LAAK6110027/139037 - 27.5CM (12) LAAK6110031/139037 - 31CM (12)



ROUND BOWL LAAK6120014/139037 - 14.5CM - 27CL (24) **LAAK6120024/139037** - 24CM - 132CL (12)



ROUND V-BOWL LAAK6122010/139037 - 10CM - 6CL (24) LAAK6122016/139037 - 15.5CM - 39CL (12) LAAK6122018/139037 - 18CM - 72CL (12)



KNIT

Knit evokes the small wonders of everyday life through stimulation of tactile fabric, bringing simplicity into the restaurant, hotel space.

REACTIVE WHITE



ROUND COUPE PLATE LAKT1201016/HKZ12000 - 16CM (12) LAKT1201021/HKZ12000 - 21CM (24) LAKT1201026/HKZ12000 - 26CM (24)



ROUND BOWL LAKT1202123/HKZ1200 23CM - 72CL (12)



SAUCE BOWL LAKT1220010/HKZ1200 10CM - 18CL (12)



BOWL LAKT1220016/HKZ12000 16CM - 54CL (12)

LAVA

Featuring a photogenic spackle glaze that stimulates the fascinating composition of silicate materials in molten rocks.



ROUND COUPE PLATE LALV1401016/HKZ15901 - 16CM (12) LALV1401023/HKZ15901 - 23CM (12) LALV1401028/HKZ15901 - 28CM (12)



CEREAL/DESSERT LALV6102018/HKZ15901 - 18CM 45CL - (12) ROUND BOWL

LALV6102023/HKZ15901 - 23CM - 90CL (12)



ROUND V-BOWL LALV6122010/HKZ15901 - 10CM - 6CL (12) LALV6122016/HKZ15901 - 15.5CM - 39CL (12)








OLIVE

OLIVE

The Olive Range is sophisticated, fresh, inspiring, innovative and super white. Designed for usage in hotels and restaurants that require exceptional quality, elegance and durability. Chip resistant, dishwasher and microwave safe, and shine resilient with proper care and handling.

WHITE



ROUND RIM PLATE LAOL1101017 - 16.5CM (12) LAOL1101021 - 21CM (24) LAOL1101023 - 23CM (24)

LAOL1101027 - 27CM (12) LAOL1101031 - 30.5CM (12)





RECTANGULAR PLATE

LAOL1703017 - 17CM (12) LAOL1703022 - 22CM (12) LAOL1703027 - 27CM (12)

ROUND BOWL



BOWL

LAOL1120006 - 6CM - 6CL (24) **LAOL1120011** - 11CM - 21CL (24) LAOL1120013 - 13.5CM - 39CL (24) LAOL1120015 - 15.5CM - 60CL (24)

ROUND COUPE PLATE

LAOL1201116 - 16CM (24)

LAOL1201118 - 18CM (24)

LAOL1201221 - 21CM (24)

LAOL1201126 - 26CM (12)

LAOL1201131 - 31CM (12)

DEEP COUPE PLATE

LARE1202027 - 27CM (12)

SQUARE PLATE

LAOL1704016 - 16CM (12)

LAOL1704021 - 21CM (12)

LAOL1704026 - 26CM (12)



WHITE



MUG LAOL1130030 - 30CL (12) SAUCER

LAOL1415115 - 15CM (24)



AK TEA CUP LARE1407124 - 24CL (24) **LAOL1415115** - 15CM (24)



ESPRESSO CUP LAOL1105009 - 7CL (24) **ESPRESSO SAUCER** LAOL1415112 - 12CM (24) COFFEE CUP

LAOL1132018 - 20CL (24) SAUCER **LAOL1415115** - 15CM (24)



TEAPOT LAOL1108053B/L - 42CL (6)





EGG CUP LARE1807006 - 6CM (12)



WHITE BUTTER DISH LAOL1810006 - 6CM - 3CL (24)



CREAMER LAOL1106015 - 14CL (12) LAOL1162020 - 20CL (12)



PEPPER SHAKER **LAOL3411007P** - 6.5CM (12) **SALT SHAKER LAOL3411007S** - 6.5CM (12)



SAUCE DISH LARE1800007 - 7.5CM - 3CL (24)

Luzerne



SACHET HOLDER **LAOL1213005** - 10CM (12)





CLASSIC NEW BONE

Every Luzerne New Bone product bears the assurance of the brand's signature quality. The range of products is ideal as its glaze is renowned worldwide for its smooth, flawless and refined translucency. The quality of Luzerne New Bone exhibits all the features of traditional bone china without the use of bone ash, it is designed for use in all commercial environments is microwave and dishwasher safe.

WHITE



ROUND RIM PLATE

LACW1101018 - 17.5CM (24) LACW1101021 - 21.5CM (24) LACW1101025 - 25CM (24) **LACW1101027** - 27CM (12) **LACW1101030** - 31CM (12)



ROUND COUPE PLATE

LACW1201017 - 16.5CM (24) **LACW1201019** - 19.4CM (24) LACW1201024 - 24CM (24) LACW1201027 - 26CM (12) **LACW1201031** - 31CM (12)



DEEP ROUND COUPE PLATE

LACW1202027 - 26.8CM - 93CL (12)



CANAPE TRAY/AMUSE BOUCH TRAY

ROUND RIM SOUP PLATE

LACW1102022 - 22CM - 30CL (24)

LACW1102027 - 27CM - 42CL (12)

LALG6011132 - 31 X 10CM (12)



FLAT RECTANGLE PLATE

LAHW1108131 - 31 X 20CM (12)



NOODLE BOWL

LACW1604019 - 19CM (12)



ALL PURPOSE BOWL

LACW1603016 - 16.5CM - 75CL (24)



ROUND BOWL

LAAK6120014 - 14CM - 27CL (12) LAAK6120019 - 19CM - 45CL (24) LAAK6120024 - 24CM - 132CL (12) LAAK6120029 - 29CM - 303CL (6)



RICE BOWL

LACW1601012 - 11.7CM - 21CL (24) LACW1601013 - 12.5CM 27CL (24)





CLASSIC NEW BONE




ROUND V-BOWL

LAAK6122010 - 10CM - 6CL (24) **LAAK6122016** - 15.5CM - 39CL (24) **LAAK6122018** - 18CM - 72CL (12)



SOUP CUP WITH EAR LACW1501028B - 28CM - 30CL (24)

RIM SAUCER





COFFEE CUP (STACK)

LACW1406020 - 20CL (24) **COUPE SAUCER** LACW1415115 - 15.2CM (24)

CAPPUCCINO CUP

COUPE SAUCER

LACW1407028 - 30CL (24)

LACW1415416 - 15.5CM (24)



TEA CUP

LACW1405020 - 20CL (24) **COUPE SAUCER** LACW1415015 - 15.2CM (24)



CONICAL MUG

LACW2002536 - 36CL (24)



ZEN CUP LACW1408207 - 7CL (24)

RECTANGULAR SAUCER LACW1431015 - 15CM (24)

ZEN CUP

LACW1408221 - 21CL (24) LACW1408230 - 30CL (24)

LONG SAUCER

LACW1431021 - 20.7CM (24)



AK ESPRESSO CUP LACW1407111 - 11CL (24)

COUPE SAUCER LACW1415412 - 11.5CM (24)

AK TEA CUP LACW1407124 - 24CL (24)

COUPE SAUCER LACW1415115 - 15.2CM (24)



CREAMER

LACW1801005 - 5CL (12) **LACW1801009** - 9CL (12)

LACW1801022 - 22CL (12)



CONE MUG LACW2002029 - 29CL (12)

COUPE SAUCER

LACW1415115 - 15.2CM (24)



TEAPOT WITH LID

LACW1702045 45CL (12)

TEAPOT WITH LID

LACW1702075 75CL (12)





CLASSIC NEW BONE





SACHET HOLDER LACW1707010 - 9.5CM (24)



TALL SACHET HOLDER LACW1707005 WHITE - 7.2CM (24)



TOOTHPICK HOLDER LACW1804005 - 5CM (12)



TALL SALT SHAKER LACW1706310S - 9.8CM (12) TALL PEPPER SHAKER LACW1706310P - 9.8CM (12)



SAUCE DISH LACW1800007 - 7CM - 3CL (24) BUTTER DISH LACW1800009 - 9.5CM - 6CL (24)



BUTTER DISH LACW1810006 - 6CM - 3CL (24)




GRAVY BOAT LACW1704040 - 40CL (12)

SQUARE 2 COMPT. DISH

LACW1800110 - 8.5CM (24)



RECTANGLE 3 COMPT. DISH LACW1800212 - 12CM (24)





EGG CUP LACW1807006 - 6CM (12)



SQUARE BOWL LAHW1900208 - 7.5CM - 15CL (24)



APPETIZER DISH LALG6075006 - 9.5CM (24)



CHINESE SPOON LACW1802113 - 13CM (10)

CONCORD



BREAKFAST CUP LACC3006023 - 23CL (24) COUPE SAUCER LACC3006116 - 16CM (24)



LINE



RIM PLATE
LALN3101018 - 17.5CM (12)
LALN3101021 - 21CM (24)
LALN3101025 - 25CM (24)
LALN3101027 - 27CM (12)
LALN3101030 - 30.5CM (12)



RIM SOUP PLATE LALN3102022 - 22CM - 30CL (24) LALN3102026 - 26.5CM - 42CL (12)







Vitrified ceramics made from high quality materials perfectly suited for the fast-paced food service environment. Fortis is both beautiful, practical & durable.

Inspired by the flora of the Fynbos ecoregion, with delicate designs and earthly tones reminiscent of the South African landscapes.

ALOE GREEN

NEW TABLEWARE

FYNBOS



ORGANIC ROUND BOWL NG4507-24GR W:24.8CM X H:8CM - 150CL (4) NG4507-30GR W: 30.5CM X H: 9.5CM -300CL (4) NG4507-40GR W: 40.5CM X H: 12.5CM - 600CL (3)



ROUND DEEP COUPE PLATE NG4509-17GR DIA: 17CM X H: 4.5CM - 30CL (6) NG4509-23GR DIA: 23CM X H: 4.5CM - 90CL (4) NG4509-25GR DIA: 25.5CM X H: 4.5CM - 110CL (3)



RECTANGULAR PLATE NG4508-24GR - 25.5 X 14.5CM (6) NG4508-30GR - 30 X 17CM (4) NG4508-34GR - 35.5 X 18CM (4) NG4508-45GR - 45 X 21CM (3)



COFFEE CUP NG4505-GR - 25CL (6)



SAUCER NG4506-GR - 15CM (6)











FYNBOS

ATLANTIC BLUE



RECTANGULAR PLATE

NG4503-26BL - 25.5 X 14.5CM (6) NG4503-30BL - 30.5 X 17CM (4) NG4503-35BL - 35.5 X 18.5CM (4)



ORGANIC ROUND BOWL NG4502-24BL

W: 25.8CM X H:8CM - 150CL (4) NG4502-30BL

W: 30.5CM X H: 9.5CM - 300CL (4) NG4502-40BL

W: 40.5CM X H: 12.5CM - 600CL (3)



OBLONG SLIM NG4501-BL - 38CM X 10CM (6)



DEEP BAMBOO



RECTANGULAR BOARD

NG4665-20BR - 20 X 14 X 2CM (6) **NG4665-25BR** - 25.5 X 18 X 2.5CM (3)

NG4665-30BR - 29.5 X 20 X 3CM (3)



BRUSHED SAND

FORTIS HOTELWARE



OVAL PLATE

NG4504-30AN - 30.5 X 16.5 X 3CM (4) **NG4504-36AN** - 35.5 X 19 X 3.5CM (4)



TEMPEST

Tempest black textured ceramic crockery is a stylish and sophisticated choice for the food service industry. The unique texture adds an element of interest and depth to the classic black colour. Due to the process of adding texture to the plate each piece may vary in its texture and glazing

BLACK



COUPE PLATE

DA-1102 - 19.5CM (24) **DA-1101** - 26CM (24)

DA-1100 - 29CM (24)



DEEP COUPE PLATE DA-1104 - 24CM - 52CL (24)

DA-1103 - 28CM - 100CL (24)



OVAL PLATTER

DA-1125 - 31 X 23CM (12) **DA-1126** - 38 X 29CM (6)



PIZZA PLATE **DA-1123** - 31CM (12)



CANAPE TRAY DA-1118 - 31 X 11.5CM (12)



RECTANGULAR TRAY DA-1107 - 37 X 16CM (24)





LASAGNE DISH DA-1122 - 40CL (12)



SOUP/CEREAL BOWL DA-1114 - 15CM - 50CL (12)



ROUND DISH DA-1106 - 6.5CM - 5CL (24)

īnī

FORTIS HOTELWARE



OVAL SAUCE DISH DA-1105 - 10CM - 8CL (24)





TEMPEST

BLACK



RIBBED RAMEKIN DA-1117 - 9CM - 14CL (24)



UNHANDLED JUG DA-1112 - 10CL (24) **DA-1124** - 20CL (24)



BISTRO MUG DA-1119 - 30CL (24)

DA-1116 - 15CM (24)

OTHER ORDER CODES DOUBLE WELL SAUCER



UNIVERSAL CUP **DA-1115** - 23CL (24) **DOUBLE WELL SAUCER DA-1116** - 15CM (24)



ESPRESSO CUP DA-1120 - 7CL (24) ESPRESSO SAUCER **DA-1121** - 12CM (24)



TEAPOT DA-1113 - 50CL (12)



SACHET HOLDER **DA-1111** - 9CM (12)





Walled ceramic crockery has a sleek and simple design that allows the food to take centre stage while the high-quality material ensures durability and longevity. Available in classic black & white, these pieces are perfect for any setting.

BLACK



DEEP BOWL DA-1077- 11CM - 25CL (24)



FLAT BOWL DA-1076 - 11CM - 8CL (24)



CEREAL BOWL DA-1078 - 17CM - 60CL (24)



DEEP PASTA/SALAD BOWL DA-1079 - 21CM - 120CL (12)



PLATE

DA-1066 - 19.5CM (24) **DA-1067** - 23.5CM (24) **DA-1068** - 28CM (12)





WHITE





FLAT BOWL DA-1075 - 11CM - 8CL (24)



CEREAL BOWL DA-1073 - 17CM - 60CL (24)



DEEP PASTA/SALAD BOWL **DA-1074** - 21CM - 120CL (12)



PLATE

DA-1063 - 19.5CM (24) **DA-1064** - 23.5CM (24) **DA-1065** - 28CM (12)



PRIMA

Elegance of fine china with the resilience of a genuine catering product.

The Prima Range encompasses the entire spectrum of essential tableware, along with a number of elegant extras. Clean lines and a modern white body result in a range that can be applied across a broad range of functions and operations designed to facilitate stacking.

WHITE



ROUND PLATE SP-DA206 - 16.5CM (24)

SP-DA205 - 19CM (24) **SP-DA204** - 23CM (24) SP-DA203 - 25CM (24)

SP-DA202 - 27CM (24) SP-DA201 - 29CM (12)



COUPE PLATES

SP-DA402 - 19CM (24) **SP-DA405** - 22.5CM (24) **SP-DA401** - 26CM (24) SP-DA400 - 29CM (12)



SQUARE BOWL

DA-1060 - 18CM - 45CL (24) **DA-1062** - 23CM - 65CL (24)







OVAL COUPE PLATTER

DA-1005 - 23 X 18CM (12) **DA-1004** - 25.5 X 18CM (12) **DA-1006** - 31 X 14CM (12) **DA-1036** - 38 X 29CM (6)



PASTA PLATE **SP-DA213** - 28CM - 38CL (12)

GOURMET PASTA BOWL

OVAL RIMMED PLATTER

DA-219 - 31CM (12)

DA-218 - 36CM (12)

SQUARE PLATE

DA-1016 - 18CM (24)

DA-1014 - 23CM (12)

DA-1015 - 28CM (12)

SP-DA241

28CM - 30CL (12)



SQUARE DIP DISH DA-234 - 12CM - 25CL (24)





WHITE



COUPE PASTA/SALAD BOWL

SP-DA404 - 24CM - 52CL (24) **SP-DA403** - 28CM - 100CL (12)



NARROW RIMMED SOUP PLATE

SP-DA903 - 22CM - 35CL (24)



NARROW RIMMED DESSERT BOWL

SP-DA904 - 16CM - 18CL (24)



NARROW RIM

MULTI-PURPOSE DA-229 - 14CM- 60CL (12)

NARROW RIMMED

SP-DA900 - 17CM (24)

SP-DA905 - 20CM (24)

SP-DA902 - 23CM (24)

SP-DA901 - 25CM (24)

PIZZA PLATE

DA-014 - 31CM (12)

DA-019 - 26CM (12)





OATMEAL BOWL **SP-DA216** - 15.5CM - 33CL (24)

SALAD BOWL



SP-DA007 - 18CM - 60CL (24)

PASTA/SALAD BOWL **SP-DA1007** - 26CM - 120CL (12)



NOODLE BOWL

SP-DA242 - 22CM - 140CL (24)



BOWL

DA-1003 - 12 X 7CM - 43CL (24)

STACKING SOUP CUP

DOUBLE WELL SAUCER

DA-1030 - 34CL (24)

DA-996 - 15CM (24)



VEGGIE BOWL DA-1070 - 17CM - 26CL (24)







PRIMA

PRIMA

WHITE



SLANT TOP BOWL DA-222 - 20CM - 55CL (12)

OVAL BOWL

DA-700 - 6CL (24)

DA-711 - 12CM (24)

DA-210 - 23CL (24)

SP-DA211 - 15CM (24)

ALFA CUP



SAUCE DISH **DA-233** - 10CM 10CL (24) **SALAD/FRUIT BOWL DA-232** - 16CM 35CL (24) **PASTA BOWL DA-231** - 24CM - 120CL (12)



ALFA ESPRESSO CUP

ALFA ESPRESSO SAUCER

DA-1086 - 18CM - 36CL (24)

DA-1088 - 23CM - 65CL (24)



CAPPUCCINO CUP DA-207 - 24CL (24) **DA-208** - 30CL (24)



DOUBLE WELL SAUCER SP-DA211 - 15CM (24)



SQUARE ESPRESSO CUP DA-161 - 6CL (24)







CAPPUCCINO SAUCER DA-160 - 15CM (24)



STACKING CUP DA-209 - 20CL (24) **DOUBLE WELL SAUCER SP-DA211** - 15CM (24)

DOUBLE WELL SAUCER



TEA CUP DA-1042 - 22CL (24) **FLAT SAUCER DA-1044** - 15CM (24)



STACKING MUG **DA-999** - 28CL (24)



COFFEE CUP DA-305 - 22CL (24) SAUCER **DA-306** - 15CM (24)



COFFEE MUG DA-1012 - 30CL (24)



BLACK MUG DA-1019 - 30CL (24)

WHITE



CAFÉ ESPRESSO CUP DA-701 - 7CL (24)



CAFÉ MUG

DA-994 - 26CL (24) DA-995 - 36CL (24)

DOUBLE WELL SAUCER

DA-996 - 15CM (24) **SAUCER TRAY DA-998** - 29 X 13CM (24)



BISTRO MUG

DA-992 - 30CL (24) **DOUBLE WELL SAUCER**

DA-996 15CM (24))

BISTRO MUG DA-993 - 36CL (24)

DOUBLE WELL SAUCER

DA-997 - 16CM (24)



CLASSIC MUG DA-1013 - 29CL (24)



TEA POT WITH LID DA-228 - 50CL (6) LID ONLY DA-228L - 50CL (6)




CREAMER

DA-1050 - 5CL (24) **DA-221** - 10CL (12) **DA-220** - 25CL (12) **BANQUETING JUG**

DA-1051 - 50CL



SUGAR BOWL WITH LID DA-227 - 20CL (12)



DA-300L - 100CL (8)



CREAMER - ROUND DA-303 - 10CL (12) **DA-302** - 25CL (12)



HANDLED SAUCE **DA-1071**- 15CL (12)



SUGAR BOWL WITH LID DA-304 - 20CL (12)



SACHET HOLDER DA-011 - 9CM (12)



ITALIA

ITALIA

TABLEWARE

"Traditional Italian shape cups that enhance the aromas and tastes of coffee to a perfect balance"



WHITE



Α

ESPRESSO CUP GS-R805C-W - 7CL (12)

ESPRESSO SAUCER GS-R806S-W - 12.5CM (12)

CAPPUCCINO CUP GS-R808C-W - 16CL (12) GS-R812C-W - 28CL (12)

CAPPUCCINO SAUCER GS-R809S-W - 14.2CM (12)

GS-R813S-W - 16CM (12)

OPEN CAPPUCCINO CUP GS-R815C-W - 21CL (12) **CAPPUCCINO SAUCER**

GS-R816S-W - 14CM (12)

BLACK



ESPRESSO CUP GS-R805C-B - 7CL (12)

ESPRESSO SAUCER GS-R806S-B - 12.5CM (12) **CAPPUCCINO CUP**

GS-R808C-B - 16CL (12) **GS-R812C-B** - 28CL (12) **CAPPUCCINO SAUCER**

GS-R809S-B - 14.2CM (12) **GS-R813S-B** - 16CM (12)

OPEN CAPPUCCINO CUP

GS-R815C-B - 21CL (12) **CAPPUCCINO SAUCER** GS-R816S-B - 14.2CM (12)

BROWN



Α

ESPRESSO CUP GS-R805C-BR - 7CL (12) **ESPRESSO SAUCER**

GS-R806S-BR - 12.5CM (12) **CAPPUCCINO CUP**

GS-R808C-BR - 16CL (12) **GS-R812C-BR** - 28CL (12)

CAPPUCCINO SAUCER GS-R809S-BR - 14.2CM (12) **GS-R813S-BR** - 16CM (12)

RED



Α **ESPRESSO CUP**

GS-R805C-R - 7CL (12) **ESPRESSO SAUCER** GS-R806S-R - 12.5CM (12)

CAPPUCCINO CUP GS-R808C-R - 16CL (12) GS-R812C-R - 28CL (12)

CAPPUCCINO SAUCER GS-R809S-R - 14.2CM (12) **GS-R813S-R** - 16CM (12)

OPEN CAPPUCCINO CUP GS-R815C-R - 21CL (12) **CAPPUCCINO SAUCER GS-R816S-R** - 14CM (12)

OPEN CAPPUCCINO CUP GS-R815C-BR - 21CL (12)

CAPPUCCINO SAUCER GS-R816S-BR - 14CM (12)

BLUE



ESPRESSO CUP GS-R805C-BL - 7CL (12)

ESPRESSO SAUCER GS-R806S-BL - 12.5CM (12)

CAPPUCCINO CUP

GS-R808C-BL - 16CL (12) **GS-R812C-BL** - 28CL (12) **CAPPUCCINO SAUCER** GS-R809S-BL - 14.2CM (12)

GS-R813S-BL - 16CM (12)

OPEN CAPPUCCINO CUP GS-R815C-BL - 21CL (12) **CAPPUCCINO SAUCER GS-R816S-BL** - 14CM (12)





PRIMA ACCESSORIES

PRIMA ACCESSORIES

WHITE

TABLEWARE

WHITE



TOOTHPICK HOLDER

DA-1054 - 5CM (24)



CANAPÉ TRAY

DA-1034 - 31 X 11.5CM (12)



SHARP ANGLE BOWL

DA-1021 - 8CM - 5CL (24)



COCKTAIL SPOON DA-1090 - 12.5CM (24)



STACKING SQUARE SERVER

DA-1084 - 10 X 10CM - 13CL (24)



STACKING RECTANGULAR SERVER **DA-1083** - 16.5 X 10CM - 35CL (12)



CANAPÉ SPOON DA-1035 - 10CM (48)



LASAGNE DISH

DA-009 - 40CL (12) **DA-010** - 60CL (12)



SAUCE DISH

DA-237 - 6.5CM - 3CL (24)



RAMEKIN

DA-013 - 9CM - 14CL (24)



DEEP BOWL

DA-016 - 10CM (24)



SAUCE CUP

DA-1008 - 8CL (24) **DA-017** - 15CL (24) **DA-018** - 22CL (24)



SAUCE DISH EGG SHAPE

DA-1023 - 10CM - 10CL (24)



RECTANGULAR TRAY

DA-1082 - 22 X 14CM (12) **DA-1055** - 28 X 15CM (12) **DA-1081** - 35 X 14CM (12)

DA-1110 - 33.5 X 20CM (12)



RIBBED RAMEKIN

DA-015 - 9CM (24)



DIPPER POT DA-1053 - 7CL (24)



CHIP MUG DA-1052 - 9CM - 22CL (24)



EGG CUP DA-225 - 5CL (12)









PRIMA ACCESSORIES

WHITE



SNAIL DISH DA-012 - 20CM (12)



3 DIV. CONDIMENT DISH DA-991 - 18CM (24)



ASHTRAY DA-217 - 9CM (12) **OUTDOOR ASHTRAY DA-1009** - 9CM (12)



PEPPER SHAKER DA-224 - 6CM (12) **SALT SHAKER DA-223** - 6CM (12)



PEPPER SHAKER
DA-1011 - 8CM (12)
SALT SHAKER
DA-1010 - 8CM (12)



OVAL EARED DISH DA-238 - 20CM - 35CL (12)



OVAL DIVIDED BOWL DA-1085 - 20CM (6)



BUD VASE DA-240 - 15CM (12)



ACCENT

"Inspires excellence, creativity and individuality".

The accent range inspires excellence, creativity and individuality in presentation by providing a selection of signature, accent and buffet pieces. Expressive shapes inspire chefs to go beyond the ordinary in enhancing the appeal of any dish. Robust product designed for use in the hospitality industry.

WHITE





LARGE SALAD/SOUP BOWL NGFAW6862-41 - 41CM (2)



LARGE BOWL WITH GRAIN NG6105-36 - 36CM (4)



SOUP/PASTA BOWL NGFAW6660-28 - 28CM (12)



DIVIDED DISH NG5510A-23 - 23CM (12)



QUADRILATERAL PLATE NG6226B-36 - 36CM (2)



FLARED LARGE BOWL NG6249-30 - 30CM (8)



RECTANGULAR BOARD

NG4665-20 - 20 X 14CM (6) **NG4665-25** - 25 X 18CM (12) **NG4665-30** - 30 X 21CM (12)



SQUARE PLATE NG4546-19 - 19CM (12) **NG4546-25** - 25CM (12) **NG4546-30** - 30CM (6)

ACCENT

WHITE



RECT. 3-DIVIDED DISH NG5510-17 - 17CM (6)



RECT. 2-DIVIDED DISH NG5511-14 - 14CM (12)



SQUARE FOOTED BOWL NG6177-11 - 11CM (12)

NG6177-18 - 18CM (6) NG6177-27 - 27CM (6)



SQUARE TRUMPET SHAPE

BOWL NG4519-12 - 12CM (12) **NG4519-18** - 18CM (6) NG4519-23 - 23CM (8)



BAMBOO LEAF PLATE

NG4556-20 - 20CM (6)



SLANT TOP BOWL

NG7164-18 - 18CM (6) NG7164-20 - 20CM (3)



RECT. PLATE WITH HANDLE

NG6184-29 - 29 X 13CM (12) NG6184-38 - 38 X 17CM (3)



RECTANGULAR PLATE


NG5466-37 - 37 X 20CM (3) NG5466-45 - 45 X 28CM (2)



CUTLERY

We offer a range of the finest cutlery shapes, from simple to ornate, traditional to contemporary, along with speciality items such as serving gear and steak knives in either 18/0 or 18/10 S/Steel.

18/10 S/Steel contains 18% chrome and 10% nickel whilst 18/0 contains 18% chrome with no nickel. Therefore 18/10 provides greater protection against corrosion, scratching and assists with longer lasting brilliance and shine.











PINTINOX

TABLEWARE

PINTINOX

Quality cutlery products made in Italy since 1929. Specifically made with quality S/Steel destined for modern catering



MILLENIUM 18/10

| ò | P | 0 | 0 | N | |
|---|---|---|---|---|--|
| | | | | | |

PN22700001 - (12) TABLE PN22700004 - (12) DESSERT PN22700007 - (12) TEA/COFFEE PN22700011 - (1) SERVING PN22700039 - (12) SOUP PN22700008 - (12) MOKA

FORK

PN22700002 - (12) TABLE PN22700005 - (12) DESSERT PN22700012 - (1) SERVING PN22700017 - (12) PASTRY PN22700028 - (12) FISH

KNIFE

PN22700003 - (12) TABLE PN22700006 - (12) DESSERT PN22700029 - (12) FISH PN22700067 - (12) STEAK CAKE SERVER PN22700020 - (1)



SIRIO 18/10

SPOON

PN22600001 - (12) TABLE PN22600004 - (12) DESSERT PN22600007 - (12) TEA/COFFEE PN22600008 - (12) MOKA

PN22600039 - (12) SOUP

FORK

PN22600002 - (12) TABLE PN22600005 - (12) DESSERT PN22600017 - (12) PASTRY PN22600028 - (12) FISH

KNIFE

PN22600003 - (12) TABLE PN22600006 - (12) DESSERT PN22600029 - (12) FISH



PALACE 18/10

SPOON

PN16900001 - (12) TABLE PN16900004 - (12) DESSERT

PN16900007 - (12) TEA/COFFEE PN16900008 - (12) MOKA PN16900039 - (12) SOUP

PN16900036 - (12) LONG DRINK

FORK

PN16900002 - (12) TABLE PN16900005 - (12) DESSERT PN16900017 - (12) PASTRY PN16900028 - (12) FISH PN16900027 - (12) OYSTER

KNIFE

PN16900003 - (12) TABLE PN16900006 - (12) DESSERT

PN16900029 - (12) FISH PN16900067 - (12) STEAK PN16900025 - (12) BUTTER



ROMA 18/10

SPOON

PN22000004 - (12) DESSERT PN22000007 - (12) TEA PN22000008 - (12) MOKA PN08300039 - (12) SOUP

FORK

PN22000002 - (12) TABLE PN22000005 - (12) DESSERT PN22000017 - (12) CAKE PN22000028 - (12) FISH

KNIFE

PN2200003 - (12) TABLE PN22000006 - (12) DESSERT PN08300067 - (12) STEAK PN22000029 - (12) FISH



RITZ 18/10

SPOON

PN22800001 - (12) TABLE PN22800004 - (12) DESSERT PN22800007 - (12) TEA/COFFEE PN22800008 - (12) MOKA PN22800039 - (12) SOUP PN22800036 - (12) LONG DRINK

FORK

PN22800002 - (12) TABLE PN22800005 - (12) DESSERT PN22800017 - (12) PASTRY PN22800028 - (12) FISH

KNIFE

PN22800003 - (12) TABLE PN22800006 - (12) DESSERT PN22800029 - (12) FISH PN22800067 - (12) STEAK



ACCESSORIES 18/10

Α

STEAK KNIFE PN07500067 - (12)

В

CHEESE KNIVE PN074000AA - (1) С

LOBSTER PICK PN074000AF - (1)

D

SEAFOOD CRACKER PN074000AG - (1)







SOLA

FORTIS

Manufacturing cutlery since 1922 and manufactured and designed in the Netherlands. Sola guarantees perfect quality control from raw material selection, manufaturing processes and production.



LOTUS 18/10

| מפ | \cap | \sim | ΝI | |
|----|--------|--------|----|--|
| 36 | U | U | IA | |

SHC-11LOTU011 - (12) TABLE SHC-11LOTU012 - (12) DESSERT SHC-11LOTU013 - (12) ENGLISH SOUP

SHC-11LOTU302 - (12) TEA

SHC-11LOTU303 - (12) LONGDRINK SHC-11LOTU307 - (12) DEMITASSE

SHC-11LOTU402 - (12) COCKTAIL

FORK

SHC-11LOTU021 - (12) TABLE SHC-11LOTU022 - (12) DESSERT

SHC-11LOTU024 - (12) FISH SHC-11LOTU404 - (12) COCKTAIL

KNIFE

SHC-11LOTU110 - (12) STEAK (STANDING) SHC-11LOTU111 - (12) TABLE (REGULAR)

SHC-11LOTU112 - (12) TABLE (STANDING) SHC-11LOTU113 - (12) DESSERT (REGULAR)

SHC-11LOTU114 - (12) DESSERT (STANDING) SHC-11LOTU115 - (12) BUTTER (REGULAR) SHC-11LOTU116 - (12) BUTTER (STANDING)

SHC-11LOTU117 - (12) STEAK (REGULAR)

SHC-11LOTU124 - (12) FISH



TABLEWARE

Fortis cutlery offers affordable food service quality cutlery in 18/0 or 18/10 options.

Available in various styles and designed with perfect balance.

TRADITIONAL 18/10

SPOON

JS-ET102 - (12) TABLE

JS-ET105 - (12) DESSERT

JS-ET108 - (12) TEA

JS-ET110 - (12) ICE CREAM

JS-ET112 - (12) COFFEE

JS-ET115 - (12) SOUP

FORK

JS-ET101 - (12) TABLE

JS-ET104 - (12) DESSERT

JS-ET106 - (12) FISH

JS-ET113 - (12) CAKE

KNIFE

JS-ET100 - (12) TABLE

JS-ET103 - (12) DESSERT

JS-ET107 - (12) FISH

JS-ET199 - (12) STEAK



WINDSOR 18/10

SPOON

SHC-11WIND011 - (12) TABLE SHC-11WIND012 - (12) DESSERT

SHC-11WIND025 - (12) ENGLISH SOUP SHC-11WIND302 - (12) TEA

SHC-11WIND307 - (12) DEMITASSE

SHC-11WIND021 - (12) TABLE

KNIFE

SHC-11WIND111 - (12) TABLE MONO.

SHC-11WIND115 - (12) WINDSOR - STEAK MONO SHC-11WIND116 - (12)BUTTER MONO.

SHC-11DONA110 - (12) STEAK MONOBLOC

SHC-11DONA112 - (12) TABLE MONOBLOC

SHC-11DONA124 - (12) FISH

SHC-11DONA114 - (12) DESSERT MONOBLOC SHC-11DONA116 - (12) SIDE PLATE MONO.

SHC-11WIND124- (12) FISH



SORRENTO 18/10

SPOON

JS-S108 - (12) TEA

JS-S110 - (12) ICE CREAM

JS-S112 - (12) COFFEE

FORK

JS-S113 - (12) CAKE

JS-S100 - (12) TABLE

JS-S103 - (12) DESSERT



SHC-11DONA012 - (12) DESSERT

SHC-11DONA026 - (12) ENGLISH SOUP

SHC-11DONA303 - (12) LONGDRINK

FORK

SHC-11WIND303 - (12) LONGDRINK

SHC-11WIND022 - (12) DESSERT **SHC-11WIND024** - (12) FISH

SHC-11WIND113 - (12) DESSERT MONO.

DONAU 18/10

SPOON

SHC-11DONA011 - (12) TABLE

SHC-11DONA307 - (12) DEMITASSE

SHC-11DONA402 - (12) COCKTAIL SHC-11DONA302 - (12) TEA

SHC-11DONA021 - (12) TABLE

SHC-11DONA022 - (12) DESSERT

SHC-11DONA024 - (12) FISH SHC-11DONA404 - (1) COCKTAIL

JS-S105 - (12) DESSERT

JS-S115 - (12) SOUP

JS-S101 - (12) TABLE

JS-S104 - (12) DESSERT

JS-S106 - (12) FISH

KNIFE

JS-S107 - (12) FISH

JS-S199 - (12) STEAK



Ĭnĭ FORTIS HOTELWARE



FORTIS



ENGLISH 18/0

SPOON

JS-E202 - (12) TABLE JS-E205 - (12) DESSERT JS-E208 - (12) TEA **JS-E210** - (12) ICE CREAM **JS-E213** - (12) COFFEE

JS-E216 - (12) SOUP

FORK

JS-E201 - (12) TABLE JS-E204 - (12) DESSERT JS-E206 - (12) FISH JS-E214 - (12) CAKE

KNIFE

JS-E200 - (12) TABLE JS-E203 - (12) DESSERT JS-E207 - (12) FISH JS-E217 - (12) STEAK POINTED

CAPRI 18/0



JS-C403 - (12) TABLE **JS-C404** - (12) TEA JS-C408 - (12) COFFEE JS-C410 - (12) SOUP JS-C411 - (12) DESSERT

JS-C415 - (12) ICE CREAM **FORK**

JS-C402 - (12) TABLE JS-C406 - (12) DESSERT **JS-C409** - (12) CAKE JS-C413 - (12) FISH

KNIFE

JS-C401 - (12) TABLE JS-C405 - (12) DESSERT JS-C412 - (12) FISH JS-C414 - (12) STEAK POINTED

TRADITIONAL 18/0



SPOON

JS-T102 - (12) TABLE **JS-T105** - (12) DESSERT **JS-T108** - (12) TEA **JS-T110** - (12) ICE CREAM **JS-T112** - (12) COFFEE **JS-T115** - (12) SOUP **FORK JS-T101** - (12) TABLE **JS-T104** - (12) DESSERT

JS-T106 - (12) FISH JS-T113 - (12) CAKE

KNIFE

JS-T107 - (12) FISH JS-T100 - (12) TABLE JS-T103 - (12) DESSERT JS-T199 - (12) STEAK POINTED

FORTIS



ELOFF 18/0

SPOON

JS-K003 - (12) TABLE **JS-K004** - (12) TEA JS-K006 - (12) SOUP JS-K008 - (12) COFFEE **JS-K010** - (12) SODA JS-K013 - (12) DESSERT **FORK JS-K002** - (12) TABLE JS-K005 - (12) CAKE JS-K012 - (12) DESSERT

KNIFE

JS-K001 - (12) TABLE

JS-K011 - (12) DESSERT

JS-K014 - (12) STEAK POINTED

Īnī **FORTIS**

STEAK KNIVES AND FORKS



BROAD BLADE PLASTIC HANDLE KNS5125 - 125MM



ELEGANCE SHARP TIP KNG9126 - 125MM (WH)



DELUXE WOODEN HANDLE KNS3125 - 125MM



BROAD BLADE STEEL HANDLE KNS4125 - 125MM



SHARP TIP KNS0125 - 125MM





#**B**RUNTER



ELEGANCE SHARP TIP

KNG9125 - 125MM (ABS)

ROUND TIP

KNS0100 - 100MM





STEAK KNIFE KNV8110 - 110MM



KNV7110 - 110MM



KNF8110









GZC-K2032 - (12)







GLASSWARE

A wide offering of quality glassware specifically designed for the food service industry. From lead-free crystal glass to stemware and speciality cocktail glasses.

Our products are sourced from reputable manufacturers and are suited for any occasion whether formal or casual.





"Elegant and practical glassware for every day use"

Bormioli Rocco uses the finest natural resources to create superior glass for homes and businesses around the world. The range has been specifically designed for use in the catering industry in accordance with the most advanced manufacturing techniques.

- Our Crystal Range is made from superior lead-free crystal glass and encompasses strength, clarity, shine and innovation.
- The Standard Range is comprehensive and its versatile shapes are designed with emphasis on functionality and practicality.
- The Toughened Range is unsurpassed in strength and functionality. The manufacturing process employed renders it safer than ordinary glass and, in addition, tempered glass is also 2.5 times more resilient to thermal shock than ordinary glass.





A - LASER CUTTING

For thin rims that enhance the perception of wine qualities and elevate the tasting experience.



B-REDUCED THICKNESS

Excellent distribution of glass around the rim and along the sides.



C - STAR GLASS

Bormioli Rocco's innovative and exclusive chemical composition that produces an ultra-clear, highly transparent lead-free crystal glass.



D - PULLED STEM

A particular process whereby the stem is pulled from the same gob of molten glass as the bowl ensures elegant shapes, ultra-high strength and flexibility.



E - XLT

The exclusive reinforcing treatment that strengthens the stem and protects it over time.

Space saver shapes designed to economise on



DNA 🐔

DNA COLOR PROJECT - FULL MASS COLOR TECHNOLOGY

The colours are 100% dishwater safe in industrial dishwashers and Eco-friendly. The material is chip-proof and retains all the typical characteristics of glass (brilliance, transparency, recyclability and hygiene) for the entire life cycle of the product.



TEMPERED GLASS

storage and transport.

STACKABILITY

High resistance to thermal shock, impact and machine washing cycles. The exclusive reinforcing treatment that strengthens the stem and protects it over time.




SOMMELIER ITALIAN ASSOCIATION

In partnership with Italian Association of Sommeliers.









FLORIAN

AMERICA '20S









RED WINE BR1.99411 - 53.5CL H221MM W92MM (6)



COCKTAIL COUPE BR1.22137 - 23CL H157MM W98MM (6)

MARTINI

BR1.22142 - 25CL

H180MM W108MM (6)



COCKTAIL BR1.22129 - 25CL H202MM W78MM (6)

BR1.22150 - 27.5CL

H140MM W107MM (6)



GIN TONIC BR1.22128 - 75CL H226MM W109MM (6)

COGNAC

BR1.22147 - 65CL

H164.5MM W107MM (6)



DOF BR1.99416 - 37.5CL H113MM W78MM (6)

PROSECCO

BR1.99413 - 21CL



BEVERAGE BR1.99415 - 43CL H141MM W73MM (6)

AMERICA '20S

LILAC ROSE



ROCKS



BR1.22157 - 30CL H83.5MM W83.5MM (6) DOF BR1.22153 - 37CL H92MM W88MM (6)



LONG DRINK BR1.22159 - 40CL H158MM W68MM (6) COOLER

BR1.22155 - 49CL

H162MM W73.5MM (6)





SAPPHIRE BLUE



ROCKS BR1.22156 - 30CL H83.5MM W83.5MM (6) DOF BR1.22152 - 37CL H92MM W88MM (6)



BR1.22158 - 40CL H158MM W68MM (6) COOLER BR1.22154 - 49CL H162MM W73.5MM (6)

LONG DRINK





CORDIAL/LIQUEUR BR1.22146 - 8CL H150MM W56MM (6)



NICK & NORA BR1.22145 - 14CL H158.5MM W76MM (6)





COOLER BR1.22141 - 48CL H162MM W98MM (6)



DOF BR1.22139 - 38CL H92MM W88MM (6)



SHOT **BR1.22148** - 8CL H80MM - W45MM (6)







INALTO



MEDIUM

BR1.92351 - 44CL

H216MM W87MM (6)













H243MM W74MM (6)

UNO LARGE

BR3.65710 - 56CL

H233MM W100MM (6)



UNO SMALL BR3.65730 - 38CL H207MM W89MM (6)

UNO EXTRA LARGE

H243MM W104MM (6)

BR3.65700 - 64CL



UNO MEDIUM BR3.65720 - 47CL





H220MM W95MM (6)





TRESENSI MEDIUM BR3.65743 - 43CL H220MM W85MM (6)







FLUTE

XL

FLUTE

BR1.80811 - 23CL

H235MM W68MM (6)

BR1.92342 - 65CL

H240MM W102MM (6)

BR1.92343 - 23CL

H235MM W62MM (6)

DOF **BR1.92344** - 38CL H100MM W84MM (6)



LONG DRINK BR1.92345 - 39CL H129MM W76MM (6)

LARGE

BR1.92352 - 55CL

H230MM W95MM (6)



TRESENSI LARGE BR3.65742 - 55CL H235MM W91MM (6)



TRE SENSI SHERRY BR3.65747 - 15CL H178MM W62MM (6)



UNO DOF BR3.65750 - 45CL H103MM W92MM (6)







WHITE WINE

BR1.80821 - 35CL

H203MM W83MM (6)







BURGUNDER

BR1.80831 - 43CL



ROSSO BR1.80841 - 52CL H225MM W93MM (6)





PREMIUM











CHAMPAGNE BR1.70061 - 26CL H245MM W78MM (6)



SAUVIGNON BR1.70190 - 33CL H219MM W78MM (6)



CHIANTI CLASSIC BR1.70031 - 38.5CL H226MM W81MM (6)



BARBERA D'ASTI BR1.70181 - 47CL H233MM W86MM (6)



CHARDONNAY BR1.70041 - 60CL H238MM W86MM (6)



NEBBIOLO BR1.70011 - 67CL H238MM W108MM (6)



MOD. F COGNAC **BR1.70071** - 64.5CL H162MM W108MM (6)



AQUA FRIZZANTE BR1.91861 - 43CL H105MM W85MM (6)







CHAMPAGNE BR1.26281 - 20.5CL H224MM W75MM (6)



CABERNET BR1.26261 - 37CL H200MM W84MM (6)



NEBBIOLO BR1.26271 - 49CL H212MM W90MM (6)



BORDEAUX BR1.67221 - 53.5CL H233MM W90MM (6)



D.O.F. BR1.57100 - 41CL H987MM W87MM (6)





COGNAC BR1.30210C - 54.5CL H149MM W99MM (6)



GRAPPA BR1.66180 - 8CL H163MM W56MM (6)



DEGUSTAZIONE TASTER GLASS BR1.67260 - 21.3CL H151MM W66MM (6)



MILANO



TEMPERED





WATER BR1.36130M - 27CL H180MM W79MM (12)



GOBLET BR1.36140M - 34.8CL H188MM W83MM (12)



FLUTE

DOF



BR4.30110M - 38CL H92MM W89MM (12)



LONG DRINK BR4.30120M - 40CL H130MM W75MM (12)







LUNA





ROCKS BR1.91180 - 26CL H97MM W80MM (12)



DOF BR1.91200 - 34CL H108MM W87MM (12)



LONG DRINK BR1.91190 - 35CL H137MM W76MM (12)



COOLER BR1.91210 - 45CL H145MM W82MM (12)

GINA



FB30 DOF BR5.10970 - 30.8CL H97MM W77MM (6)



H28 HIGH BALL BR5.10130 - 28.7CL H142MM W62MM (6)



FH33 LONG DRINK BR5.10980 - 33.5CL H160MM W62MM (6) **FB22 TUMBLER** BR5.12080 - 24.3CL

H91MM W72MM (6)



FIORE DECANTERS





FIORE - SCHNAPS BR1.29090 - 5.5CL H145MM W56MM (12)



AURUM CARAFFA PITCHER BR1.80860 - 150CL H300MM W115MM (6)



YPSILON



SHOT BR1.57110 - 7CL H107MM W50MM (24)



AFTER DINNER BR1.25040 - 15CL H95MM W77MM (6)



PRE DINNER BR1.25020 - 25.5CL H107MM W92MM (12)



DOF BR1.25060 - 34CL H116MM W100MM (12)



LONG DRINK BR1.25030 - 30.8CL H159M W77MM (12)



DESSERT BOWL BR3.40750 - 37.5CL H90MM W130MM (12)









SORGENTE





WATER CLEAR BR3.40420 - 30CL H107MM W82MM (12)



DIAMOND



DOF BR3.02260 - 38.5CL H102MM W91MM (6)



COOLER BR3.50240 - 47CL H143MM W85MM (6)



ESTE



DOF BR6.66226 - 39CL H107MM W89MM (6)



COOLER BR6.66228 - 49CL H157MM W84MM (6)



CASSIOPEA



TUMBLER BR2.34510 - 33CL H88MM W86MM (12) DOF BR2.34520 - 41CL H107MM W85MM (12)



COOLER BR2.34530 - 48CL H147MM W80MM (12)













ONE SHOT BR5.18000 - 7CL H64MM W51MM (54)



JUICE GLASS BR5.17520 - 20CL H83MM W75MM (6)



ROCKS GLASS BR5.17530 - 27CL H92MM W84MM (6)

LONG DRINK

BR5.16170 - 37CL H120MM W83MM (6)



DOF BR5.16160 - 39CL H100MM W91MM (24)



COOLER BR5.16180 - 48CL H130MM W90MM (6)



NEW









COOLER BR3.40768 - 39.5CL H143MM - W82MM (6)



BODEGA







MINI BR7.10860 - 22.5CL H59MM W82MM (12)

ROCKS

BR3.40766 - 31.2CL

H99MM - W85MM (6)



MEDIUM BR7.10870 - 35.5CL H89MM W85MM (12)



MAXI BR7.10880 - 50.5CL H120MM W88.5MM (12)







446

POMPEI BOWLS









SMALL BR4.17010 - 3.9CL H30MM W60MM (24)



MEDIUM BR4.17070 - 10CL H41MM W80MM (6)



LARGE BR4.17020 - 24CL H53MM W105MM (6)

BEER





HARMONIA BR1.28970 - 38.5CL H201MM W73MM (6) BR1.28980 - 58CL H213MM W84MM (6)

CRAFT BEER AND BRANDY



EXECUTIVE BEER BR1.28540 - 37.5CL H184MM W80MM (6)



ALE / COCKTAIL BR3.30246 - 42CL H174MM W86MM (6)



SNIFTER BR1.30210 - 53CL H149MM W99MM (24)



PREMIUM - MOD. F COGNAC BR1.70071 - 64.5CL H162MM W108MM (6)



AMERICA'20S COGNAC BR1.22147 - 65CL H164.5MM W107MM (6)







STONE - D.O.F. BR6.66218 - 40CL H107MM W89MM (6)



LOUNGE - D.O.F. BR6.66224 - 40CL H107MM W89MM (6)



CASSIOPEA - WHISKEY BR2.34510 - 33CL H88MM W86MM (12) BR2.34520 - 41CL



GINA - FB30 BR5.10970 - 30.8CL H97MM W77MM (6)



LUNA - DOF BR1.91200 - 34CL H108MM W87MM (12)



RISERVA - D.O.F. BR1.57100 - 41CL H98MM W87MM (6)



YPSILON - DOF BR1.25060 - 34CL H116MM W100MM (12)

AMERICA '20S

BR1.22152 - 37CL H92MM W88MM (6)

H83.5MM W83.5MM (6)

ROCKS BR1.22156 - 30CL



AMERICA '20S - DOF BR1.22139 - 38CL H92MM W88MM (12)



AMERICA '20S LILAC ROSE DOF BR1.22153 - 37CL H92MM W88MM (6) **ROCKS** BR1.22157 - 30CL

H83.5MM W83.5MM (6)



COCKTAIL



YPSILON COCKTAIL BR1.24490 - 24.5CL H182MM W114MM (6)



BARTENDER COCKTAIL/ CHAMPAGNE GLASS BR3.20757B - 30CL H165MM W87.5MM (12)



YPSILON MARGARITA BR1.66440 - 33CL H174MM W117MM (6)



AMERICA '20S MARTINI BR1.22142 - 25CL H180MM W108MM (12)



JAZZ LONG DRINK BR1.29470 - 33CL H200MM W71MM (24)



ALE / COCKTAIL BR3.30246 - 42CL H174MM W86MM (6)







TABLEWARE TABLEWARE

COCKTAIL







CASSIOPEA - COCKTAIL BR2.34530 - 48CL H147MM W80MM (12)



ESTE - COOLER BR6.66228 - 49CL H157MM W84MM (6)



BODEGA - MEDIUM BR7.10870 - 35.5CL H89.5MM W85MM (12)

DIAMOND - COOLER

BR3.50240 - 47CL

H143MM W85MM (6)



BODEGA - MAXI BR7.10880 - 50.5CL H120MM W88.5MM (12)





AMERICA '20S COOLER BR1.22141 - 48CL H162MM W98MM (24)



AMERICA '20S SAPPHIRE BLUE COOLER BR1.22154 - 49CL H162MM W73.5MM (6)



AMERICA '20S LILAC ROSE COOLER BR1.22155 - 49CL H162MM W73.5MM (6)



NOVECENTO - FIZZ BR1.22114 - 22CL H124MM W90MM (6)



NOVECENTO - MARTINI BR1.22112 - 23.5CL H155MM W95MM (6)





AMERICA '20S COCKTAIL BR1.22129 - 25CL H202MM W78MM (6)



AMERICA '20S COCKTAIL COUPE BR1.22137 - 23CL H157MM W98MM (6)



AMERICA '20S FIZZ BR1.22150 - 27.5CL H140MM W107MM (6)











AMUSE BOUCHE AND SHOT



ROCK BAR ONE SHOT GLASS BR5.18000 - 7CL H64MM W51MM (54)



SORGENTE LIQUEUR BR3.40440 - 7CL H59MM W82MM (24)



AMERICA'20S - SHOT BR1.22148 - 8CL H80MM - W45MM (6)



YPSILON - SHOT BR1.57110 - 7CL H107MM W50MM (24)



BICCHIERI DUBLINO LIQUEUR BR1.68169 - 3.4CL H71MM W45MM (6)



BICCHIERI DUBLINO LIQUEUR BR1.69249 - 5.7CL H89MM W51MM (6)



DIAMOND - SHOT BR3.50238 - 6CL H71MM W59MM (6)



YPSILON AFTER DINNER BR1.25040 - 15CL H95MM W77MM (24)



YPSILON PRE DINNER **BR1.25020** - 25.5CL H107MM W92MM (12)



BODEGA MINI BR7.10860 - 22.5CL H59MM W82MM (12)







DESSERT















GELATO - BOWL BR1.33990 - 28CL H166MM W100MM (6)



ROCKBAR DESSERT / MILKSHAKE BR3.40310 - 38CL H182MM W85MM (6)



FORTUNA DESSERT BOWL BR1.91410 - 30CL H180MM W125MM (6)



DIAMOND - MINI DESSERT BOWL BR3.02200 - 22.5CL H60MM W110MM (12)



DIAMOND DESSERT BOWL BR3.02262 - 36CL H99MM W115MM (6)



YPSILON **DESSERT BOWL** BR3.40750 - 37.5CL H90MM W130MM (12)



ARIA - ALFA DESSERT BOWL BR2.35683 - 25CL H70MM W133MM (12)



ARIA - BETA DESSERT BOWL BR2.35682 - 25CL H62MM W112MM (12)





PREMIUM - GIN COCKTAIL BR1.70184 - 76CL H255MM W108MM (6)



AMERICA '20S - GIN TONIC BR1.22128 - 75CL H226MM W109MM (12)



CARAFES/JUGS



YPSILON - CARAFE BR1.25071 - 28.5CL H165MM W68MM (12) BR1.25081 - 55CL (6) H204MM W84MM **CARAFE JUG**

BR1.25001 - 108CL (6) H255MM W104MM



YPSILON - JUG WITH WHITE LID BR1.25001L - 108CL



BISTROT BROCCA JUG BR1.46140 - 30CL H115MM W62MM (12) **BR1.46150** - 61CL H145MM W77MM (12) BR1.46160 - 116CL H186MM W93MM (6)









"New lead-Free crystal glass composition, with physical aesthetics comparable to conventional lead crystal results in exceptional clarity and brilliance, with extra strength and durability"





DESIRE

Award winning design. Every single glass is uncompromisingly clear and brilliant. Aerlumer - the bottom curl lines at the bowl makes for unprecedented appreciation experiences.



HONG KONG HIP

Aerlumer⁵

Hong Kong Hip Series - with modern and edgy silhouette, it is sure to make a statement and is perfect for occasions where the finest wines and the most fashionable society come together to create the most hip and happening dining scene.









SHANGHAI SOUL

It is the definitive stemware range that meets the highest sommelier standards. It is intended for premium wines, ultra fine dining and elite socializing where nothing is compromised.





CHARDONNAY 1LS03CD14 - 40.5CL (24)



BEAUJOLAIS 1LS03BJ18 - 51.5CL



BURGUNDY 1LS03BG23 - 66.5CL (24)



HI BALL 1LT03HB10 - 28.5CL



DOUBLE ROCK 1LT03DR14 - 39.5CL (24)





SERENE

This glassware series elevates special occasions to enjoy a pleasurable moment with friends amidst fine ambience. The design's objective is to communicate simple, practical and casual sensations, capturing the essence of timeless style that constantly embraces modernity together with time honoured values.



DOUBLE ROCK 1LT17DR14 - 395ML (24)



LONG DRINK 1LT17LD15 - 400ML (24)








"Established in 1979, Ocean glassware manufactures quality glassware for the food service industry. Ocean glassware brings out the joy and pleasure to drink and dine in every moment.

Inspired by aesthetics and creativity, Ocean glassware passionately produces innovative and stylish glassware to enhance values of drinking and dining experiences"







MADISON



SANTE

"The Madison range of glassware are all fine rim"



FLUTE 1015F07 - 21CL (24)



WHITE WINE 1015W12 - 35CL (24)



RED WINE 1015R15 - 42.5CL



BORDEAUX 1015A21 - 59CL (24)



BURGUNDY 1015D22 - 65CL (24)



MARGARITA 1015M12 - 34.5CL (24)



MARTINI 1015C10 - 28.5CL (24)



COGNAC 1015N22 - 65CL (24)



WATER GOBLET 1015G15 - 42.5CL (24)



LONG DRINK 1C18414 - 39CL (48)



"The Sante range of glassware are all fine rim"



FLUTE CHAMPAGNE 1026F07 - 21CL (24)



WHITE WINE 1026W12 - 34CL (24)



RED WINE 1026R15 - 42CL (24)



BORDEAUX 1026A21 - 59.5CL (24)



BURGUNDY 1026D22 - 63.5CL (24)



WATER GOBLET 1026G14 - 40.5CL (24)



STEMLESS WINE 1C24216 - 46.5CL (48)



VINO



WHITE WINE 1530W12 - 33.5CL (48)



RED WINE 1530R16 - 47CL (48)









LEXINGTON

CUT TUMBLERS

TABLEWARE







FLUTE CHAMPAGNE 1019F06 - 18.5CL (48)



WHITE WINE 1019G13 - 37CL (48)



RED WINE 1019R16 - 45.5CL (48)



COCKTAIL 1019C07 - 20.5CL (48)



ROCK 1C18512 - 34.5CL (48)



HI BALL 1C18513 - 37CL (48)

PAST 1P03664 - 35CL (36)

PAST

1P03661 - 35CL (36)



PRESENT 1P03665 - 35CL (36)

PRESENT 1P03662 - 35CL (36)



FUTURE 1P03666 - 35CL (36)

FUTURE

1P03663 - 35CL (36)

CONNEXION

TRAZE - HI BALL



WHISKEY ROCK **1P02880** - 30.5CL (24)



DOUBLE ROCK 1P02807 - 35CL (48)



HI BALL 1P02808 - 35CL (48)

CARAFES



BISTRO 1V13610 - 27CL (48)

1V13621 - 58.5CL (24) **1V13633** - 94CL (24)



TEMPO 1B13610 - 29CL (48) 1B13621 - 61CL (24)

1B13634 - 97CL (24)



LONG DRINK 1P02809 - 43CL (36)



MIXING 1P02810 - 62.5CL (12)



CONDIMENT BOWL 1P02820 - 10CM (24)

JUBILEE



ROCK 1B22712 - 34CL (48)



HI BALL 1B22711 - 33.5CL (48)









TUMBLERS

NEW TABLEWARE

TUMBLERS

TOP DRINK

IVORY



ROCK 1B13009 - 26.5CL (72) 1B13011 - 32CL (72)



HI BALL 1B13013 - 37CL (72) 1B13016 - 46CL (72)

IRIS

"The Iris range of glassware are all fine rim"



ROCK 1B00311 - 32.5CL (72)



HI BALL 1B00310 - 30.5CL (72)



LONG DRINK 1B00313 - 37.5CL (72)

TANGO



ROCK 1B13312 - 35CL (48)



LONG DRINK 1B13315 - 42.5CL (48)



STUDIO



ROCK 1B16112 - 34.5CL (48)



LONG DRINK 1B16115 - 43.5CL (48)











TUMBLERS



HOT DRINK

FIN LINE



JUICE **1B01206** - 17.5CL (72)



HI BALL 1B01210 - 28CL (72)



HI BALL 1B01213 - 35.5CL (72)

FYN

"The FYN range of glassware are all fine rim"



ROCK 1C24010 - 29CL (72)



DOUBLE ROCK 1C24014 - 39.5CL (48)



HI BALL 1C24012 - 35CL (48)

LEXINGTON

"The Lexington range of glassware are all fine rim"



ROCK 1C18512 - 34.5CL (48)



HI BALL 1C18513 - 37CL (48)



MADISON

SANTE

"The Madison and Sante ranges of glassware are all fine rim"



LONG DRINK 1C18414 - 39CL (48)



STEMLESS WINE 1C24216 - 46.5CL (48)



DOPPIO DOUBLE WALL



ROCK 44A0001 - 28CL (24)



HI BALL 44A0002 - 43CL (24)



KENYA



ESPRESSO CUP 1P01642 - 6.5CL (6)



CAPPUCCINO CUP 1P01641 - 24.5CL (6)



MUG **1P01640** - 32CL (6)




SLIM MUG 1P01644 - 32CL (6)



ESPRESSO SAUCER 1P01672 - 11CM (6) FITS WITH 1P01642 - 6.5CL (6)



CAPPUCCINO SAUCER 1P01671 - 15CM (6) FITS WITH













COCKTAIL



CUBA HURRICANE **1522H16** - 45CL (24)



CRAFTMAN TUMBLER 1B23220 - 56.5CL (48)



CONICAL SUPER 1B01022 - 62CL (48)



VIVA - FOOTED 1B16315 - 42CL (24)



IMPERIAL 1R00216 - 47.5CL (24)



TIARA FOOTED 1B17514 - 39.5CL (48)



MODULAR 1B24516 - 46CL (48)



MODULAR 1B24522 - 63CL (48)



MADISON - WATER GOBLET 1015G15 - 42.5CL (24)



SANTE - WATER GOBLET 1026G14 - 40.5CL (24)





MADISON BURGUNDY 1015D22 - 65CL (24)



CONNEXION GIN COCKTAIL 1527D21 - 60CL (24)



MADISON MARGARITA 1015M12 - 34.5CL (24)



MADISON MARTINI 1015C10 - 28.5CL (24)



LEXINGTON COCKTAIL **1019C07** - 20.5CL (48)



CUBA HURRICANCE 1522H16 - 45CL (24)



MADISON WATER GOBLET 1015G15 - 42.5CL (24)



SANTE WATER GOBLET 1026G14 - 40.5CL (24)



CONNEXION LONG DRINK 1P02809 - 43CL (36)



LONG DRINK 1B13315 - 42.5CL (48)



TIARA FOOTED 1B17514 - 39.5CL (48)



WHISKEY ROCK 1P02880 - 30.5CL (24)















COCKTAILS - HI BALL



WHISKEY



TRAZE PAST 1P03665 - 35CL (36)



TRAZE PRESENT 1P03666 - 35CL (36)



TRAZE FUTURE 1P03664 - 35CL (36)



FYN - ROCK 1C24010 - 29CL (72)



CONNEXION DOUBLE ROCK 1P02807 - 35CL (48)



FYN - DOUBLE ROCK 1C24014 - 39.5CL (48)





BRANDY 1501X12 - 34CL (48)



SHERRY 1501P04 - 13CL (48)



COGNAC 1015N22 - 65CL (24)



IVORY - ROCK 1B13009 - 26.5CL (72)



IVORY - ROCK 1B13011 - 32CL (72)



IRIS - ROCK 1C13011 - 32CL (72)



UNO 4P02910 - 3.5CL (72)



PLAZA 1P00210 - 5.5CL (72)



SOLO 1P00110 - 6CL (72)



TRAZE PAST DOUBLE ROCKS 1P03661 - 35CL (36)



TRAZE PRESENT DOUBLE ROCKS 1P03662 - 35CL (36)



TRAZE FUTURE DOUBLE ROCKS 1P03663 - 35CL (36)



CONNEXION WHISKEY ROCK 1P02880 - 30.5CL (24)



STUDIO - ROCK 1B16112 - 34.5CL (48)



JUBILEE - ROCK 1B22712 - 34CL (48)



LEXINGTON - ROCK 1C18512 - 34.5CL (48)



TANGO - ROCK 1B13312 - 35CL (48)









BOWLS





CONNEXION CONDIMENT BOWL 1P02820 10CM (24)



VERRINE SHALLOW BOWL 1P03720 78.5MM (72)



VERRINE - DEEP BOWL 1P03721 78.5MM (72)



STACK BOWL 1P00623 - 104MM (72) **1P00624** - 121MM (48)





ALASKA - DESSERT



ICE CREAM CUP 1P00115 - 20.5CL (24)



SUNDAE CUP 1P00315 - 22.7CL (24)



SODA CUP 1P00415 - 35.5CL (24)





Ocean





"Meets the standards required by the demanding hospitality industry"







HURRICANE **AQU1001** - 44CL (12)



ALE/COCKTAIL SW0530-42 - 37CL (24)



MARTINI COCKTAIL SW0950-42 - 22.5CL (24)







TABLEWARE

TUMBLERS

WINE



FLUTE SW0720-42 - 21.5CL (24)



WHITE WINE **SW0060-42** - 25CL (24)



RED WINE SW0650-42 - 30CL (24)





LARGE WHITE WINE SW1600-42 - 38.5CL (24)



LARGE RED WINE SW1630-42 - 49CL (24)



BEER



FLARED PILSNER **B7-15DF** - 37CL (24)




WILLY **B2-14A** - 38CL (48)



BEER MUG AQU1003 - 49CL (6) **AQU1002** - 64CL (6)



WHISKEY





FREESIA TUMBLER PM0370-42 - 35CL (48)



FREESIA TUMBLER PM0390-42 - 50CL (48)



ZOMBIE B1-11A - 33.5CL (48)



HI BALL B1-10A - 27CL (48)



HOT DRINKS





IRISH COFFEE MUG AQU1005 - 24CL (12)



LATINO MUG AQU1004 - 28CL (12)



FOOTED MUG M1-1PJF - 28.5CL (48)



DECANTERS AND JUGS



DECANTER AQU1007 - 33CL (6) **AQU1006** - 108CL (6)



CLASSIC JUG WITH OUT LID JG0520-42 - 1.5LT (6)



TULIP WITH OUT LID **JG0610-41** - 2.1LT (6)







POLYCARBONATE



CHAMPAGNE FLUTE GPC0190 - 19CL (6)



PINA COLADA GLASS GPH0390 - 39CL (6)



HURRICANE GLASS GPH0410 - 41CL (6)



MARTINI CUP GPM0280 - 28CL (6)



MARGARITA CUP GPM0285 - 28.5CL (6)



COCKTAIL CUP GPP0410 - 41CL (6)



TUMBLER GPT0300 - 30CL (6)



TUMBLER GPT0470 - 47CL (6)



RED WINE GPW0335 - 33.5CL (6)



GIBRALTAR TUMBLER LTS0265 - 26.5CL (6)



GIBRALTAR TUMBLER LTS0405 - 40.5CL (6)



SHOT GLASS PSG0030 - 3CL (6)







SALT AND PEPPER MILLS

PARIS - U'SELECT WHITE

Paris U'Select, allows the user to choose from different settings for coarseness or fineness.

This provides the perfect grind: from roughly cracked to a fine dust, and gives consistency when switching back and forth.



SALT MILL PEU27810 - 18CM (6) **PEPPER MILL PEU27803** - 18CM (6)



SALT MILL PEU27797 - 12CM (6) PEPPER MILL PEU27780 - 12CM (6)



PARIS - BLACK



SALT MILL PEU1870418/SME - 18CM (6) **PEPPER MILL PEU1870418** - 18CM (6)



SALT MILL PEU1870412/SME - 12CM (6) **PEPPER MILL PEU1870412** - 12CM (6)



PARIS - CHOCOLATE



SALT MILL PEU870418/SME/1 - 18CM (6) **PEPPER MILL PEU870418/1** - 18CM (6)



SALT MILL PEU870412/SME/1 - 12CM (6) **PEPPER MILL PEU870412/1** - 12CM (6)



SALT MILL PEU870430/SME/1 - 30CM (3) **PEPPER MILL PEU870430/1** - 30CM (3)



PEPPER MILL PEU870450/1 - 50CM (1)



SALT AND PEPPER MILLS

PARIS - NATURAL



SALT MILL PEU0870418/SME - 18CM (6) **PEPPER MILL PEU0870418** - 18CM (6)



SALT MILL PEU0870412/SME - 12CM (6) **PEPPER MILL PEU0870412** - 12CM (6)



NANCY - ACRYLIC



SALT MILL PEU900830/SME - 30CM (3) PEPPER MILL PEU900830 - 30CM (3)



SALT MILL
PEU900818/SME - 18CM (6
PEPPER MILL
PEU900818 - 18CM (6)



SALT MILL PEU900812/SME - 12CM (6) PEPPER MILL PEU900812 - 12CM (6)

HOSTELLERIE



CHOCOLATE PEPPER MILL PEU22648 - 22CM (6)



NATURAL PEPPER MILL PEU806-1 - 22CM (6)







SALT AND PEPPER MILLS

BISTRO



NATURAL SALT MILL PEU9800-1/SME - 10CM (6) **NATURAL PEPPER MILL PEU800-1** - 10CM (6)



BLACK MATT SALT MILL PEU24208 - 10CM (6) **BLACK MATT PEPPER MILL** PEU22730 - 10CM (6)



WHITE SALT MILL **PEU22440** - 10CM (6) WHITE PEPPER MILL PEU24215 - 10CM (6)



CHOCOLATE SALT MILL PEU22600 - 10CM (6) **CHOCOLATE PEPPER MILL** PEU22594 - 10CM (6)





NATURAL SALT MILL PEU27889 - 8CM (6)



CHOCOLATE PEPPER MILL PEU27896 - 8CM (6)





BAYA



SALT MILL PEU33897 - 14CM (6)



PEPPER MILL PEU33880 - 14CM (6)



FIDJI - BLACK



ELIS - S/STEEL

SALT MILL PEU27179 - 20CM (1)



PEPPER MILL PEU27162 - 20CM (1)



SALT MILL PEU17149 - 15CM (6) PEPPER MILL PEU17132 - 15CM (6)



SALT AND PEPPER MILLS

BALI - ACRYLIC



WHITE - SALT MILL PEU25793 - 8CM (6)



BLACK - PEPPER MILL PEU25786 - 8CM (6)



BALTIC - ACRYLIC

TAHITI



SALT MILL PEU25779 - 8CM (6)



PEPPER MILL PEU25762 - 8CM (6)





WHITE - SALT MILL PEU24253 - 20CM (6)



BLACK - PEPPER MILL PEU18382 - 20CM (6)



SALT / PEPPER GRINDERS

FEATURES

S/Steel grinding mechanism



WOODEN PEPPER GRINDER **PGW0150** - 150MM PGW0300 - 300MM **PGW0500** - 500MM



ACRYLIC SALT AND PEPPER GRINDER **SPG0150** - 150MM (SET)






PLACEMATS

The hospitality industry continues to turn to macFAB for innovative and ground breaking products, which help reduce both energy and laundry costs while combining sophisticated textures and finishes with durability and ease of maintenance, macFAB tablemats are made from spun polyester yarn coated with waterproof PVC to create a beautiful, highly functional item for the hospitality industry. It is stain resistant, ultra strong and easy to clean. Mats are suitable for both indoor and outdoor use, as the material is UV protected for life.






SEA BREEZE MF140 30 X 41CM (12)




SHORELINE 30 X 41CM (12)



TITANIUM 30 X 41CM (12)



BURLAP MF038 30 X 41CM (12)



COFFEE BEAN MF035 30 X 41CM (12)



MINK MF150 30 X 41CM (12)



CW ALUMINIUM MF003 30 X 41CM (12)



BIRCH MF039 30 X 41CM (12)



MICA MF141 30 X 41CM (12)



SOLID BLACK MF040 30 X 41CM (12)



TERRACOTTA MF002 30 X 41CM (12)



CLAY MF123 30 X 41CM (12)



*The items on this page are available ex stock, Other patterns and finishes are available on request

mac FAB

CLEANING AND MAINTENANCE



PLACEMATS

CLEANING

Placemats are easily cleaned with soap and water. Should a stubborn stain occur, the woven polyvinyl can withstand gentle rubbing with hot soapy water or a bleach-based detergent.

DISHWASHERS

Do not put placemats into the dishwasher.

SANITIZING

A high temperature sanitizer can be used once a week to ensure that the placemats remain hygienic. This product cannot be ironed since it is

STORAGE

Store placemats flat or neatly rolled up. Do not allow them to be folded or allow them to crease.



DETERGENTS

Choosing the correct detergent is important. High alkaline content will eventually damage the glaze surface. Always follow the manufacturer's instructions and do not use more than the recommended quantities.

TEMPERATURE

A wash temperature of 60°C is generally optimal for achieving the correct balance between ensuring the effective removal of food particles and maximizing the longevity of the glaze. Dishwashers Avoid any vibration of plates against each other through proper loading and through the use of plastic coated racks and baskets. Ensure that the manufacturer's instructions are followed. Wash cutlery in separate baskets to prevent metal markings on the crockery.

HANDLING

Do not use metal utensils, scrapers, abrasive pads and powders or bleach for removing food particles. Only borax or gentle, non-abrasive household cleaners should be used to remove stains. Metal markings can be avoided by placing tableware on plastic or rubber mats.

ROTATION

Rotating the tableware in use promotes even wear and tear. Ensure that there is enough stock in operation to prevent excessive use and premature deterioration.

MICROWAVES

Ceramic tableware with metallic decorations such as gold or silver are not suitable for microwave ovens.

THERMAL SHOCK

Ceramic tableware is not designed to withstand excessive thermal shock conditions e.g. from the freezer to the hot oven. Do not expose tableware to a naked flame or heated electric element.



CLEANING

Wash cutlery in hot soapy water as soon as possible after use. Rinse immediately with hot water and wipe cutlery with a dry, clean cloth immediately. Never leave dirty cutlery to soak and never leave cutlery damp, especially 18/0 S/Steel grade.

DETERGENTS

Use only pH neutral or slightly alkaline detergents. Don't use products containing hypochlorides (bleach) or silver dip. Always follow the manufacturer's instructions and do not use more than the recommended quantities.

DISHWASHERS

Do not mix stainless steel or silver plate in the same load. Ensure that the manufacturer's instructions are followed and do not allow cutlery to stand in the dishwasher after the cycle is completed. Cutlery must be dried with a clean cloth.

POLISHING

Stainless steel cutlery will perform better if it is polished from time to time with a recommended stainless steel polish.

CLEANING AND MAINTENANCE



GLASSWARE

CLEANING

Glassware should be cleaned immediately after use to avoid stubborn residues. Wash glassware in hot water and rinse with cold water. Crystal glass should be washed in lukewarm water. Scrub glassware thoroughly with a brush ensuring that all surfaces are covered. Do not use any harsh cleaning utensils such as a steel wool pad to wash glassware as this will cause scratches.

DETERGENTS

For stubborn stains, use a mild detergent only. Always follow the manufacturer's instructions and do not use more than the recommended quantities. After using a detergent, ensure that glassware is rinsed thoroughly to avoid any detergent residues being left on the glass.

DISHWASHERS

Glassware can be washed in the dishwasher. However, take care not to wash glasses with very delicate long stems in the dishwasher as the possibility exists that these may break.

ROTATION

Avoid using scratched, cracked or chipped glasses.

STACKING

Avoid stacking glassware unless it is specifically identified as stackable. For best results store glasses in appropriate crates.

THERMAL SHOCK

Do not expose glassware to an open element or electric plate and do not place in the oven. Normal glass can withstand temperature changes of 42°C, and tempered glass can withstand temperature changes of 130°C.

MICROWAVES

Never allow glassware to be placed inside a microwave oven.



SALT AND PEPPER MILLS

Don't mill directly over open saucepans, casseroles or frying pans during cooking. The steam can dampen the salt and pepper which in turn can clog the mechanism.

CLEANING

Do not put your mills in the dishwasher. Clean the body of the mills with a soft, dry cloth. Never immerse the mill in water as will cause rust to appear underneath/inside the unit, but can also lead to paint cracking and swelling in the case of wooden units. Clean the insides of the mill with a small brush.

MAINTENANCE

Don't over-tighten the nut when you refill or adjust the grind. If you don't intend to use the mill for an extended period of time, remove the peppercorns or salt. When you get your mill, and once in a while after that, place a drop of mineral oil on top nut. Wood body mills will benefit from the occasional application of mineral or vegetable oil to enhance the appearance and prevent the wood from drying out. In cases, that the mechanism is not working properly, it is caused by the replacement salt crystals or pepper corns being much too big for the mechanism to handle i.e. no grinding takes place as there is no traction.

REFILL

Remove the knob and top to fill, then replace them both. Turn the mill upside down to get any seasoning out of the mechanism, and then turn the top nut clockwise to tighten loosely. It is very important to replace with similar sizing to what was originally in the mill i.e. medium to small salt crystals or peppercorns etc. Don't use wet or moisture-rich salt crystals Don't ever use salt in your pepper mill or peppercorn in a salt mill as it may well corrode the mechanism or other spices or herbs either.

STORAGE

Store your mills in a cool, dry place where they are unlikely to be knocked to the floor and get damaged. Storage over an area used for cooking is more likely to lead to a clogging up of the mill especially the salt mill as condensation may get into the seasoning material.

REFERENCE

Camcarrier - Top Loader (Meal Delivery) ___ 190 Camcarts - Front Loader (Meal Delivery) 190 - 191

Cater Ace ____ 222 - 227, 229 - 236, 247 - 250.

Cereal Dispensers 331, 337, 339, 344, 353

Chafing Dishes & Stands 321, 323 - 324, 27 - 329,

259,263 - 271, 280 - 281, 283 - 294

Camduction Base & Domes

Camduction Charging Station

168 -172,183 - 206, 223, 230, 273

Cambro

Camshelving _

Can Openers

Cast Iron Tea Pots

Caterace Knives

341, 350 - 352

Cheese Cutters

Chicken Grillers

Chef's Gas Torches

Chip Bagging Scoop

Chef Trousers

Chip Baskets

Chip Dumps

Citrus Juicer __

Citrus Squeezer_

Coffee Grinder

Classic New Bone

Coffee Jug Warmer

Coffee Pots S/Steel

Coffee Machines

Cold Food Bars ____ Combi Steam - Gas __ Combi Steam Ovens

Condiment Server

Confectionary Funnel

Conveyor Toasters_

Cooker Cabinets

Cooking Utensils_

Crockery Racks

Croissant Cutter

Cutlery Holders

Cutlery Saver

Cutting Boards

Cutting Boards

Cutlery Trays _

Cutter Sets

Cutter Sets

Cut Resistant Glove

Cooling Tray

Crates

Cone Holder

Coffee Urns

Cold Display

Cocktail And Boston Shakers

Commercial Immersion Mixer

Contrast Chef Jackets - Long Sleeve

Convection Ovens - Electric _

Cream & Soda Chargers

Croissant Warmer & Globes

Condiment Stand & Holders 229, 269 - 270, 340, 346

Chippers _ Churchill _

Chafing Fuel

Chafer Elements

Chafer Stacking Trolley __

Chafing Fuel Burner Holder

Camtainers

Camtrays

Capri _____ Carvery Station Carving Set ___

| Α | |
|--------------------------------------|-------------------------|
| Abs Displayware | 354 |
| Abs Step Risers Display | 354 |
| Accent | 427 - 428 |
| Accessories - Combi Steam 8 | Convection Oven 54 |
| Accessories | 315 |
| Adjustable Dish Caddy | 89 |
| Agano | |
| Airpot Brewers | 74, 78 |
| Airpot Flask | 79 |
| Aluminium Pots & Pans | 240 - 243, 245 - 247 |
| Ambient Display Cabinets _ | 105 |
| Ankor | 145 - 147, 149 |
| Anvil 7 - 17, 21 - 48, 61 - 65,78, 9 | |
| Aprons | 313 - 314 |
| Aqua | 471 - 473 |
| Aqua Polycarbonate | 474 |
| Ashtrays | 272 |
| Avenia36, 57, 61, 77 - 78, 80, | 127, 135, 158, 180, 260 |
| | |

R

| Back Bar Coolers | 8 |
|-----------------------------------|------------------|
| Bain-Maries | |
| Baking Sheets | 25 |
| Baking Trays | 24 |
| Baller And Canal Knife | 26 |
| Bandsaws | 128 - 12 |
| Bar Blenders | 151 - 15 |
| Bar Equipment | 267 - 27 |
| Basic Chef Jackets - Long Sleeve | e 308 - 31 |
| Basic Chef Jackets - Short Sleeve | e30 |
| Basting Brushes | 28 |
| Basting Spoons | 22 |
| Bill Spike | 23 |
| Bill SpikeBiltong Cabinets | 6 |
| Biltong Slicers/Cutters | 133 |
| Bit On The Side | 393 - 39 |
| Blades | 11 |
| Blenders | 150 - 15 |
| Blixers | |
| Board Brush | 28 |
| Boiling Tables | 28 - 2 |
| Bormioli Rocco | 436 - 45 |
| Bottle/Wine Openers & Bottle Cap | |
| Bowl Cutters | 119 - 12 |
| Bravilor | 70 - 75, 7 |
| Bread Baskets | _334, 358 - 35 |
| Bread Trays | |
| Brema | 83 - 8 |
| Brooms & Floor Squeegees | 17 |
| Bubble Tray & Domes | 354 - 35 |
| Buckets & Wringers | 175 – 17 |
| Buffet Accessories 322, 325 | 5, 330, 332 – 33 |
| Buffet Serving Utensils | 22 |
| Bulk Brewers Bravilor | 7 |
| Butcher Block & Stand | |
| Butcher Hooks & Skewers | 26 |
| Butcherquip66 - 69, 12 | |
| Butter Bell | |
| | |

C

| Cake Display Fridges | 105 - 106 |
|-------------------------|-----------------------------|
| Cake Divider | 289 |
| Cake Servers | 228 |
| Cake Stands & Domes 338 | 8, 347, 355, 359 – 360, 365 |
| Cam Carrier | 190 - 191 |

D

184

192 187

434

264

352

262

282

38

226

226

15

133

288

231

267

76

78

70 - 73

336

____343 233, 357

____330 103 - 104

229

232

345

308

35

69

224

289

214

209

283

349

261

_171

174

235

284

250

284

250

429 - 435

294, 296

39, 49

41 - 42, 50 - 53

372 - 399

408 - 411

311 - 312

204 - 205

230 - 231

____ 322, 326 -328, 342

| D-Cleaning Kit | 116 |
|---------------------------------|----------------|
| | 45 - 47 |
| Decorative Food Display Lamps _ | 60 |
| Denim Jackets - Basic Long | |
| Dip-A-Lait | 36 |
| Dish Caddy & Lever | 189 |
| Dish Clearing Trolley | 208 |
| Dishwasher - Tunnel | 164 |
| Dishwashers - Hood Type | 162, 166 |
| Dishwashers - Undercounter | 161 - 162, 165 |
| Disposables | 316 - 317 |
| Dome Cloches | 346, 359 |
| Donau | 432 |
| Dough Cutters & Scrapers | 282 - 283 |
| Dough Roller | 149 |
| Orain Shelves S/Steel | 218 |
| Orizzle | 402 |
| Oudson | 370 - 37 |
| Dune | 401 |
| Dunnage Racks | |
| | |

ΙE

| Efay | 364 - 36 |
|------------------------------------|-------------|
| Egg Poacher | 24 |
| Egg Slicer And Wedger | 26 |
| Electro Chef | |
| Eloff | 43 |
| Emerge | 380 - 38 |
| English | 43 |
| Espresso Machine Accessories | 7 |
| Espresso Machines | 70 - 72, 7 |
| Evolve | 39 |
| Executive Chef Jackets - Men - Lon | g Sleeve 30 |

E

| inca | 371 |
|-----------------------|---------------------------|
| -lasks | 79 |
| Food Blenders | 150 - 151, 157 |
| ood Dehydrator | 66 |
| Food Delivery Bags _ | 215 |
| Food Display Station | 80 |
| Food Processors | 113 - 114 |
| Food Warming Cabine | et62 |
| Forge | 13, 15, 18 - 20, 34 |
| Forged Knives | 253, 257 |
| Fortis | 368, 412 - 428, 433 - 435 |
| Freezer Pan | 198 |
| French Fry Cutter | 134 |
| Fruit & Pastry Stands | 338 |
| Fruit Dispenser | 337 |
| Fryers - Electric | 7 - 9, 12 - 14 |
| Fryers - Gas | 9 - 11 |
| -vnbos | 413 - 414 |

G

| Garlic Press | 231 |
|---------------------------------------|-------------|
| Gastronorm Food Pans S/Steel | 216 – 218 |
| Glass Rimmer | 270 |
| Glass Scraper | 177 |
| Glassware4 | 136 - 474 |
| Global 133, 158, 173 - 174, 207 - 214 | , 217 – 218 |
| 245 - 247 250 278 351 - 353 358 - 350 | 9 |

482

REFERENCE

| | | | KEFEK |
|--------------------|-----|----|-------|
| Grab & Go Displays | 107 | I/ | |

Graters___ Grill Brushes 227 Grillers - Electric __ 18, 23 Grillers - Gas ___ 19 - 22, 24 - 25 255 - 258, 261, 435 Grunter Knives

| Hamilton Beach | 111, 149 - 153, 15 |
|-------------------------------|--------------------|
| Hand Peelers & Slicing Set | |
| Hand Saw | 0.0 |
| Hand Utensils | 26 |
| Handheld Slicers | 26 |
| Happy Spoon | 34 |
| Heat Sealing Machines | 13 |
| Heated & Refrigerated Display | Unit9 |
| Heated Display Units | 97 - 9 |
| Heated Food Display Station _ | 8 |
| Heated Meal Delivery Carts | |
| Heating Lamp | 333, 33 |
| High Heat Drain Shelves | 19 |
| High Heat Inserts & Lids | 193 - 19 |
| Holder System | 18 |
| Holloware | |
| Hot Dog Roller | |
| Hot Tray | 5 |
| Hotel Service Trolley | |

Ice Bins _ Ice Buckets & Stands ____ 271 – 272, 345 189 Ice Caddy Ice Cream Display Fridge _ 158 Ice Crushers _____ Ice Cuber - Gourmet Cubes 84 Ice Flaker 83 Ice Makers - Fast Ice _85 Ice Makers - Gourmet Cubes _83 - 84 Ice Shaver _____ 158 Ice-Cream Scoops _____ 232 293 Icing Spatulas & Pallet Knives____ Icing Turntable ___ 289 Induction Chafing Dishes 323 – 324, 328 - 329, 350 Induction Heating Plate ____ _59 Induction Hob & Stands _ 326 Induction Warmers & Cookers _____ 57 – 59 Infiniti Buffetware _____ 341 - 349, 360 - 363 Ingredient Bins _____ Insect Exterminators ___ 367 Inserts - Melamine ____ Inserts - Porcelain_____322, 325, 327, 332, 344 Inserts - S/Steel __ ____322, 325, 329, 341 Inserts - Silicone _367 _80

Isla Italia Cups

Insulated Servers

| Janitor Trolley | 17 | 75 |
|--------------------|----------------------------|----|
| Jugs | 79, 453, 47 | 13 |
| Juice Dispensers _ | 92, 331, 335, 339, 343, 35 | 33 |
| Juice Extractors _ | 156 - 15 | 57 |

K

| Kintsugi | 388 |
|---------------------------|--------------------|
| Kitchen Timers | 296 |
| Knife Bags | 258 |
| Knife Sharpeners | 260 |
| Knife Sterilising Cabinet | 260 |
| Knit | 405 |
| Knives | 435, 251 - 259, 26 |

| Ladies Housekeeping Uniform | 315 |
|---------------------------------------|------------|
| Ladles | 235 |
| Larding Needle | 265 |
| Lattice Cutter Wheel & Spike Roller _ | 292 |
| Laundry Coats - Short Sleeve | 310 |
| Lotus (Crockery) | 396 |
| Lotus (Cutlery) | 432 |
| Lucaris | _454 - 456 |
| Luzerne | 400 - 41 |

M

| Magnetic Knife Holders | |
|---------------------------------|------------------|
| Manual Lift Toasters | |
| Mats | _ 269, 278 – 280 |
| Meal Delivery Carts | 184 - 185 |
| Measuring Cups & Spoons | 289 |
| Measuring Jugs | |
| Meat Ager | |
| Meat Mallets | |
| Meat Trays - Plastic | |
| Melamine Bowls & Display Stand | |
| Message Pick | |
| Microwave Ovens | 55 - 57 |
| Milk Dispenser | 331, 335, 344 |
| Milk Frothing Jug | 79 |
| Milkshake Mixers | |
| Millenium | 430 |
| Mincer Funnels | 143 |
| Mincer Knives & Plates | 130 |
| Mincers | 130 - 132 |
| Mini Servingware | 355 - 357 |
| Mixing & Measuring Bowls | 287 |
| Mixing Machine | 132 |
| Mobile Carts | 206 |
| Mobile Dolly | |
| Mobile Drying Racks | |
| Mobile Refuse Bins | |
| Mobile Tray Trolley | |
| Mobile Working Table | 207 |
| Modular Buffet System | 331- 333 |
| Mops | |
| Moulds | |
| | 157 |
| Multi-Purpose Gripper | 227 |
| Multipurpose Tray & Storage Cor | |

Ν

389

422 - 423

| Note Holders | 232 |
|--------------|-----------|
| Nourish | 391 - 392 |
| Nozzles | 284 - 286 |

0

| Ocean | 457 - 47 |
|-------------------------|------------|
| Oil And Vinegar Bottles | 229, 34 |
| Oil Filter Bags & Stand | 22 |
| Oil Jacketed Pot | |
| Oil Testers | 29 |
| Olive & Cherry Pitter | 22 |
| Olive | 406 - 40 |
| Omelette & Egg Rings | 23 |
| Orbit | 39 |
| Orved | 137 - 13 |
| Oven Mitts | 23 |
| Oven Stands | 40 - 41, 5 |
| Oven Trays | |
| Oyster Knives | 2 |

Palace

| Palace | 430 |
|----------------------------------|------------------|
| Pancake And Omelette Machine | 38 |
| Panini Grill | 33 |
| Pans 239 | - 240, 242 - 247 |
| Pap Stirrers | 235 |
| Pasta Basket | |
| Patty Formers/Machines | 144 |
| Pedal Bins | 173 |
| Percolator | |
| Perforated Drain Shelves | 199 |
| Peugeot | |
| Pie Warmers | 107 _ 108 |
| Pintinox | 120 121 |
| Pintinox Accessories | 430 - 431 |
| Piping Bags & Rack | 431 |
| Piping Bags & Rack | |
| Piron Ovens | 49 - 53 |
| Pizza Cutters & Lifters | 281 |
| Pizza Display Units | 103 |
| Pizza Ovens | |
| Pizza Pans & Screens | 280 - 281 |
| Pizza Scoop & Shovels | 281 |
| PlacematsPlanetary Mixers | 480 |
| Planetary Mixers | 146 - 148 |
| Plastic Dispensers 6 Pack | |
| Plastic Display Clips | 358 |
| Plate Lowerators | |
| Plate Warmers | 61 |
| Platform Push Trolley | 208 |
| Polycarbonate - Square & Lids | 202 |
| Polycarbonate Dinnerware | 186 - 187 |
| Polycarbonate Inserts | 195 - 197 |
| Polycarbonate Lids For Inserts _ | 198 - 199 |
| Polypropylene Inserts & Lids | 200 - 201, 203 |
| Popcorn Machines | 64 |
| Portion Servers | 234 |
| | 210 |
| Potato Masher & Ricer | 321 |
| Potato Peeler | 122 |
| Pots - S/Steel | 238 246 |
| Power Mixers | 111 - 112 |
| Pre-Rinse Sprays & Hose Reel _ | 166 |
| Prima | /10 /21 |
| PrimaPrima | 410 - 421 |
| | |
| Profile | 395 |
| Proofing CabinetPunch Bowl | 40 |
| Punch Bowl | |
| | |

| Queen Cake Mould | |
|------------------|--|
| Quiche Pan | |

| Rack Dust Cover | 1/2 |
|------------------------------|---------------------|
| Rack Mobile Dolly | 172 |
| Racks And Extenders | |
| Raku | 384 - 386 |
| Rectangular Complete Modul | ar334 |
| Rectangular Platters | _353, 366, 415, 424 |
| Rectangular Trays | |
| Refrigerated Display Units | 100 - 102 |
| Refrigerators/Freezers | 90 - 91 |
| Refuse Bins | 173 - 174 |
| Rheninghaus | |
| Rice Cooker | 61 |
| Rice Spoon | |
| Riser Shelves | 60 |
| Ritz | 431 |
| Roasting Pans | 247 - 248 |
| Robot Cook | 118 |
| Robot Coupe | |
| Rolling Pins | 283 |
| Roma | 431 |
| Room Service Trolley & Hot F | ood Warmer340 |
| Round Funnels | |
| Rustic Wood Range | |
| 0 | |

| J | |
|---|-------------------|
| Salad Bowls | 359 |
| Salad Dryers | 23 |
| Salamanders | 47 - 48 |
| Salt And Pepper Grinders | 479 |
| Salt And Pepper Mills | 476 - 479 |
| Salvadore80, 8 | 37 - 92, 97 - 10° |
| | |
| Sausage Filler Funnels Sausage Fillers | 141 - 142 |
| Scales | |
| Scoops | 23 |
| Scrapers | 228 |
| Scrub Brushes | 178 - 179 |
| Service And Transport Carts | |
| Service Bell | 23 |
| Serving Stands | 368 |
| Serving Utensils | 221 – 223 |
| Servingware | |
| Shakers | |
| Shears | |
| Shelving Units | |
| Sieves | 28 |
| Silicone Moulds | |
| Silicone Spatulas | |
| Sirio | |
| Skimmers | |
| Slicers | 122 - 12 |
| Slim Pan Inserts | 36 |
| Slush Machines | |
| Smoking Cabinets | |
| Snack Tray | |
| Soft Ice/Frozen Yogurt Machine _ | |
| Sola | |
| Sorrento | |
| Soup Kettles | |
| Soup Stations | |
| | |

| Q | |
|-----------------|--------|
| ueen Cake Mould | 29 |

| Rack Dust Cover | 1 |
|----------------------------|----------------|
| Rack Mobile Dolly | |
| Racks And Extenders | |
| Raku | |
| Rectangular Complete Mod | |
| Rectangular Platters | |
| Rectangular Trays | |
| Refrigerated Display Units | 100 - 1 |
| Refrigerators/Freezers | |
| Refuse Bins | |
| Rheninghaus | |
| Rice Cooker | |
| Rice Spoon | 2 |
| Riser Shelves | |
| Ritz | |
| Roasting Pans | 247 - 2 |
| Robot Cook | |
| Robot Coupe | 111 - 121, 1 |
| Rolling Pins | 2 |
| Roma | 4 |
| Room Service Trolley & Ho | t Food Warmer3 |
| Round Funnels | 2 |
| Rustic Wood Range | 360 – 3 |

| Salad Bowls | | | |
|-----------------------------|--------|------------|-------|
| Salad Dryers | | | |
| Salamanders | | | |
| Salt And Pepper Grinders | | | 479 |
| Salt And Pepper Mills | | 476 - | 479 |
| Salvadore | 80, 87 | - 92, 97 - | - 107 |
| Sausage Filler Funnels | | | 143 |
| Sausage Fillers | | 141 - | - 142 |
| Scales | | 302 - | 304 |
| Scoops | | | 234 |
| Scrapers | | | 228 |
| Scrub Brushes | | 178 - | - 179 |
| Service And Transport Carts | | | |
| Service Bell | | | 232 |
| Serving Stands | | | |
| Serving Utensils | | 221 - | 223 |
| Servingware | | | |
| Shakers | | | 230 |
| Shears | | | 266 |
| Shelving Units | | | 21 |
| Sieves | | | 288 |
| Silicone Moulds | | 291 - | 292 |
| Silicone Spatulas | | | |
| Sirio | | | |
| Skimmers | | | 227 |
| Slicers | | | |
| Slim Pan Inserts | | | |
| Slush Machines | | | |
| Smoking Cabinets | | | |
| Snack Tray | | | |
| Soft Ice/Frozen Yogurt Mach | | | |
| Sola | | | |
| Sorrento | | | |
| Soup Kettles | | | 80 |
| Soup Stations | | | |
| oup diations | | 021,012, | 302 |

| 240 | Spreaders | | 261 |
|------------------|--------------------------------------|----------|------|
| 249 | Spring Form & Cake Tins | 289 - 2 | 290 |
| | Stand Mixer | | 149 |
| | Steak & Kidney Dishes | 2 | 248 |
| | Steak Knives | | 435 |
| 172 | Step Risers | _ 339, 3 | 354 |
| 172 172 | Stonecast | 372 – 3 | 379 |
| 1/2 167 - 171 | Storage Boxes & Lids - Polycarbonate | 2 | 203 |
| 384 - 386 | Storage Containers - Plastic | _ 213 - | 214 |
| 304 - 300 | Store 'N Pours | 2 | 270 |
| | Stoves | 16 | -17 |
| 3, 366, 415, 424 | Stoves With Oven | 26 - | - 27 |
| 366 | Strainers | _ 233, 2 | 267 |

Studio Prints - Stone__

S/Steel Plate Cover_

Sous Vide Cookers _

Spiral Dough Mixers _

Spectra .

Spray Bottles

Studio _____

Summit .

Summit .

REFERENCE

| Table Linen | 318 |
|------------------------|---|
| Table Number Stands _ | 229 |
| | 229 |
| | 339 |
| | 79, 348, 421 |
| | 208 |
| | 336 |
| | 250 |
| | 415 - 416 |
| | 144 |
| | 297 - 301 |
| | 321 - 340 |
| | 31 |
| | 30 |
| • | 229 |
| Toaster Cover | 32 |
| Toasters - Electric | 32 - 36 |
| Toasters - Gas | 34 |
| Tomato Slicer | 134 |
| Tongs | 221 - 222, 224 - 225, 345 |
| Tot Drainer & Measures | 268 |
| Traditional | 222, 433 - 434 |
| Trays | 273 - 278, 348 _ 130 - 132, 136, 141 - 143 |
| Tre Spade | _ 130 - 132, 136, 141 - 143 |
| | 338 |
| Trigger Bottles | 174 |
| Trolley | _ 54, 207 - 208, 322, 340 |
| Tuff Trays | 274 - 277 |
| Turners & Lifters | 221, 223 - 224, 228 |
| Tweezers | 225 |
| | |
| 11 | |

| Under Bar Fridges | 88 - 89 |
|---------------------------------------|-----------|
| Undercounter - Refrigerator & Freezer | 91 |
| Urban | 403 - 404 |
| Urns | 77, 343 |
| Utensil Holders & Tote | 235 |
| Utility Coats - Short Sleeve | 310 |

| Vacuum Cleaner | 175 |
|----------------|-----|
| Vacuum Flask | 70 |

Vacuum Pack Machines 136 - 140 Vegetable Cutter & Blades ____ _121 Vegetable Mill ____ 134 Vegetable Preparation Machines _114 - 116 Vertical Bun Toaster ____ 251 – 254, 435 Victorinox Knives___

_65

145

174

261

417, 463

92 - 94

92 - 94, 153 - 154, 157

387

187

175, 177 – 180

| Vaffle Baker | 3. |
|----------------------------|-----------|
| Vaiters Friends | 268 |
| Wall Mounted Holder System | 180 |
| Wall Shelving | 209 |
| Vet Floor Sign | 177 |
| Vhips | 295 -296 |
| Vhisks | 293 - 294 |
| Vhite Accessories | 397 - 399 |
| Vindsor | 432 |
| Vine Cooler | 92 |
| Vire Lockers | 212 |
| Vooden Serving Boards | 363 |
| Vooden Spoons | 23 |
| Vork Tables | 210 |
| Vrapping Machines | 134 |

| Squared | (| 39 |
|---------|---|----|


SERVICE CENTRE AND WAREHOUSE

Our skilled technicians and efficient operational team are always on hand to offer world class service.









JOHANNESBURG AND CAPE TOWN SHOWROOMS

Make an appointment to visit us in either our Johannesburg or Cape Town showroom.

JOHANNESBURG



CAPE TOWN



REFERENCE

BRAND WARRANTIES
































































ALUMINIUM COOKWARE











www.bce.co.za

JOHANNESBURG 195 Robert Street, Robertville, Roodepoort Tel::+27 10 001 0300 | Toll Free: 0800 332 537

CAPE TOWN

Butt skop Road, Blackheath, Cape Town Tel +27 21 905 2881

DURBAN

1 Crassula Road, Unit 5, Cornerstone Business Park, Cornubia, eThekwini Tel:+27 79 526 0934

All rights reserved. Product information is subject to change. © 2023 by BCE Foodservice Equipment

DISCLAIMER

The products may differ slightly from the pictures shown in this buyers guide. Outputs and capacities given are generally the maximum possible and these figures do vary according to circumstances. They are based on measurements supplied by the manufacturer, or recorded here. Every effort has been made to include as much needed information as possible and to present it in an easy-to-read, unambiguous and consistent manner.